

# Unit OS12.2: The Registry

## 12.3. Quiz

Windows Operating System Internals - by David A. Solomon and Mark E. Russinovich with Andreas Polze

# Copyright Notice

© 2000-2005 David A. Solomon and Mark Russinovich

- These materials are part of the *Windows Operating System Internals Curriculum Development Kit*, developed by David A. Solomon and Mark E. Russinovich with Andreas Polze
- Microsoft has licensed these materials from David Solomon Expert Seminars, Inc. for distribution to academic organizations solely for use in academic environments (and not for commercial use)

## Registry Logical Structure

User-independent Windows and application settings are stored in which branch of the Registry?

- a) HKEY\_LOCAL\_MACHINE
- b) HKEY\_SYSTEM
- c) HKEY\_USERS
- d) HKEY\_ROOT

## Registry Logical Structure

Which of the following keys is NOT a symbolc-link?

- a) HKEY\_CURRENT\_USER
- b) HKEY\_CLASSES\_ROOT
- c) HKEY\_CURRENT\_CONFIG
- d) HKEY\_LOCAL\_MACHINE

## Registry Logical Structure

Which of the following keys are volatile?

- a) HKEY\_CURRENT\_USER
- b) HKEY\_LOCAL\_MACHINE\HARDWARE
- c) HKEY\_LOCAL\_MACHINE\TEMP
- d) HKEY\_USERS

## User Profiles

User profiles store under which directory?

- a) \My Documents
- b) \User Documents
- c) \Default Settings
- d) \Documents and Settings

## Registry Physical Structure

Non-profiles hives are stored in which location?

- a) \Windows\System32\Hives
- b) \Windows\System32\Config
- c) HKEY\_LOCAL\_MACHINE\HiveList
- d) \Windows\Registry

## Registry Physical Structure

Which hive is loaded first when Windows boots?

- a) SYSTEM
- b) SECURITY
- c) HKEY\_LOCAL\_MACHINE
- d) HKEY\_LOCAL\_MACHINE\HARDWARE