

Index

Symbols

& (ampersand)
background processes and, 131
IRC, using, 125
starting the window manager
and, 21

< (input redirection operator), 87

> and >> (output redirection
operator), 88-91

* (asterisk)
executable files and, 53
wildcards, 58, 67, 79

| (pipe) for I/O redirection, 88

[] (bracket), as wildcards, 68

^ (caret), cutting or copying text in
pico, 72

: (colon) as a less prompt, 55

- (hyphen) for command options, 11

\$ (dollar sign), as shell prompt, 4, 6,
21

. (dot)
directory shortcuts, 46, 50, 76
in filenames, 66

= (equal sign) operator, 58

(hash mark)
using IRC, 125
as shell prompt, 6

% (percent sign), as shell prompt, 21

;(semicolon)
background commands,
running, 132
command lines and, 12

/(slash)
IRC, using, 126
ls command and, 53
pathnames and, 45-47
root directories and, 43, 46

? (question mark), as a wildcard, 67

?word command (less), 55

A

-a (all) option, (ls), 50

absolute pathnames, 45, 46

access modes (permissions), 51, 57

accounts (Unix), 1-11, 42-65
customizing, 63-65

address book (Pine), 116

aliases (shell), 139

alphanumeric terminals, 17

ampersand (&)
background processes and, 131
IRC, using, 125

We'd like to hear your suggestions for improving our indexes. Send email to index@oreilly.com.

- ampersand (&) (continued)
 - starting the window manager
 - and, 21
- appending text to files, 91
- apropos program, 137
- arguments for command lines, 11
- ascii command (FTP), 107
- asterisk (*)
 - executable files and, 53
 - wildcards, 58, 67, 79
- B**
- b command, (less), 55
- background processing, 130-135
 - cancelling processes, 134
 - checking on processes, 132-134
- BACKSPACE key, 9
- bash shell, 5
- bg command, 132
- bin directory, 44
- binary command (FTP), 107
- block cursors, 27
- blocks, measuring total *n*, (ls -l), 50
- Bourne (sh) shell, 5
- bracket (I) as wildcards, 68
- browsers, using graphical filesystems, 61
- C**
- C (csh) shell, 5
- c grep option, 94
- calculator programs for X, 23
- cancel program, 85
- cancelling
 - background processes, 134
 - foreground processes, 130
 - print jobs, 85
- caret (^), cutting or copying text in
 - pico, 72
- case-sensitivity of Unix systems, 2
- cat program, 88-91
- cd (change directory) command, 48
 - FTP, 107
- channel operators (Ops), 125
- chat (interactive), 123-125
- chatr program (Linux), 59
- chgrp program, 60
- child directories (subdirectories), 44
- chmod command, 52, 57-60
- chown program, 60
- clients, X Window System, 23
- clobbering files, 89
- Close (Sawfish window menu), 33
- collections in Pine, 119
- colon (:) as a less prompt, 55
- command prompt, 4
- command-line FTP, 106-108
- commands
 - entering a line, 6
 - FTP, 106
 - menus and icons, 24
 - recalling previous, 8
 - shell aliases for, 139
 - syntax of, 11-13
 - types of, 14
- Config command, 117
- connecting to Unix systems, 2, 97-100
- control characters, 9
 - CTRL-C, 15
 - CTRL-D, 16, 90
 - CTRL-H, 9
 - CTRL-J, 15
 - CTRL-Q, 16
 - CTRL-S, 16
 - CTRL-Z, 15, 132
- controlling programs, quitting X, 40
- copying
 - files, 74-77, 81
 - remotely, 104-108
 - xterm windows and, 26
- cp program, 60, 75
- crackers, 100
 - changing passwords and, 62
- csh (C) shell, 5
- CTRL-L command (less), 55
- cu program, 97
- current directories, 43
- currently selected links, (Lynx), 103
- cursors, 26
- customizing
 - accounts, 63-65
 - programming the shell, 139, 140
- Cygwin software, 140

D

dash (-) for command options, 11
date and time
 date program and, 7, 90
 process execution time, 132
DEL, DELETE keys, 9
deleting files and directories, 79, 80
desktop environments, 18
desktops (virtual), 35-37
dir command (FTP), 107
directly executable programs, 133
directories, 42
 .. shortcuts, 46, 50, 76
 changing, 47
 creating, 74
 current, 43
 deleting, 79, 80
 files, completing, 62
 hierarchy of trees, 43, 48
 home, 43
 listing, 49-54
 names of, 66-69
 pathnames, 44-47
 permissions, 52, 56
 umask command and, 64
 working, 43
DISPLAY environment variable, 25
display managers, 19
documentation on Unix, 136
dollar sign (\$), as shell prompt, 4, 6, 21
dot (.)
 directory shortcuts, 46, 50, 76
 in filenames, 66

E

emacs text editor, 69
email (electronic mail), 108-118
 command output, sending, 95
 files, sending, 132
 Pine program and, 111-118
Enlightenment window manager, 37
environment variables, setting, 63-65
environments
 desktop, 18
 Unix, 1-11
equal sign (=) operator, 58
erase character, 9

erasing files and directories, 79
errors on command line, 8
etc directory, 44
eXceed, 3
executable files, 53
execute (x) permission, 51, 58
exit command, 10, 31
Exit (window manager), 40
exiting
 Unix session, 10
 X Window System, 40

F

fg command, 11, 132
File Transfer Protocol (FTP), 105-108
filenames, 66
 changing, 77, 78
 option commands and, 12
 replacing with pathnames, 58
 starting with dot (.), 66
 wildcards for, 67
files, 42, 67-74
 appending text to, 91
 copying, 74-77, 81, 104-108
 across a network, 77
 creating and editing, 69-74
 deleting, 79, 80
 directory names and, 62
 directory trees and, 48
 finding/searching for, 78
 hidden, 50
 information about, 50-53
 inserting text in, 88-91
 less command, using, 54, 55
 Linux protection for, 59
 listing, 49-54
 managing, 74-81
 moving, 77, 78
 overwriting by mistake, 89
 pathnames, 44-47
 permissions, 52, 57
 umask command and, 64
 printing, 81-86
 reading, 81, 88, 95
 remote, 80, 81
 copying, 104-108
 renaming, 77, 78

files (continued)
 searching within, 93, 94
 sharing, 56-60
 sorting lines in, 94
 filesystem, 42-54
 graphical browsers, 61
 networked, 44
 filters, 92-96
 find program, 78
 finding
 files, 78
 text in files, 93, 94

N

nf command, 55

F

finger program, 13
 flags, 11
 focus, setting, 22
 foreground, 130-135
 Forget saved state (Sawfish window menu), 33
 fortune program, 64
 frozen
 terminals, 14-16
 windows, 37
 FTP (File Transfer Protocol), 105-108
 functions for shell aliases, 139

G

g (group) permission, 58
 gdm display manager, 19
 get command (FTP), 106
 glossary, 143-147
 GNOME desktop environment, 18, 23, 33
 graphical filesystem browsers
 and, 61
 virtual desktops and, 35
 graphical filesystem browsers, 61
 graphical (windows)
 logging in, 3, 19
 grep program, 93, 94
 group (g) permission, 58
 groups program, 60

H

h (help) command, (less), 55
 hackers, 100
 changing passwords and, 62
 hash mark (#)
 using IRC, 125
 as shell prompt, 6
 help and resources
 info program, 137
 less program, 55
 man program (less), 136
 Unix documentation, 136
 help (h) command, 55
 hidden files, 50
 hierarchies (directory trees), 43, 48
 History (Sawfish window menu), 33
 home directory, 43
 hostnames
 for accounts, 1
 mailing to, 109
 hung
 terminals, 14-16
 windows, 37
 hyphen (-) for command options, 11

I

-i grep option, 94
 I-beam pointer, 27
 icons, 24
 iconifying windows, 29
 moving, 31
 virtual desktops and, 37
 index (message) screens for
 newsgroups, 122
 info program, 137
 input focus, setting, 22
 input redirection operator (<), 87
 input/output redirection, 87-96
 creating files, 69
 Internet, 32, 97-129
 Internet Relay Chat (IRC), 125-129
 interpreted programs, 133
 interrupt characters, 9, 15
 I/O (input/output) redirection, 87-96
 creating files, 69
 IRC (Internet Relay Chat), 125-129

J

job control, 130-135
 stopped jobs, 11
 suspending jobs, 15
jobs command, 134

K

KDE desktop environment, 18
 graphical filesystem browsers
 and, 61
kdm display manager, 19
kermit program, 3
keyboard shortcuts, 34
kill command, 31, 134
Konqueror
 file system browser, 61
 web browser, 101
Korn (ksh) shell, 5

L

-l option (ls), 94
lcd command (FTP), 107
LESS environment variable, 55, 64
less program, 5, 95
 wildcards and, 68
LINEFEED character, 15
links
 in long formats, 51
 in text-based browsers, 103
Linux
 directory protection, 59
 info program, 137
 MTOOLS utilities, 81
listing files/directories, 49-54
locate program, 78
logging in
 graphically, 19
 nongraphically, 3-5
 prompt for, 2
 remotely, 97-100
logging out, 10
.login file, 63
logout command, 10
lowercase letters, when logging in, 4
lp program, 83, 84
lpq program, 83, 85
lpr program, 83, 84
lprm program, 85

lpstat program, 84
ls program, 13, 49-54
 rm command and, 79
Lynx web browsers, 101-104

M

Macintosh computers, 140
mail (electronic), 108-118
mail program, 109
man program, 136
maximizing windows, 29
 Sawfish window menu, 33
mcopy program, 81
menus
 commands, 24
 Sawfish windows, 33
 window manager, 24
 window menu, 33-35
message index screens for
 newsgroups, 122
metacharacters, 67
mget command (FTP), 106
Microsoft Windows, 140
 accessing with Unix, 80, 81
minicom program, 3
minimizing windows, 29
 Sawfish window menu, 33
mkdir program, 74
modification date in long formats, 52
more program, 54
mouse, 26-29
 window systems, using, 17
 xterm, using on, 26-29
moving
 between directories, 48
 files, 77, 78
 windows and icons, 31
mput command (FTP), 106
MTOOLS utilities, 81
multitasking, 130-135
mv program, 77, 78
mwm menu, 34

N

:n command (less), 55
 -n grep option, 94
 name in long formats, 52
 naming files and directories, 66
 wildcards for, 67-69
 Net News, 118
 netscape program, 14
 Netscape web browsers, 14, 101
 networked filesystem, 44
 networks, copying files across, 104,
 105
 newsreader program, 119
 NO SCROLL key, 16
 noclobber variable, 89
 nongraphical login, 3
 not command, 53
 ntalk program, 125

O

o (other) permission, 58
 Opera web browsers, 101
 operating system, definition of, vii
 Ops (channel operators), 125
 options for command lines, 11
 other (o) permission, 58
 output redirection operator (> and
 >>), 88-91
 output/input redirecting, 87-96
 overwriting files, 89
 owner in long formats (ls), 51

P

:p command (less), 55
 pagers, choosing between virtual
 desktops, 35-37
 panels for window managers, 35
 parent directories, using ..
 shortcuts, 46, 50, 76
 passwd program, 63
 passwords, 2
 changing, 63
 logging on with, 4
 security of, 62
 pasting in xterm windows, 26
 PATH environment variable, 64
 pathnames, 44-47
 absolute, 45, 46

 relative, 46, 47
 percent sign (%), as shell prompt, 21
 permissions, 52
 directory, 56
 under Linux, 59
 umask command and, 64
 pg program, 54
 Pico text editor, 69-74
 PID (process ID) numbers, 23, 131
 Pine program, 111-119
 address book, 116
 configuring, 116
 email, sending, 113-116
 pipe (|) for I/O redirection, 88, 92-96
 pointers, 17
 mouse, working with, 26
 pr program, 81
 print working directory (pwd)
 command, 47
 printers, 81
 printing files, 81-86
 cancelling jobs, 85
 job queue for, 83, 84
 process ID (PID) numbers, 23, 131
 processes, background, 130-135
 cancelling, 134
 checking on processes, 132-134
 procomm program, 3
 .profile file, 63
 programming the shell, 139, 140
 programs
 cancelling execution of, 9, 134
 directly executable vs.
 interpreted, 133
 redirecting output of, 88, 92-96
 running in background, 130-134
 X, running with, 22-25
 prompt (command/shell), 4
 FTP, 107
 ps program, 132-134
 put command (FTP), 106
 pwd (print working directory)
 command, 47

Q

q command (less), 55
qmodem program, 3
question mark (?), as a wildcard, 67
queue (printers), 83, 84
quit command (FTP), 107
quitting X Window System, 40

R

r (read) permission, 51, 58
rcp program, 104
reading files, 54, 55
redirecting input/output, 87-96
regular expression, 93
relative pathnames, 46
Remember position (Sawfish window menu), 33
remote files, 80, 81
 copying, 104-108
remote logins, 97
removing files and directories, 79
resizing windows, 31
RETURN command, (less), 55
rlogin program, 97, 99
rm program, 79
rmdir program, 79
root directory, 43
rsh program, 97, 99
RUBOUT key, 9

S

Sawfish window menus, 33
scp program, 104
scrolling, turning off, 16
searching
 files, 78
 within files, 93, 94
security, 2
 of passwords, 62
semicolon (;)
 background commands,
 running, 132
 command lines and, 12
Send window to (Sawfish window menu), 33
session, unresponsive (hung), 14-16,
 37
Setup command (Pine), 117

sh (Bourne) shell, 5
sharing files, 56-60
shells, 1
 aliases, 139
 programming shell scripts, 139, 140
 prompt, 4, 6
 sending mail from, 109-118
 setup files, 63
 Unix, 5
 Window systems, 6
shortcuts, keyboard, 34
single-user operating systems, vii
size in long formats (ls), 51
slash (/)
 IRC, using, 126
 ls command and, 53
 pathnames and, 45-47
 root directories and, 43, 46
sort command, 94
 -o option, 12
SSH connections, 100
ssh program, 3, 97, 99
Stacking (Sawfish window menu), 33
stacking windows, 32
standard input/output, 87
stopped jobs, 11
subdirectories (child directories), 44
superusers, logging in as, 6
suspend character, 132
suspending jobs, 15
syntax of command lines, 11-13

T

TAB key, completing file and directory names, 62
talk program, 123
tcsh shell, 5
telnet program, 3, 97
terminal types, 4
terminal windows, 1, 22
 multitasking in, 130
 processes, checking, 132-134
 shells, using in a Windows system, 6
 unresponsive (hung), 14-16
text
 appending to files, 91
 editors for, 69

- text (continued)
 - handling in xterm windows, 27
 - inserting into files, 88-91
 - printing format, 81-86
 - searching files for, 93, 94
 - sorting lines of, 94
 - text based web browsers, 101
 - text editors, 69-74
 - time (see date and time)
 - tip program, 97
 - titlebar, window, 29
 - tmp directory, 44
 - total *n* in long formats (ls), 50
 - trees (directories), 43, 48
 - troubleshooting
 - background processing, 135
 - command line, 8
 - copying and pasting, 28
 - copying files, 77
 - deleting files and directories, 80
 - hung (unresponsive) terminal, 14-16
 - hung (unresponsive) window, 37
 - logging in, 5
 - logging out, 10
 - man program, 137
 - overwriting files by mistake, 89
 - printing, 84
 - X root menu, 25
 - tty program, 132
 - type in long formats (ls), 51
- U**
- u (user) permission, 58
 - umask command, 64
 - Unix
 - accessing other platforms, 80, 81
 - accounts, 1-11, 42-65
 - documentation on, 136
 - environment, 1-11
 - programs, running, 21-25
 - shells, 5
 - starting X from, 20
 - terminal windows for, 22
 - versions of, viii
 - up-arrow key, recalling previous
 - commands, 8
 - Usenet news, 118-123
 - user (u) permission, 58
 - usernames, 1
 - mailing to, 109
 - users
 - access modes (permissions), 51
 - directories, 44
 - who program for, 7, 90
- V**
- v command (less), 55
 - versions, Unix, viii
 - vertical bar (|) for I/O redirection, 88, 92-96
 - vi text editor, 69
 - virtual consoles, 17
 - virtual desktops, 35-37
 - VMware, 3
- W**
- w option, starting pico, 70
 - w program, 13
 - w (write) permission, 51, 58
 - web browsers, 37
 - Lynx, 101-104
 - Whereis command (Pine), 117
 - who am i command, 7
 - who command, 7
 - who program, 90
 - options and, 12
 - wildcards, 58, 67
 - window managers, 18
 - features of, 35-37
 - menus, 24, 33-35
 - quitting X, 40
 - starting, 21
 - virtual desktops and, 35-37
 - working with, 29-35
 - window systems, 17-41
 - focus in, 22
 - graphical, logging in, 19
 - mouse, working with, 26-29
 - windows
 - focus, 22
 - iconifying/maximizing, 29
 - menus for, 33-35
 - moving, 31
 - other computers and, 100
 - resizing, 31

windows (continued)
 Sawfish menus, 33
 stacking, 32
 titlebar, 29
 unresponsive (hung), 37
 working with, 29-35
 X (see X Window System), 17
Windows system
 shells for, 6
/word command (less), 55
word processors, 69-74
 vs. text editors, 69
working directory, 43, 47

X

x (execute) permission, 51, 58
X forwarding, 101
X Window System, 17, 100
 clients, 23
 getting input focus, 22
 manager menus, 24
 mouse, working with, 26-29
 programs, running on, 21-25, 39
 quitting, 40
 starting, 19-21
 xdm display manager, 19
xauth command, 25
xcalc program, 23
xdm display manager, 19
xhost command, 25
xinit command, 20
xterm windows, 6, 23
 copying and pasting in, 27
 mouse, working with, 26-29
 multitasking, 131
 pico, using, 71
 resizing, 31

Y

yppasswd program, 63