

## NAME

`PerlIO::via::QuotedPrint` - PerlIO layer for quoted-printable strings

## SYNOPSIS

```
use PerlIO::via::QuotedPrint;

open( my $in, '<:via(QuotedPrint)', 'file.qp' )
  or die "Can't open file.qp for reading: $!\n";

open( my $out, '>:via(QuotedPrint)', 'file.qp' )
  or die "Can't open file.qp for writing: $!\n";
```

## DESCRIPTION

This module implements a PerlIO layer that works on files encoded in the quoted-printable format. It will decode from quoted-printable while reading from a handle, and it will encode as quoted-printable while writing to a handle.

## REQUIRED MODULES

`MIME::QuotedPrint` (any)

## SEE ALSO

*PerlIO::via*, *MIME::QuotedPrint*, *PerlIO::via::Base64*, *PerlIO::via::MD5*, *PerlIO::via::StripHTML*, *PerlIO::via::Rotate*.

## ACKNOWLEDGEMENTS

Based on example that was initially added to `MIME::QuotedPrint.pm` for the 5.8.0 distribution of Perl.

## COPYRIGHT

Copyright (c) 2002-2003 Elizabeth Mattijsen. All rights reserved. This library is free software; you can redistribute it and/or modify it under the same terms as Perl itself.