

Index A

Technical Manual Part I and Part II

Symbols

- ▣ abort, overlay for BOP abort, 6-13
C coding, 62-6
- ▣ badbcc, overlay for bad BCC or FCS, 6-13
C coding, 62-6
- ▣ bit mask symbol, in Receive string condition, 24-7
-)) close double parens symbol, 3-5, 25-4, 28-5
- */ closing delimiter for comment, 27-14
- ☒ don't care symbol
in Receive string condition, 24-7
in spreadsheet string search, 36-35
- ▣ flag, 7E flag symbol, 6-13
C coding, 62-6
- ▣ goodbcc, overlay for good BCC or FCS, 6-13
C coding, 62-6
- ⊕ highlighted plus symbol, indicates wrap in logical line, 29-3
- ▣ not equal flag symbol
in Receive string condition, 24-7
in spreadsheet string search, for beginning of frame, 36-35
- « open double parens symbol, 3-5, 25-4, 28-5
- /* opening delimiter for comment, 27-14
- ⌘ pad, in Outsync Char field, 5-8
- ? key, Easy View, 4-7
- ▣ sync, sync symbol, 5-7, 6-13
C coding, 62-6
- ~ tilde symbol, 3-4, 27-3
- ≡ time-fill, 6-8
- / (root) directory, 14-4

A

- A Bus En. indicator on RS-485 Test Interface Module, 50-5
- Abbreviations, glossary, B-1-B-10
- Abort
 - adjunct to monitor-frame condition
 - LAPD, 42-13, 42-15
 - SDLC, 38-14, 38-16
 - X.25 Layer 2, 36-14, 36-15
 - adjunct to send-frame action
 - LAPD, 42-25
 - SDLC, 38-27
 - X.25 Layer 2, 36-28
 - adjunct to send-string action, Layer 1 (BOP), 31-9
 - appended to transmit string, 10-6
 - defined for BOP, 10-6, 36-10, 37-14, 42-9, 43-6, 45-6, 46-7
 - field on BCC Setup menu, 10-12
 - in C, 62-6
 - monitor/receive condition, Layer 1 (BOP only), 31-4
 - overlay, BOP only, 10-4
- Absolute pathnames, files and directories, 14-5
- Accumulate, layer-independent action, 30-15
- Accumulate action, 20-7
 - may apply to current, last, minimum, or maximum values, 20-9
 - not found on trigger menus, 20-8
 - translated into C, 65-13
 - used to log one hour per day over days or weeks, 20-10
- Accumulate counter, layer-independent action, 30-15
- Accumulate timer, layer-independent action, 30-15
- Accumulator
 - created by being named in Accumulate action, 30-15
 - may be given display line on stat screen(s), 30-15
 - printing line of tabular statistics for, 30-16

Acronyms, glossary, B-1-B-10

Actions

- capture memory on/off, 7-10
- Enhance, control of color display, 17-5
- in C, 56-12
- Layer 1, 31-6
 - accessed via Done key, 31-6
- layer-independent, 30-8-30-13
- Protocol Spreadsheet, programming block, 27-9
 - comments in, 27-15
 - record on/off, 7-10

ADDR

- address, trace column
 - SDLC, 38-7
 - X.25 Layer 2, 36-7
- field on SDLC Frame Level Setup screen, 38-3, 38-5, 39-3

Address

- adjunct to monitor/receive-frame condition
 - SDLC, 38-13
 - X.25 Layer 2, 36-14
- adjunct to send-frame action
 - SDLC, 38-24
 - X.25 Layer 2, 36-25
- trace field, SNA-SDLC, 39-6

Affects, field on BCC Setup menu, 10-12

Again, editor command, 29-9

Aggregate G.703 record, 53-5, 53-26

Aggregate T1 Record, 52-5, 52-26

Alarm

- field on Trigger Setup menu, 25-11
- layer-independent action, 30-13

Allocating disk space, 13-3

Alternate Mark Inversion, transmission technique, 51-4, 52-3

AMI. *See* Alternate Mark Inversion

ANSI format, SS#7 layer 3, 46-4

Append, run-mode printer output to existing disk file, 15-6

Array

- may be initialized by a string in C, 59-19, 60-13
- name of array is 4-byte address in C, 61-2
- size, 59-20

ASCII

- default BCC parameters, 10-8
- hex-to-display conversion table, D2-3
- keyboard-to-ASCII conversion table, D1-3

ASCII keys, in programming menus and spreadsheet, 3-4

Async

- data setup, 5-10
- sample Line Setup, 5-13

Attributes

- format of 32-bit word same in Display Window and trace buffers, 64-14
- in character buffer, 62-6
- in Display Window
 - color, 64-4
 - current font, 64-4
 - derived from the current window_color and window_modifier values, 64-43
 - enhancements, 64-4
 - mapping of %m argument to attribute variables, illustrated, 64-41
 - set via %m conversion specifier in format of displayf routine, 64-12
 - stored in window_color and window_modifier variables, 64-12
 - three bytes of attributes to one byte of data, 64-4
- in trace buffer
 - mapping of %m argument to attribute variables, illustrated, 64-42
 - updated by %m conversion in format of tracef routine, 64-33
 - written via %m conversion specifier to trace_buf.hdr structure, 64-35
- less flexible set of attributes in character buffer than in Display Window, 62-16
- not available via display_prompt routine, 64-3

AUX Control, field on Interface Control menu, 12-17

AUX I/O, connector, 1-9

AUX leads, 1-9

AUX outputs

- driven on/off by spreadsheet actions, 12-9
- driven on/off on Interface Control menu, 12-17
- location on TIM, 12-8
- on/off, Layer 1 emulate-mode action, 31-10

Auto Configure, screen in automonitor mode, 6-3

Auto Termn, DIP switch, on RS-485 Test Interface Module, 50-4

Auto-indent, editor command, 29-9

Automatic OSI primitives. *See* Primitives

Automatic X.25 Layer 2, 36-36

Automonitor mode
 setting up, 5-3
 stage in autoconfiguration displayed in Status field, 6-3
 updates Line Setup screen, 6-4
 with no clock, speed defaults to 168 kbps, 6-4

Autosync, subfield on Line Setup menu, 5-7, 5-8

Auxiliary TTL connector, 1-9, I-4
 AUX port controlled by C program, 71-3-71-11

Average, column on Tabular Statistics screen, 20-6, 20-11, 30-10

B

B Bus En, indicator on RS-485 Test Interface Module, 50-5

B channels, ISDN, 51-3, 51-4

B8ZS. *See* Binary 8 Zero Suppression

Back panel, 1-7
 fan, 1-8
 fan filter, clean to prevent overheating, 1-9
 frequency selection, 1-8
 Input/Output connectors, 1-9
 AUXILIARY TTL, 1-9
 CRT/RGB, 1-9
 ISDN handset, 1-9
 PRINTER, 1-9
 REMOTE RS-232, 1-9
 RS-170 composite video, 1-10
 on/off (power) switch, 1-8
 power connector, 1-7
 voltage selection, 1-7

Backslash, entry of inside prompt message, 30-12

Backslash (\), escape character in C string, 59-20

Bad BCC
 adjunct to monitor-frame condition
 LAPD, 42-13, 42-15
 dce_bad_bcc, C variable, 80-1
 dte_bad_bcc, C variable, 80-1
 SDLC, 38-14, 38-16
 dce_bad_bcc, C variable, 76-1
 dte_bad_bcc, C variable, 76-1
 SS#7 Layer 2
 dce_bad_bcc, C variable, 82-1
 dte_bad_bcc, C variable, 82-1

X.25 Layer 2, 36-14, 36-15
 dce_bad_bcc, C variable, 74-1
 dte_bad_bcc, C variable, 74-1
 adjunct to send-frame action
 LAPD, 42-25
 SDLC, 38-27
 X.25 Layer 2, 36-28
 adjunct to send-string action, Layer 1, 31-9
 appended to transmit string, 10-5
 as condition, 10-5
 fevar_bd_bcc_td and fevar_bd_bcc_rd, C events, 62-2
 monitor/receive condition, Layer 1, 31-4
 operational only when Rcv Blk Chk enabled, 31-4
 overlay, 10-3

Basic Rate ISDN, 51-3

Baud rate, default value for remote port, 70-21

Baudot

hex-to-display conversion table, D2-3
 keyboard-to-Baudot conversion table, D1-9
 no default BCC parameters, 10-8

BCC

See also Block checking
 cross between a Layer 1 and Layer 2 function, 31-4
 indicated by transmit tag in header of IL buffer, 58-7
 Layer 1 condition, 31-4
 operational only when Rcv Blk Chk enabled, 31-4
 subfield on Trigger Setup menu, 10-5, 25-4
 trace column
 LAPD, 42-9
 Q.931, 43-6
 SDLC, 38-10
 SNA-SDLC, 39-6
 SS#7 Layer 2, 45-6, 46-7
 X.25 Layer 2, 36-10
 X.25 Layer 3, 37-14

BCC Setup, overview of screen, 2-11

BERT

"force-loopback" programming example, 11-21-11-22
 analyze-only mode, 11-18
 automatic error injection, 11-14
 enabling/disabling by softkey, 11-18
 status message, 11-21
 block size, 11-13
 G.703, 11-42
 T1, 11-29
 clearing counters, 11-6
 clearing the results screen, 11-18
 counters, 11-19

- five pseudorandom patterns, 11-3
 - algorithms, 11-3
- freeze mode, 11-17
- G.703. *See* G.703, BERT
- G.703 BERT, run-time function key, 11-46
- half duplex, 11-6
 - "receive and analyze" versus "generate" mode, 11-7
 - initiating the send-receive cycle, 11-7
- invert, G.703, 11-41
- manual error injection, 11-18
- operating mode, selected on Line Setup menu, 11-5
- pattern, G.703, 11-41
- patterns, 11-7
- reinitializing a running test, 11-18
- relation of BERT Setup menu to Interface Control screen, 11-7
- relation of BERT Setup menu to Line Setup menu, 11-6, 11-15
- synchronous versus asynchronous, 11-15
- T1. *See* T1, BERT
- T1 BERT, run-time function key, 11-34
- test length, 11-14
 - G.703, 11-42
 - T1, 11-29
- BERT modes, setting up, 5-4
- BERT Setup, overview of screen, 2-12
- Begin, editor command, 29-5
- Begin CAS MF w/frame containing frame align. signal, G.703, field on Interface Control menu, 53-24
- Binary, user-defined routine that displays binary value of byte, 61-5
- Binary 8 Zero Suppression
 - T1 Interface Control screen, 52-26
 - transmission technique, 52-4
- Binary display, of cursor characters, 6-15
 - in relation to order of transmission, 6-15
- Bipolar violations
 - BPV's received
 - G.703, statistics display, 53-28
 - T1 statistics display, 52-29
 - G.703 transmissions, 53-19
 - T1 transmissions, 52-26
- Bisync
 - CRC mode, 10-13
 - advantage over selectable mode, 10-13
 - field on BCC Setup menu, 10-11
 - sample Line Setup, 5-13
- Bit errors
 - G.703 BERT statistics, 11-44
 - T1 BERT statistics, 11-31
- Bit Mask key, 3-6
- Bit mask
 - in Protocol Spreadsheet strings, 32-3
 - in Receive string condition, 24-7
 - in Suppress field, 6-11
 - masking bits in C variables, 60-8, 73-2
 - to detect XON and XOFF only, 6-12
- Bit Order/Polarity, field on Line Setup menu, 5-11, 11-16
 - significance in BERT testing, 11-16
- Bit order
 - in relation to hexadecimal notation, 6-14
 - in relation to pattern sync in BERT, 11-11
 - normal versus reverse, 5-11
- Bit-image data, 7-3
 - playback, 7-4
- Bit-robbing, T1 transmissions, 52-32
- Bits
 - field on Line Setup menu, 5-6, 11-16
 - in BERT testing, 11-15
 - number of, in setup, 5-6
 - per character, default value for remote port, 70-21
- Bits In Error, BERT counter, 11-20
- Bitwise and (&), C operator, 60-8, 64-43, 73-2
- Blnk, subfield on Trigger Setup menu, 25-7
- Block
 - component of BERT test, 11-13, 11-29, 11-42
 - editor command, 29-5
- Block checking
 - automatically on for BOP, 10-4
 - distinction between transmitting and evaluating BCC, 10-3
 - enabling BCC overlays, 5-9, 10-3
 - for DDCMP
 - automatically on, 40-2
 - data BCC may be tested as event variable in C, 40-2
 - header BCC only may be tested by trigger, 40-2
 - looking under BCC overlay, 10-4
 - parameters defined on BCC Setup menu, 10-6
 - result used as trigger condition, 10-5
- Block No, field on Line Setup menu, 5-5
- Block Size, field on BERT Setup menu, 11-13

Blocks In Error
 BERT counter, 11-20
 G.703 BERT statistics, 11-44
 T1 BERT statistics, 11-31

Blocks Received, BERT counter, 11-20

Blocks received
 G.703 BERT statistics, 11-44
 T1 BERT statistics, 11-31

Blocks Sent, BERT counter, 11-20

Blocks sent
 G.703 BERT statistics, 11-44
 T1 BERT statistics, 11-31

BNC, G.703 connectors, 53-8, 53-9

BOP, synchronization and BCC parameters
 always defined for, 5-9, 10-4, 10-8

Boards
See also Field Service
 packaging and returning. *See* Field Service

Boot-up
 creating a user interface, HRD/usr/user_intrf,
 2-4
 enable Easy View, /sys/ezview_setup, 2-2
 entry into Easy View, 4-3
 loading Printer Setup, /sys/print_setup, 2-2,
 15-7
 running default program, /usr/default, 2-6
 system disk, 2-3

BPV's received
 G.703, statistics display, 53-28
 T1 statistics display, 52-29

BPV-free seconds
 G.703, statistics display, 53-28
 T1 statistics display, 52-29

BPVs. *See* Bipolar violations

BREAK, T1 test access point, 52-10

Break
 C statement, 56-6, 56-13, 59-2
 used to exit a waitfor, 56-3, 56-6, 56-9
 transmitting a break, set_tcr_b, C routine,
 62-15

Break key, 29-5

Breakout panel, on Test Interface Module, 12-5
 RS-449, 48-4
 RS-485, 50-3
 V.35, 47-4
 X.21, 49-4

Buffer Control Leads, field on Front-End
 Buffer Setup screen, 9-5

Buffer Full
 condition, Trigger Setup menus, 24-11
 fevar_rcv_buffer_full, C event, 62-2
 layer-independent condition, 30-5
 rcv_buffer_full, C variable, 62-2

C

C, color, field on Graphical Statistics menu,
 21-7

C language
 array, name of array is 4-byte address, 61-2
 care mask, 60-8, 63-1, 64-43, 73-2
 comments, 56-10
 condition clause, equivalent to trigger, 56-8
 may contain multiple expressions, 56-9
 constants
 character, 60-7
 decimal, 60-7
 hexadecimal, 60-7
 octal, 60-7
 conversion specifiers, 64-44
 %#u, hex character, 60-8
 %b, 64-12
 %c, 64-11
 character, 56-16, 60-8
 %d, 64-11
 signed decimal, 59-14, 56-16, 60-8
 %H, 64-11
 %i, 64-11
 %m, 64-12, 64-33, 64-36, 64-39
 %o, 64-11
 octal, 60-8
 %p, 64-11
 %s, 64-11
 %u, 64-11
 unsigned decimal, 59-14, 56-16
 %X, 64-11
 %x, 64-11
 hex, 59-14, 56-16, 60-8

data types, 59-13
 char, 59-13
 int, 59-13
 long, 59-13
 long routine returns a long, 61-3
 short, 59-13
 short routine returns a short, 61-3
 signed, 59-14
 unsigned, 59-14
 void, return statement invalid with this type,
 61-3

declarations
 automatic, 56-14
 format, 56-14, 60-2
 positioning and grouping, 56-15
 scope, 52-16, 56-17
 global, 56-17

- error messages, issued by compiler and preprocessor, A4-1—A4-16
- event variables
 - may be created by user, 60-6
 - one used by translator for every spreadsheet condition, 56-10
 - programming rules, 56-11, 60-4, 60-6
- executable statements, location on spreadsheet, 56-17
- expressions, conditional
 - nonzero always true, 56-12, 61-2
 - zero always false, 56-12, 61-2
- initialization, variable must be static to pass initialized value into waitfor statement, 56-17, 59-17
- introduction to AR version, 59-3—59-15
- variations from standard C, 59-3
- keywords
 - label, equivalent to spreadsheet State, 56-2
 - task, 59-3
 - equivalent to spreadsheet Test, 56-1
 - placed at highest level of source code, 52-16
- locating compilation errors, 59-4
- main function
 - created by translator, 55-1
 - placed at highest level of source code, 52-16
- nonevent variables
 - checked when event is signalled, 60-5
 - true in expressions with nonzero value, 56-12
- operators
 - ++, 61-6
 - >, 60-17
 - bitwise and (&), 60-8, 64-43, 73-2
 - precedence, 59-17
 - right shift (>>), has different effect on signed and unsigned variables, 59-15
 - sizeof, 59-20, 74-13, 75-17, 76-17
- pointer
 - always 32 bits no matter what the data type, 60-11
 - creating a pointer, 60-11
 - incrementing pointers of various data types, 60-12
 - m_packet_info_ptr, pointer to first data byte in X.25 packet, 75-8
 - m_ptr_to_call_ref, pointer to Q.931 call-reference field, 81-4
 - m_ptr_to_info_element, pointer to Q.931 info-element field, 81-4
 - making a pointer to the data in a received frame, 74-8, 76-8, 80-8
 - making a pointer to the data in an IL buffer, 60-10, 66-42
 - pointing with subscripts, 60-12, 60-13
 - rcvd_pkt_info_ptr, pointer to first data byte in X.25 packet, 75-8
 - rh_ptr, pointer to first byte of SNA request/response header, 77-4
 - ru_ptr, pointer to first byte of SNA request/response unit, 77-4
 - string, 59-19
 - structure pointer, creating a structure pointer, 60-16
 - th_ptr, pointer to first byte of SNA transmission header, 77-4
- predeclared identifiers
 - event, 59-4
 - fast_event, 59-4
 - label, 59-4
- preprocessor directives
 - #define, 59-5, 64-47
 - example, 70-16
 - #include, 59-6, 64-28, 64-35, 64-36, 68-3
 - #pragma, placed inside of task definition, 52-16
 - #pragma hook
 - defining the hook text, 59-12
 - format of, 59-11
 - hook text added to top-level main function, 59-12
 - in linkable-object files, 59-11
 - system-generated during Compile spreadsheet, 59-11
 - used to "force" a call to a routine, 59-11
 - using multiple hooks, 59-12
 - #pragma il_buffer_size, used to set the size of IL buffers, 66-4
 - #pragma il_buffers, used to set the number of IL buffers, 66-3
 - #pragma layer, used to declare a layer, 56-1
 - #pragma nowarn, used to suppress compiler warnings, A4-1
 - #pragma object
 - format of, 59-8
 - placement of, 59-8
 - used to combine routine definitions with spreadsheet program, 59-8
 - #pragma tracebuf, used to configure size of trace-buffer arrays, 64-29
- program main, 55-1
- recommended sources, 59-22
- regions on spreadsheet
 - actions, 56-12
 - conditions, 56-7
 - enter state, 56-3
 - layer, 56-1
 - next state, 56-4
 - state, 56-2
 - summary, 56-14
 - test, 56-1

routines, 61-1-61-6
 always followed by parentheses, 61-2
 most associated with specific spreadsheet condition or action, 61-1
 nonzero return makes conditional statement true, 61-6
 not usually necessary to declare, 61-1
 user-defined, 61-4-61-6
 display_binary, 61-5
 strcmp, 61-6
 temporary_prompt, 61-4
 statements
 break, 56-6, 56-13, 59-2
 used to exit a waitfor, 56-3, 56-6, 56-9
 goto, 56-4, 56-5, 56-7, 56-13
 placed inside of state loop, 52-16
 used to move program control to a different state-label, 56-2, 56-4
 if, 60-4, 61-6
 nonzero expressions always true inside of if statement, 61-2
 routine that returns nonzero makes if statement true, 61-6
 used in Enter State conditions, 56-4
 return, 61-2
 breaks out of while loop, 61-6
 waitfor, 56-2, 56-4, 56-5, 56-6, 56-7, 56-9, 56-13, 59-3, 60-4
 defines a set of interrupts (events), 57-1
 placed inside of state loop, 52-16
 variable must be static to pass value into waitfor, 56-17, 59-17
 while, 61-6
 nonzero expressions always true inside of while statement, 61-2
 status variables. *See* Nonevent variables
 storage classes, static, variable must be static to pass value into waitfor, 56-17, 59-17
 storage-class specifiers, extern, cannot be declared below Test level, 56-15
 stream, 68-1
 strings, 59-19
 comparing strings, 60-14, 61-6
 creating a string, 60-12
 non-literal characters inside strings, 59-21
 nonliteral characters inside set_print_header strings, 67-8
 structure, accessing an element of a structure, 60-15
 syntax summary, K-1-K-14
 third tier in programming hierarchy, 22-4
 translator
 creates automatic main function, 55-1
 levels of source code, 52-16
 uses external routines, 61-1
 variables, 60-1-60-17

 C translator, 55-1
 error messages, A3-1-A3-6
 C/R
 adjunct to monitor/receive-frame condition, LAPD, 42-13
 adjunct to send-frame action, LAPD, 42-22
 Command/Response, trace column, LAPD, 42-8
 CAL-REF-VAL, call reference value, trace column, Q.931, 43-5
 CALL, send action, X.25 Layer 3, 37-31
 CALL_CONF, send action, X.25 Layer 3, 37-31
 CALLED, field on X.25 Packet Level Setup screen, 37-6
 CALLING, field on X.25 Packet Level Setup screen, 37-6
 CAS MF resync criteria, G.703, field on Interface Control menu, 53-25
 CAS MF sync criteria, G.703, field on Interface Control menu, 53-25
 CAS multiframes, G.703 frame structures, 53-31
 Cable length, T1 Interface Control screen, 52-21
 Cable type, T1 Interface Control screen, 52-20
 Cables
 connection. *See* Field Service
 disconnection. *See* Field Service
 null-modem cable for remote port I/O, 70-24
 Call Confirm
 send-packet action, X.25 Layer 3, sending "short" version without addresses and facilities, 37-33
 sent down (as primitive) to Layer 2, 33-9
 Call Request
 as character data, 37-9
 as entry on X.25 Packet Level Setup screen, 37-6
 as packet on trace display, 37-8
 send-packet action, X.25 Layer 3, 37-32
 sent up (as primitive) from Layer 2, 33-9
 Call Request user data, may be longer than ten character spaces, 37-7
 Call reference value
 adjunct to monitor/receive-message condition, Q.931, 43-10
 monitor/receive condition, Q.931, 43-10
 trace column, Q.931, 43-5
 Called address, entered in CALLED field on X.25 Packet Level Setup screen, 37-6

- Calling address, entered in CALLING field on X.25 Packet Level Setup screen, 37-6
- Capture, field on Trigger Setup menu, 25-11, 25-12
- Capture data to screen (on/off)
 - ctl_capture_rd, C routine, 62-9
 - ctl_capture_td, C routine, 62-8
 - Layer 1 action, 31-14
- Capture Memory, field on Record Setup menu, 7-4, 7-6, 7-10, 13-9
- Capture memory
 - See also* Data capture; Recording data
 - Freeze key, 3-11
- Care mask, 63-1
 - C device for isolating bits in a variable, 60-8
 - masking for status of given EIA lead, 63-2
 - masking to detect EIA lead change, 63-1
- Carriage Return, produced by operation of CTRL and M keys, 32-1
- Carrier losses, T1 statistics display, 52-31
- Cause byte
 - adjunct to Restart, Reset, Clear, and Reg Confirm actions, 37-36
 - adjunct to Restart, Reset, Clear, and Reg Confirm conditions, 37-20
 - listed for Reset, Clear, and Reg Confirm packets, 37-22
 - listed for Restart packet, 37-21
 - listed for Send Clear actions, 37-37
- CCITT
 - format, SS#7 layer 3, 46-4
 - Open Systems Interconnection model, 23-5-23-8
 - See also* Layers
- CCSS#7. *See* SS#7
- CD
 - available for triggering, 31-5
 - field on Interface Control menu, 12-10, 12-14, 12-15
 - field on RS-232 Interface Control menu, 11-4, 11-6
- CD on/off, Layer 1 Emulate DCE action, 31-10
- CD-off delay, 12-16
- CD-on delay, 12-16
- Chaining, of programs via Load Program action, 30-19
- Change Directory, File Maintenance, menu selection, 14-17
- Change idle character, Layer 1 action, 31-12
- Channel, ISDN, ISDN Interface Setup selection, 51-10
- Channel mode
 - G.703, field on Interface Control menu, 53-22
 - G.703 BERT, 11-40
 - T1 BERT, 11-27
- Channel number
 - G.703, field on Interface Control menu, 53-23
 - T1 Interface Control selection, 52-24
- Char
 - C data type, 59-13
 - subfield on Line Setup menu, 5-8
- Character
 - C constant, 60-7
 - conversion for display, 56-16, 60-8
 - received, detected in C, 62-5
 - types, data versus special characters in C, 62-5
- Character buffer, 7-4
 - attributes less flexible than in Display Window, 62-16
 - capacity, 6-27
 - data, 7-3
 - enhancement attributes carried in high byte of event word, 62-6
 - playback, 7-4
 - recording, 7-10
 - storage capacity, 1-12
 - writing to, 62-16-62-20
- Character data
 - buffer correlation with trace data, 6-27
 - display of
 - accessed by DATA softkey, 6-7
 - dual line, 6-8
 - single line, 6-8
- Character field, defined, 37-7
- Circuit Identifier Code (CIC), SS#7 Layer 3, 46-6, 46-10
- Clear, editor command, 29-5
- Clear key, 29-4
 - in menu fields, 3-7
 - in spreadsheet, 3-7
- Clear path, emulate-mode action, X.25 Layer 3, 37-41
- Clear statistical accumulator values, 30-15
- Clear statistical counter values,
 - layer-independent action, 30-10
- Clear statistical timer values, layer-independent action, 30-11

- Clock
 - field on Line Setup menu, 11-16
 - in BERT testing, 11-16
 - signal, 1-13
 - See also* Speed
 - time-of-day, 1-14
 - See also* Date/Time Setup
- Clock Source, field on Line Setup menu, 5-10
- COMMON, T1 test access point, 52-9
- CONNECT IND primitive, example on spreadsheet, 33-7
- CONNECT REQ primitive, example on spreadsheet, 33-8
 - in C, 66-13
- Code
 - conversion charts, D1-2-D1-14
 - field on Line Setup menu, 5-5, 10-8, 11-15, 11-16
 - significance in BERT testing, 11-15
 - standard codes, 5-5
 - user-defined, D3-1
- Coding type, G.703, Interface Control selection, 53-19
- Color, applied to RGB output, not to plasma screen, 64-1
- Color display
 - color graphics, 17-6
 - connectors for external monitors, 17-3
 - miscellaneous utilities, 17-3-17-6
 - selectable options, 17-4-17-5
 - background color, 17-5
 - blink, 17-5
 - character, 17-5
 - trigger control of, 17-5-17-6
- Command
 - field on File Maintenance menu, 3-6
 - in Easy View script file, 19-17
- Command addressing
 - adjunct to receive condition, X.25 Layer 2, 36-16
 - adjunct to send-frame action, X.25 Layer 2, 36-24
- Comment, 27-14
 - debugging tool, 27-15
 - delimiters, 27-14
 - in C region, 56-10
 - length of, 27-14
 - location on spreadsheet, 27-15
 - purpose of, 27-15
 - valid characters, 27-14
- Common Channel Signalling System #7. *See* SS#7
- Compilation
 - automatic during LPRGRM save, 14-16
 - automatic during object-code save, 14-16
 - error diagnostics, 2-17
 - fields that can be modified without causing recompile, 2-16
 - rerun without recompiling, 2-15
 - seven phases, 2-15
- Compile, File Maintenance
 - compiles contents of file or spreadsheet, 14-22
 - compiling spreadsheet generates #pragma hooks, 14-23
 - menu selection, 14-22
- Condition clause, C construction corresponding to trigger, 56-8
 - may contain multiple expressions, 56-9
- Conditions
 - EIA, fails to come true, 2-20
 - in C, 56-7
 - Layer 1, 31-1
 - layer-independent, 30-3-30-7
 - counters in linkable-object files, 27-12
 - Protocol Spreadsheet
 - naming requirements, 30-1
 - programming block, 27-8
 - comments in, 27-15
 - rules for combining conditions, 30-2
 - transitional vs. status, 30-2, 30-6
- Confirm primitives, 33-5
- Connectors
 - back panel, 1-7
 - interface specifications, I-1-I-15
 - power, back panel, 1-7
 - RGB, 17-3
 - RS-170 video, 17-3
 - RS-232 printer connector, 15-3
 - Test Interface Module, 1-10-1-16
- Constants, 28-3-28-7
 - expansion of, 28-7
 - fox message, 32-4
 - in C string, 59-22
 - in Receive string condition, 24-8
 - in spreadsheet string, 32-3
 - legal names of, 28-4
 - nesting of, 28-6
 - Protocol Spreadsheet, 23-8
 - programming block, 27-8
 - comments in, 27-15
 - referencing, 28-5
 - scope of, 28-4
 - transmitting, 32-4

Control characters
 data-entry of, 32-1
 enhancement of via bit mask, 6-12

Control leads
See also EIA leads
 playback, 2-18
 of bit-image data, 2-18, 9-5
 of character data, 2-18, 9-5

Conversion specifiers
 in C routines, 64-10
 table of C conversion specifiers, 64-44

Copy
 editor command, 29-6
 File Maintenance, menu selections, 14-18

Counter
 accumulated, 30-15
 action
 Protocol Spreadsheet, 20-3
 Trigger Setup menus, 20-3
 condition
 Protocol Spreadsheet, 20-4, 30-5
 when used in linkable-object files, 27-12
 Trigger Setup menus, 20-4, 24-11
 identified by name on statistics screen, 20-4
 layer-independent action, 30-8
 maximum value vs. maximum stat display,
 30-6
 may be identified on statistics screen following
 run, 20-6
 printing line of tabular statistics for, 30-16
 relational operators, 30-5
 shared between spreadsheet and Trigger Setup
 menus, 30-5, 30-9
 transmitted, 32-4

Cover
 removal. *See* Field Service
 replacement. *See* Field Service

CPM board
 block diagram, 2
 connections for, J4-2
 detachment of connectors, J5-2
 firmware replacement. *See* Field service
 hardware architecture, J3-3, J3-6-J3-7
 view as a component, J2-2

CR control character, 3-6

CRC Mode, field on BCC Setup menu, 10-8,
 10-11, 10-13, 10-15

CRC-4 errors, G.703, statistics display, 53-28

CRC-6 errors, T1 statistics display, 52-30

CRT/RGB connector, 1-9

CTS
 available for triggering, 31-5
 field on Interface Control menu, 12-10,
 12-12, 12-14, 12-15
 field on RS-232 Interface Control menu,
 11-4, 11-6

CTS on/off, Layer 1 Emulate DCE action,
 31-10

CTS-off delay, 12-15

CTS-on delay, 12-15

Current, column on Tabular Statistics screen,
 30-10, 30-11

Current Date, field on Date/Time Setup menu,
 16-4

Current directory
 File Maintenance screen, 14-11
 filing system, 14-4

Current Time, field on Date/Time Setup menu,
 16-4

Cursor
 positioning the cursor in the Display Window,
 pos_cursor, C routine, 64-8
 restoring cursor to previous position,
 restore_cursor, C routine, 64-22

Cursor keys
 in spreadsheet, 3-9
 may be programmed in the Display Window,
 3-12, 6-23, 64-4
 on menu screens, 3-9
 used to control playback speed, 3-12

Cursor timing
 in data-plus-leads displays, 6-16
 Mark key, 6-16

D

%d, C conversion specifier, converts char to
 short, 59-14

D, trace column, X.25 Layer 3, 37-13

D bit
 adjunct to monitor/receive-packet condition,
 37-18
 adjunct to send-packet action, 37-36
 position diagrammed, 37-13
 value selectable for Call and Call Confirm
 packets as well as Data, 37-19

D channel, ISDN, 51-3, 51-4

D4, T1 superframing, 52-23

D4 superframes, T1 frame structures, 52-32

- DATA, field on X.25 Packet Level Setup screen, 37-7
- DATA IND primitive, example on spreadsheet, 33-9
- DATA REQ primitive, example on spreadsheet, 33-9
- Data
 - See also* Character data
 - bit-image data, 7-3
 - buffered automatically in FEB, 9-3
 - character-oriented, 7-3
 - in IL buffer, 66-5
- Data acquisition tracks, 13-3
- Data capture, 2-18
 - See also* Playback; Recording data
 - manual control of, 7-11
 - RAM, data storage, 1-12
 - trigger control of, 7-10
- Data compression, SS#7, Layer 1, 44-4
- Data display
 - black and white enhancements, 17-6
 - C character types, data versus special characters, 62-5
 - character buffer 16-bit word, 62-17
 - data event-word, 62-16
 - enhancements, created by attribute bits in high byte of event word, 62-6
 - special-receive word, 62-16
- Data event-word, data display, 62-16
- Data Path
 - G.703, field on Interface Control menu, 53-22
 - T1, field on Interface Control menu, 52-24
 - T1 Interface Control selection, 52-23
- Data packet
 - monitor/receive condition, X.25 Layer 3, 37-15
 - translates into two C variables, 75-1
 - send action, X.25 Layer 3, 37-31
- Data plus leads
 - cursor timing, 6-16
 - display available during playback, 9-5
 - display enabled/disabled by FEB setup, 9-5
 - display of, 6-9
 - control leads selected for, 6-9
 - RS-449, 48-7
 - V.35, 47-7
 - X.21, 49-7
 - softkey access, 6-9
 - X.21, 49-7
 - failure of leads to transition, 2-21
- Data source, connection to, 1-16
- Data speeds, selectable, C-1
- Data Transfer, Disk Maintenance, menu selection, 13-7
- Data to Record, field on Record Setup menu, 7-6
- Data transfer
 - INTERVIEW 5, 10, 15 PLUS data, 13-10-13-16
 - prior to playback, 7-4
- Data-character buffer, 66-4
 - See also* IL buffer
- Data-start offset, in PDU, 66-6
- Data-transmit delay, 12-14
- Date/Time Setup, 16-3-16-4
 - menu selections, 16-2
 - set date, 16-3
 - set time, 16-3
- Day of month, as trigger condition, 30-7
- DCE, monitor condition
 - LAPD, 42-9
 - Layer 1, 31-3
 - Q.931, 43-9
 - SDLC, 38-11
 - SS#7 Layer 2, 45-6, 46-7
 - X.25 Layer 2, 36-11
 - X.25 Layer 3, 37-15
- DDCMP, Layer 1 package, 40-1
- Decimal
 - conversion for display, 56-16, 60-8
 - conversion specifier, 64-11
 - in C, constant, 60-7
- Decimal field, defined, 37-6
- Decrement counter, layer-independent action, 30-10
- Decrement flag byte, as 16-bit binary counter, layer-independent action, 30-14
- Default menus, how to change, 2-6
- #define, C preprocessor directive, 59-5, 64-47
 - example, 70-16
- Degraded minutes
 - G.703 BERT statistics, 11-44
 - T1 BERT statistics, 11-31
- Delete
 - editor command, 29-5
 - File Maintenance
 - menu selection, 14-22
 - remove, C routine, 68-32
- Delete Char key, 3-7, 29-4

- Delete Line key, 3-7, 29-4
- Destination Point Code (DPC), SS#7 Layer 3, 46-10
- Diagnostic byte
 - adjunct to Restart, Reset, Clear, Diag, and Reg Confirm conditions, 37-23
 - adjunct to Restart, Reset, Clear, Diag, and Reg Confirm send actions, 37-38
 - entered as two hex digits, 37-23
- Directories
 - /sys, 14-6
 - /usr, 2-4, 14-6
 - /usr/default, 2-6
 - absolute pathnames, 14-5
 - directory listings, 14-11
 - filing system, how to create, 14-5
 - naming conventions, 14-7
 - relative pathnames, 14-6
 - root (/) directory, 14-4
 - write-protected, 14-11
- Disk, source of playback data, 5-4
- Disk drives, 1-5
 - current disk, filing system, 14-10
 - drive references and priority, 13-3
 - filing systems, moving from disk to disk, 14-5
 - microflopies
 - compatibility, 1-5
 - write protection, 1-5
 - microfloppy disks, storage capacity, 1-5
 - Winchester hard disk, 1-7
 - installation. *See* Field Service
- Disk Maintenance, 13-3-13-16
 - allocating disk space, 13-3
 - command
 - Data Transfer, 13-7
 - Disk Summary, 13-7
 - Duplicate Disk, 13-10
 - Format Disk, 13-5
 - INT 10, 13-10-13-16
 - data acquisition tracks, 13-3
 - data transfer, 14-7
 - description of disks, 13-3
 - initializing system, INTERVIEW 7000, 2-3
 - installing new system software, 2-7
 - menu selections, 13-2, 13-4-13-16
 - overview, 2-14
- Disk Name, subfield on Disk Maintenance menu, 13-5
- Disk No
 - field on Line Setup menu, 7-4
 - field on Record Setup menu, 7-6, 7-10
- Disk Number, subfield on Disk Maintenance menu, 13-5
- Disk Summary, Disk Maintenance, menu selection, 13-7
- Display, plasma, 1-3
- Display Abort
 - field on Line Setup menu, 24-6
 - subfield of BOP Format, 5-9
 - subfield on Line Setup menu, 5-9
- Display Idle
 - field on Line Setup menu, 31-11
 - subfield on Line Setup menu, 5-8, 6-10, 9-4
 - cannot display idle if suppressed in FEB, 9-4
- Display Mode, field on Display Setup menu, 6-7, 6-18
 - current display mode tracked via C variables, 69-1
 - information on current display stored in C variable, 64-1
- Display Setup
 - menu selections, 6-2
 - traces, 2-21
- Display Setup screen, overview, 2-11
- Display States, field on Display Setup menu, 6-20, 30-19
- Display Window
 - array of 1,088 long integers, 64-43
 - cursor keys under programmer's control, 6-23, 64-4
 - display mode, 6-23
 - softkey labels under programmer's control, 6-24, 64-8
- DL data, 33-10
- DL_CONNECT CONF
 - entered manually at Layer 2 to "fool" Layer 3 into thinking there is a link, 37-46
 - primitive forced up by user program at Layer 2, 33-6
 - primitive sent upward by Layer 2 to confirm the link, 33-9
- DL_CONNECT IND
 - action primitive at Layer 2, 33-3
 - condition primitive at Layer 3, 33-3
- DL_CONNECT REQ
 - automatic when data primitives are passed down by Layer 3, 34-1
 - primitive passed down from Layer 3, 33-8
 - primitive triggered automatically by Layer 3 Send action, 33-6
 - sent down automatically at Layer 3 if Layer 2 inactive, 37-44, 37-46

DL_DATA
 macro, 32-5
 primitives between Layers 2 and 3, 33-9

DL_DATA IND
 condition at Layer 3, 42-31
 primitive code for, 58-4
 sent up automatically by Give Data action at Layer 2, 36-28, 36-34, 38-27, 38-33, 42-26, 42-31

DL_DATA REQ, sent down automatically by Send or Resend action at Layer 3, 37-44

Don't Care key, 3-6
 in Receive string condition, 24-7

Done key
 on menu screens, 3-10
 used to change real-time display softkeys, 6-6
 used to exit softkey rack in spreadsheet, 3-10
 used to move from Conditions to Actions, 36-21, 37-29, 38-21, 42-19

Double parens, 3-5
 in Protocol Spreadsheet string, 32-3
 in Receive string condition, 24-8

Down Arrow key, 29-4

Drive, field on Layer Setup screen, 8-3

Drive Type, subfield on Disk Maintenance menu, 13-6

Drop-and-insert mode
 G.703 transmissions, 11-38, 53-6
 Interface Control selection, 53-21
 ISDN transmissions, ISDN Interface Setup selection, 51-10
 T1 transmissions, 11-26, 52-5
 Interface Control selection, 52-22

DS1
 T1 circuits, 52-3
 T1 physical interface, 52-6

DSR, available for triggering, 31-5

DSR on/off, Layer 1 Emulate DCE action, 31-10

DTE, monitor condition
 LAPD, 42-9
 Layer 1, 31-3
 Q.931, 43-9
 SDLC, 38-11
 SS#7 Layer 2, 45-6, 46-7
 X.25 Layer 2, 36-11
 X.25 Layer 3, 37-15

DTR
 available for triggering, 31-5
 enables/disables B bus (RS-485), 50-7

DTR on/off, Layer 1 Emulate DTE action, 31-10

Dual floppy disk drive bracket, changing. *See* Field Service

Dual-channel testing, ISDN, 51-4

Duplicate Disk
 Disk Maintenance, menu selection, 13-10
 installing new system software via the DUPDISK command, 2-7

E

Easy View
 default in TURBO units after power-up, 4-3
 display warning messages, 18-4
 enable/disable, 18-3
 enter after power-up, 18-4
 EZ VU key, 4-3
 hardware requirements, 4-3
 keep menu info in memory, 18-4

menus
 format, 4-5
 help information about selections, 4-7
 item description, 4-6
 keys, 4-6
 levels, 4-4
 menu level, 4-5
 menu title, 4-5
 changing the title, 19-15
 selections, 4-5
 system title, 4-5
 changing the title, 19-13
 tree-structured hierarchy, 4-4
 mstrmenu.txt, format, 19-11
 overview, 4-3-4-11
 script file
 commands, 19-17
 format, 19-11
 help-file pathname, 19-16
 item date, 19-15
 item description, 19-16
 item name, 19-16
 labels, 19-14, 19-17
 menu date, 19-15
 menu information, 19-15
 menu title, 19-15
 menu-item information, 19-15
 sample, 19-18
 system information, 19-12
 system title, 19-13
 system title date, 19-14

setup menu, 4-3

uses
 access help or tutorial information, 4-3
 quickly load and run programs, 4-3

- Easy View Setup, 4-3
 - overview, 2-14
- Easy View Setup screen, menu selections, 18-2, 18-3
- Easy View system. *See* Easy View
- EBCD
 - default BCC parameters, 10-9
 - hex-to-display conversion table, D2-3
 - keyboard-to-EBCD conversion table, D1-4
 - reverse bit order appropriate for, 5-11
- EBCDIC
 - default BCC parameters, 10-8
 - hex-to-display conversion table, D2-3
 - keyboard-to-EBCDIC conversion table, D1-2
- Echo program
 - BOP Info-field echo, 58-10
 - sync or async data, 58-9
- Edit key, 3-7
- Editing keypad, 29-3
- Editor, Protocol Spreadsheet
 - See also* Protocol Spreadsheet editor
 - editing a C program, 59-4
 - function keys, 29-5-29-10
- EIA
 - condition, Trigger Setup menus, 24-9
 - Layer 1 conditions, 31-5
 - Layer 1 emulate-mode actions, 31-10
 - RS-485 application, 50-7
 - trigger conditions, fails to come true, 2-20
- EIA leads
 - buffered or discarded in FEB, 9-3
 - effect on character-buffer capacity, 6-27
 - effect on data-plus-leads display, 9-5
 - effect on EIA trigger conditions, 9-3
 - driven on/off as trigger action, 12-9
 - four kinds of status indicators, 12-8
 - handshaking, 12-10
 - maintaining lead statuses during program chaining, 30-20
 - masking for status, 63-2
 - masking to detect a change, 63-1
 - monitoring by trigger, 12-9, 47-7
 - storage of, 1-12
- Emulate
 - field on LAPD Frame Level Setup screen, 42-3, 42-4
 - field on SDLC Frame Level Setup screen, 38-3, 38-4
 - field on SNA/SDLC Frame Level Setup screen, 39-3
 - field on X.25 Frame Level Setup screen, 36-3, 36-4, 36-24
 - field on X.25 Layer 2 Setup screen, 36-16
 - field on X.25 Packet Level Setup screen, 37-3, 37-4
 - indicator on RS-485 Test Interface Module, 50-5
- Emulate DCE, indicator on Test Interface Module, 12-4
- Emulate DTE, indicator on Test Interface Module, 12-4
- Emulate modes
 - effect of open breakout switch when INTERVIEW is driving signal, 12-6
 - effect of open switch when INTERVIEW is receiving signal, 12-6
 - installing connectors for, 12-4, 52-7, 53-9
 - setting up, 5-3
- Emulation, connectors used, 1-10
- Emulation Addressing, field on SDLC Frame Level Setup screen, 38-3, 38-5, 39-3
- Enable CRC-4, G.703, field on Interface Control menu, 53-23
- End, editor command, 29-5
- End/Incl, field on BCC Setup menu, 10-12
- End/N/Incl, field on BCC Setup menu, 10-12
- End/Staystarted/Incl, field on BCC Setup menu, 10-12
- End/Staystarted/N/Incl, field on BCC Setup menu, 10-12
- Enhance
 - field on Display Setup menu, 6-12, 7-5
 - field on Miscellaneous Utilities menu, 17-4, 17-5
 - field on Trigger Setup menu, 25-7
- Enhance character data
 - as Layer 1 action, 31-13
 - ctl_enhance_rd, C routine, 62-8
 - ctl_enhance_td, C routine, 62-7
 - on Display Setup, 6-12
- Enhance selected trace rows
 - LAPD action, 42-29
 - i2_enhance, C variable, 80-8
 - map to color display, 36-33, 37-42, 38-31, 42-30, 43-12, 45-10, 46-11
 - Q.931 action, 43-12
 - i3_enhance, C variable, 81-4
 - SDLC action, 38-31
 - i2_enhance, C variable, 76-9
 - SNA action, 39-3
 - i2_enhance, C variable, 77-4
 - SS#7 Layer 2 action, 45-10
 - i2_enhance, C variable, 82-4
 - SS#7 Layer 3 action, 46-10
 - i3_enhance, C variable, 83-7

- X.25 Layer 2 action, 36-32
 - l2_enhance, C variable, 74-8
- X.25 Layer 3 action, 37-42
 - l3_enhance, C variable, 75-9
- Enhancements
 - black and white, 17-6
 - color, 17-3-17-6
 - low intensity, 31-13
 - must be turned off as well as on at Layer 1, 31-13
 - used to highlight Bisync addresses, 31-13
- Enter State
 - in C, 56-3
 - layer-independent condition, 30-3
- ERR INJ
 - G.703 BERT, run-time function key, 11-45
 - T1 BERT, run-time function key, 11-32
- Error Injection Rate, field on BERT Setup menu, 11-14, 11-22
- Error messages
 - interactive messages, A1-1-A1-16
 - Easy View, A2-1-A2-2
 - issued by C translator, A3-1-A3-6
 - issued by compiler, A4-1-A4-16
 - locating errors, 59-4
 - issued by translator, locating errors, 59-4
- Error-free seconds
 - BERT counter, 11-21
 - G.703 BERT statistics, 11-44
 - T1 BERT statistics, 11-31
 - T1 statistics display, 52-30
- Error-free secs, G.703, statistics display, 53-29
- Errors
 - in BERT
 - automatic injection, 11-14
 - manual injection, 11-18
 - recoverable, 2-17
- ESF, T1 superframing, 52-23
- ESF errors, T1 statistics display, 52-30
- ESF superframes, T1 frame structures, 52-32
- Event
 - C type specifier, 59-4
 - program interrupt
 - two events never simultaneous, 57-3
 - various possible origins, 57-2
- Event variable
 - in C, may be created by user, 60-6
 - one used by C translator for every spreadsheet condition, 56-10
- Execute key, 3-7

- Extern, C storage-class specifier, cannot be declared below Test level, 56-15
- External monitors
 - control of enhancements
 - black and white, 17-6
 - color, 17-3-17-6
 - RGB color video connector, 1-9, 17-3
 - RS-170 video connector, 1-10, 17-3
- Extra bits, G.703, field on Interface Control menu, 53-24
- EZ VU key, 3-4, 3-6, 4-3

F

- FACILITIES, field on X.25 Packet Level Setup screen, 37-7
- Facilities
 - adjunct to send-call action on Protocol Spreadsheet, X.25 Layer 3, 37-33
 - relation to FACILITIES field on X.25 Packet Layer Setup screen, 37-33
 - length byte handled automatically, 37-7
- Failed seconds
 - G.703 BERT statistics, 11-44
 - T1 BERT statistics, 11-31
- Fan
 - back panel, 1-8
 - clean filter to prevent overheating, 1-9
- Fast event, C type specifier, 59-4
- Fault, in half-duplex BERT, 11-9
 - on noisy circuit, 11-9
- Faults
 - G.703 BERT statistics, 11-44
 - T1 BERT statistics, 11-31
- FDL, T1 transmissions. *See* Frame Data Link
- FEB. *See* Front end buffer
- FEB board
 - block diagram, 2
 - connections for, J4-2
 - hardware architecture, J3-3, J3-11-J3-12
 - view as a component, J2-2
- FEB Setup, overview of screen, 2-11
- FEB Setup screen, T1 options, 11-25
- Field Service, J-1-J-2
 - boards
 - installation, J3-3
 - removal, J2-3-J2-6
 - CPM board, firmware replacement, J5-1-J5-6
 - cables
 - connection, J3-15
 - disconnection, J2-5

- cover
 - removal, J2-3
 - replacement, J2-6
- dual floppy disk drive bracket, changing, J7-1—J7-4
- hard drive, installation, J6-1—J6-6
- logic board
 - installing, J3-1—J3-3
 - removal, J2-1—J2-6
- MPM board, S1 switch settings, J3-14
- mux board, firmware replacement, J4-1—J4-5
- PROMs, exchanging, J5-4
- self tests, J3-15
- static electricity elimination, J1-3
- File Maintenance, 14-3—14-18
 - absolute pathnames, 14-5
 - C routines, 68-31—68-38
 - creating new directories, 14-5
 - current directory, 14-11
 - default directory, 14-4
 - directories, 14-4
 - File Maintenance screen, 14-9
 - current disk, 14-10
 - directory listings, 14-11
 - overview, 2-14
 - files
 - data files, 14-7
 - description of, 14-6
 - linkable program files, 14-14
 - linkable-object files, 14-7, 27-11, 59-8
 - compiled contents of spreadsheet, 27-10
 - linkable-program files, 14-7
 - loading and saving, 14-3
 - marking files, 14-13
 - moving from file to file, 14-4
 - object files, 14-6, 14-14
 - Protocol Spreadsheet, 14-7
 - program files, 14-6, 14-14
 - selecting files for command execution, 14-13
 - setup files, 14-6, 14-14
 - types, 14-12
 - get_file_type, C routine, 68-36
 - set_file_type, C routine, 68-34
 - unmarking files, 14-13
 - menu selections, 14-2
 - Change Directory, 14-17
 - Compile, 14-22
 - compiles contents of file or spreadsheet, 14-22
 - compiling spreadsheet generates #pragma hooks, 14-23
 - Copy, 14-18
 - Delete, 14-22
 - how to execute, 14-14
 - Load, 14-14
 - Make Directory, 14-18
 - Print, 14-20
 - Rename, 14-21
 - Save, 14-15
 - View, 14-20
 - Write Enable, 14-21
 - Write Protect, 14-21
 - moving from disk to disk, 14-5
 - naming conventions, files and directories, 14-7
 - pathnames, the use of periods, 14-8
 - relative pathnames, 14-6
 - root (/) directory, 14-4
 - the /sys directory, 14-6
 - the /usr directory, 14-6
 - write-protected files, 14-11
- Fill-in frame, monitor/receive condition, SS#7
 - Layer 2, translates into two C variables, 82-3
- Find, editor command, 29-9
- FLG, flag, trace column, Q.931, 43-5
- Flag key, 3-6
 - in Receive string condition, 24-7
 - valid in Suppress field, 6-11
- Flags
 - common to all tests and layers, 30-13
 - condition, Trigger Setup menus, 24-10
 - layer-independent action, 30-13
 - as toggling mechanism, 30-14
 - layer-independent condition, 30-7
 - transmitted, 32-4
- Force data-packet transmit, 37-45
- Force receivers out of sync, Layer 1 action, 31-11
- Format, field on Line Setup menu, 5-6, 5-9, 11-15, 24-6, 31-4, 31-12
 - significance in BERT testing, 11-15
- Format Disk, Disk Maintenance, menu selection, 13-5
- Fox message, 31-8, 36-28, 37-38, 38-27, 42-25
 - "forced down" from Layer 3 to the Layer 1 interface, 33-6
 - in BERT, 11-7
 - really a built-in constant, 32-4
- Frame Data Link
 - T1 Interface Control selection, 52-24
 - T1 transmissions, with ESF framing, 52-34
- Frame fields
 - diagrammed for LAPD, 42-7
 - diagrammed for SDLC, 38-8
 - diagrammed for X.25, 36-8

- Frame resync criteria, G.703, field on Interface Control menu, 53-26
- Frame sent, emulate-mode condition
 - LAPD, 42-16
 - C variable, 80-7
 - SDLC, 38-18
 - C variable, 76-7
 - should be used along with More/No More to Resend, 36-20, 38-20, 42-18
 - X.25 Layer 2, 36-18
 - C variable, 74-7
- Framed mode
 - G.703 BERT, 11-41
 - T1 BERT, 11-28
- Frames received
 - G.703, statistics display, 53-28
 - T1 statistics display, 52-29
- Framing bits
 - ISDN transmissions, 51-3
 - recording of, 52-26
 - T1 Interface Control selection, 52-24
 - T1 transmissions
 - with D4 framing, 52-33, 52-34
 - with ESF framing, 52-35
- Framing error
 - fevar_frm_error_td and fevar_frm_error_rd, C events, 62-2
 - monitor/receive condition, Layer 1, 31-4
- Framing errors, G.703, statistics display, 53-28
- Framing mode, T1, Interface Control selection, 52-23
- Framing pattern sequence (FPS), T1
 - transmissions, with ESF framing, 52-34
- Freeze key, 3-11
 - contrasted with Capture On/Off trigger action, 3-11
- Freeze LED, 12-4, 49-4, 51-6, 52-9, 53-11
 - front panel, 1-5
- Freeze mode
 - current mode status stored in C variable, 64-2
 - in BERT, 11-17
 - initiated by trigger. *See* Capture data to screen (on/off)
 - parallel cursor movement during, 6-27, 36-6, 37-8, 38-6, 39-4, 43-4, 45-4, 46-4
- Frequency selection, back panel, 1-8
- From
 - field on Disk Maintenance menu, 7-4
 - subfield on Disk Maintenance menu, 13-8
- From Disk Number, subfield on Disk Maintenance menu, 13-10

- Front End Buffer Setup, menu selections, 9-2
- Front end buffer
 - applies to playback of bit-image data, 2-18
 - Idle Suppress field, does not apply to playback of bit-image data, 2-18
 - on playback path of bit-image data, 2-18, 9-5, 9-6
 - setup
 - effect on character-buffer capacity, 6-27
 - effect on data-plus-leads display, 6-9
 - X.21, 49-7
 - may inhibit EIA activity (except data), 12-7
 - time ticks and EIA leads, storage of, 1-12, 2-18
- Front panel, 1-3
 - function keys, 1-4
 - LED overlay, 1-5
 - LED's, 1-4, 2-18
 - U/A, 1-11
 - plasma display, 1-3
- FT Errors, T1 statistics display, 52-30
- FT/FS Errors, T1 statistics display, 52-30
- Full duplex handshaking, 12-12, 12-15
- Function keys, 1-4
 - connections for, J4-2
 - hardware architecture, J3-3, J3-5-J3-6
 - view as a component, J2-2

G

- G.703, 53-1-53-17
 - aggregate data capture, 53-5
 - BERT, 11-35-11-46
 - automatic error injection rate, 11-42
 - bit errors, 11-44
 - block size, 11-42
 - blocks in error, 11-44
 - blocks received, 11-44
 - blocks sent, 11-44
 - channel mode, 11-40
 - degraded minutes, 11-44
 - error-free seconds, 11-44
 - failed seconds, 11-44
 - framed mode, 11-41
 - invert, 11-41
 - number of faults, 11-44
 - pattern, 11-41
 - run-time function keys, 11-45
 - Setup screen, 11-39
 - Statistics screen, 11-43
 - setting up, 11-36
 - severely errored seconds, 11-44

- test length, 11-42
- test seconds, 11-44
- unframed mode, 11-40
- Bipolar violations, 53-19
- CCITT recommendation, 53-3
 - T1, 52-3
- channel 0, 53-4
- channel data capture, 53-4
- data displays, 53-7
- drop-and-insert, 11-38, 53-6
- emulation modes, 53-6, 53-9
- framing characteristics, 53-4
- Interface Control screen, 11-37, 53-2, 53-17
 - begin CAS MF w/frame containing frame
 - align. signal, 53-24
 - CAS MF resync criteria, 53-25
 - CAS MF sync criteria, 53-25
 - channel mode, 53-22
 - channel number, 53-23
 - coding type, 53-19
 - data path, 53-22
 - enable CRC-4, 53-23
 - extra bits, 53-24
 - frame resync criteria, 53-26
 - include channel 16, 53-26
 - international bits, 53-25
 - line clock select, 53-21
 - line impedance, 53-19
 - national bits, 53-25
 - receiver gain, 53-19
 - signal channel idle char, 53-26
 - signal channel number, 53-25
 - signalling type, 53-23
 - termination, 53-19
 - transmit mode, 53-20
 - xmit distant MF alarm, 53-22
 - xmit remote alarm, 53-22
 - xmit signalling all 1's, 53-22
- line conditions, statistics display, 53-29
- monitor mode, 53-6
- multiframe structure, CAS, 53-31
- Primary Rate ISDN, 53-7
- physical connectors, 53-8
- record setup, 7-9
- setting up menus for testing, 53-16
- signalling bits
 - with CAS signalling with channel 16, 53-32
 - with CCS/CAS signalling with CRC-4, 53-34
- statistics display, 53-26
 - as alternate run-time display, 53-30
 - BPV's received, 53-28
 - BPV-free seconds, 53-28
 - CRC-4 errors, 53-28
 - error-free secs, 53-29
 - Frames received, 53-28
 - framing errors, 53-28
 - G.703 line conditions, 53-29
 - sync loss time, 53-29
 - sync losses, 53-29
 - test seconds, 53-28
- Test Interface Module, 53-2, 53-8, 1-19
 - signal direction, 53-10
- Transmit mode, 11-38
- testing and layer protocols, 53-17
- testing configurations, 53-11
- transmission speeds, 53-3
- G.703 BERT, testing modes, 11-39
- G.703 line conditions, G.703, statistics display, 53-29
- G.704, CCITT recommendation
 - G.703 framing, 53-4
 - T1 superframing, 52-4
- G703STA, G.703 BERT, run-time function key, 11-46
- GBM board
 - block diagram, 2
- General operation, 2-1-2-26
 - boot-up program, creating a user interface, 2-4
 - changing default menus, 2-6
 - common problems, 2-20-2-23
 - data capture, 2-18
 - front end buffer, 2-18
 - front end buffer, on playback path of
 - bit-image data, 2-18
 - initializing system, INTERVIEW 7000, 2-3
 - installing new system software, 2-7
 - overview of menus, 2-9-2-14
 - power up, 1-16, 2-1
 - rerunning a test program, 2-15
 - running a test program, 2-15
 - running default program, 2-6
- Give data, 32-5
 - LAPD, 42-26
 - l2_give_data, C routine, 80-9
 - SDLC action, 38-27
 - l2_give_data, C routine, 76-10
 - X.25 Layer 2 action, 33-10, 36-28
 - l2_give_data, C routine, 74-9
 - X.25 Layer 3 action, 37-39
 - l3_give_data, C routine, 75-10
- Glitch catcher, 12-8, 47-6, 48-6, 49-6
- Glossary, abbreviations, B-1-B-10
- Go-error, editor command, 29-10
- Go-line, editor command, 29-9
- Good BCC
 - adjunct to monitor-frame condition
 - LAPD, 42-13, 42-15
 - dce_good_bcc, C variable, 80-1

- SDLC, 38-14, 38-16
 - dce_good_bcc, C variable, 76-1
- X.25 Layer 2, 36-14, 36-15
 - dce_good_bcc, C variable, 74-1
- adjunct to send-frame action
 - LAPD, 42-25
 - SDLC, 38-27
 - X.25 Layer 2, 36-28
- adjunct to send-string action, Layer 1, 31-8
- appended to transmit string, 10-5
- as condition, 10-5
- default BCC for frames, 36-28, 38-27, 42-25
- monitor/receive condition, Layer 1, 31-4
 - operational only when Rcv Blk Chk enabled, 31-4
- overlay, 10-3
- parameters defined on BCC Setup menu, 10-6
- Goto, C statement, 56-4, 56-5, 56-7, 56-13
 - placed inside of state loop, 52-16
 - used to move program control to a different state-label, 56-2, 56-4
- Graphical Statistics menu, color graphics, 17-6

H

- Half duplex handshaking, 12-12, 12-15
- Half-duplex BERT, 11-6
- Handset connector, 1-9
- Handshake
 - default for remote port, 70-21
 - field on BERT Setup menu, 11-5, 11-6, 11-7, 11-13
 - relation to Interface Control screen, 11-7
- Hard drive, installation. *See* Field Service
- Hardware, 1-3-1-16
 - back panel, 1-7
 - block diagram of architecture, 2
 - clock, 1-13
 - current hardware configuration stored in unit_config C variable, 69-1
 - disk drives, 1-5
 - hard drive, J6-1-J6-6
 - front panel, 1-3
 - interior layout, J2-3-J2-5
 - keyboard, 1-3
 - operating environment, 1-14
 - operating positions, 1-14
 - physical dimensions, 1-3

- power up, 1-14
- storage capacity, 1-12
- Hazardous areas, J2-3
- HDB3. *See* High Density Bipolar 3
- Help file, pathname, in Easy View script file, 19-16
- Hex, subfield on Trigger Setup menu, 25-7, 25-8
- Hex key
 - for hexadecimal data entry, 3-6
 - valid inside C strings, 59-22
 - for hexadecimal translation of line data, 6-14
 - LED display on keycap, 6-14
- Hexadecimal
 - C constant, 60-7
 - conversion for display, 56-16, 60-8, 64-20
 - conversion specifier, 64-11
- Hexadecimal code, conversion charts, D1-2-D1-14
- Hexadecimal display
 - in relation to order of transmission, 6-14
 - turned on/off by trigger action, 6-15
- Hexadecimal field, defined, 37-6
- High Density Bipolar 3, transmission technique, 53-3
- High Outgoing Channel #, field on X.25 Packet Level Setup screen, 37-3
- High speed
 - aggregate G.703 record, 53-5
 - aggregate T1 record, 52-5, 52-26
 - data recording, 7-9
 - G.703 aggregate record, 53-26
 - optimizing performance, 2-23
- Home key, 3-9, 29-4
- Hook text
 - added to top-level main, 59-12
 - C code in #pragma hook directive, 59-11
 - definition
 - indirectly referencing routines, 59-12
 - may reference tasks, 59-12
- Hook_type, decimal constant to identify type of #pragma hook directive, 59-11
- Host Port, SNA frame setup selection, 39-3
- HRD/usr/user_intrf
 - affect on Start Up screen, 2-2
 - boot-up program, creating a user interface, 2-4

I, intensity, field on Graphical Statistics menu, 21-7

Idle

change idle-line character, 31-12
display in relation to Outsync action, 31-11
display used for visual record of time intervals, 9-4
displaying for visual record of lead timings, 6-10
displaying synchronous idle, 5-8
idle_action, C routine, 62-14
retained/discarded on FEB Setup menu, 9-3, 9-4
selecting transmit idle, 5-9
voltage not affected by inverted polarity, 5-12

Idle line action, used in X.21 bis, 35-4

Idle Suppress, field on Front-End Buffer Setup screen, 9-4
does not apply during playback, 2-18

Idle select, T1, Interface Control selection, 52-22

Idle Timeout

conditions under which timer expires, 38-4
expired, emulate-mode condition, SDLC, 38-18
field on SDLC Frame Level Setup screen, 38-3
field on SNA/SDLC Frame Level Setup screen, 39-3
maximum and minimum values, 38-4

If, C statement, 61-6
nonzero expressions always true inside of if statement, 61-2
routine that returns nonzero makes if statement true, 61-6
used in Enter State conditions, 56-4

IL BUFS

See also IL buffer
Protocol Spreadsheet, programming block, 27-8, 27-13
C regions in relation to, 56-1, 52-16, 56-17
comments in, 27-15

IL buffer

See also IL BUFS
advantage as storage medium, 58-1
and primitives, 33-3

configuring number/size of
via C preprocessor directives
#pragma il_buffer_size, 66-4
#pragma il_buffers, 66-3
via IL BUFS identifier, 27-13
created by DDCMP package, 40-2
creating a structure-pointer to an IL buffer, 66-7
data-character buffer, 66-4
being passed up the layers, 58-2, 66-5
default number/size of, 27-13
downward moving, illustrated, 58-6, 66-2
identified by segment number, 58-5
number of the buffer in PDU, 66-6
pointer-list buffer, 66-4
being passed down the layers, 66-2
pointing to data inside an IL buffer, 66-6, 66-42
SDU shrinks as IL buffer moves up the layers, 58-1
string to be referenced in, 33-6
structure of, 66-3-66-5
header, 66-4
service data unit, 66-4-66-5
data, 66-5
list node, 66-5
list-header node, 66-5
upward moving, illustrated, 58-2

IL_BUFFERS. *See* IL BUFS

INFO frame

monitor/receive condition
LAPD, 42-10
translates into two C variables, 80-6
SDLC, 38-12
translates into two C variables, 76-6
X.25 Layer 2, 36-12
translates into two C variables, 74-6
send action
LAPD, 42-20
SDLC, 38-22
used to convey DL data sent down from Layer 3, 36-23, 42-20
X.25 Layer 2, 36-22

INFO-ELEMENT, trace column, Q.931, 43-5

INJ1ERR

G.703 BERT, run-time function key, 11-45
T1 BERT, run-time function key, 11-32

INT 10, Disk Maintenance selection, 13-14-13-16

INTERVIEW transfer, INTERVIEW 5, 10, 15
PLUS data, transfer from Disk Maintenance screen, 13-10-13-16

In-band signaling, T1 transmissions, 52-23, 52-32

- In/out, editor command, 29-6
- #include, C preprocessor directive, 59-6, 64-28, 64-35, 64-36
 - stdio.h file included with all disk I/O routines, 68-3
- Include channel 16, G.703, field on Interface Control menu, 53-26
- Increment counter, layer-independent action, 30-9
- Increment flag byte, as 16-bit binary counter, layer-independent action, 30-14
- Indication primitives, 33-5
 - versus "Requests", 33-10
- Info element, Q.931, 43-5
- Initial Condition, field on Record Setup menu, 7-9
- Initial Phase, field on X.21 Interface Control menu, 49-9
- Initial State, field on BCC Setup menu, 10-11
- Initializing system software, INTERVIEW 7000, 2-3
- Injection Rate
 - field on BERT Setup menu, 11-19
 - status field on BERT results screen, 11-21
- Input/output connectors, back panel, 1-9
 - AUXILIARY TTL, 1-9
 - CRT/RGB, 1-9, 1-10
 - ISDN handset, 1-9
 - PRINTER, 1-9
 - REMOTE RS-232, 1-9
 - RS-170 composite video, 1-10
- Insert Char key, 29-4
 - in menu fields, 3-7
 - used to exit insert mode, 3-8
- Insert Line key, 29-4
 - in spreadsheet, 3-7
 - on statistics screens, 3-7
- Insert mode, 3-7, 29-4
- Installing new system software, on hard disk, 2-7
- Instrument, menu field on Disk Maintenance screen, for INTERVIEW 10 transfer, 13-14
- Int, C data type, 59-13
 - same as short int, 59-13
- Integral promotion, 56-16, 64-11
- Integrated Services Digital Network (ISDN), SS#7 Layer 3, 46-22
- Interactive messages, A1-1-A1-16
- Interface Control menu, 12-10
 - in relation to Line Setup menu, 12-10
 - RS-485 application, 50-7
 - X.21, 49-8
- Interface Control screen, G.703 options, 11-37
- Interlayer buffer. *See* IL buffer
- Interlayer message buffer. *See* IL buffer
- International bits, G.703, field on Interface Control menu, 53-25
- Interrupt packet, sample program to enhance all, 37-43
- Invalid frame
 - defined, 36-7, 38-7, 42-8
 - receive condition
 - LAPD, 42-15
 - SDLC, 38-16
 - X.25 Layer 2, 36-16
- Invalid packet
 - defined, 37-12
 - receive condition, X.25 Layer 3, 37-26
 - invalid_packet, C variable, 75-8
- Invert BCC, field on BCC Setup menu, 10-11
- IPARS
 - default BCC parameters, 10-8
 - default sync pattern, 5-7
 - hex-to-display conversion table, D2-3
 - keyboard-to-IPARS conversion table, D1-6
 - reverse bit order appropriate for, 5-11
 - SY characters inappropriate for, 5-7
- ISDN
 - See also* Q.931
 - B channels, 51-3, 51-4
 - Basic Rate ISDN, 51-3
 - channel, ISDN Interface Setup selection, 51-10
 - D channel, 51-3, 51-4
 - dual-channel testing, 51-4
 - handset connector, 1-9
 - ISDN_D, 41-3
 - LED's front panel, 51-6
 - line conditions, ISDN statistics display, 51-11
 - monitor mode, installing connectors for, 51-8
 - NT, network termination, 51-7
 - NT state, 51-13
 - physical devices, 51-6
 - RD line status, 51-13
 - sample Line Setup, 5-13
 - single-channel testing, 51-5
 - speaker, ISDN Interface Setup selection, 51-10
 - statistics display, as alternate run-time display, 51-11

TD line status, 51-12
TE, terminal equipment, 51-7
TE state, 51-11
Test Interface Module, 51-2, 51-6, I-21
testing interfaces, 51-6, 51-7

Isoc
 data setup, 5-10
 format in BERT, 11-16
Item date, in Easy View script file, 19-15
Item description, in Easy View script file, 19-16
Item name, in Easy View script file, 19-16

J

JIS7
 hex-to-display conversion table, D2-3
 keyboard-to-JIS7 conversion table, D1-10
JIS7/JIS8, optional codes, H-1
JIS8
 hex-to-display conversion table, D2-3
 keyboard-to-JIS8 conversion table, D1-12,
 D1-13

K

Katakana, JIS7/8 optional code set, H-1
Keyboard, 1-3
 See also ASCII keys; entry under each special
 key
 condition, Trigger Setup menus, 24-12
 editing keypad, 29-3
 function keys, 1-4
 layer-independent condition, 30-4
 programming keys, 3-3-3-8
 real-time keys, 3-10-3-12
 soft (function) keys, 3-3
 for editing, 29-5-29-10
 translation tables, D-1-D-2
Keyword, 32-3

L

L, label, field on Graphical Statistics menu,
 21-4
LAPD, 42-3
 diagram of frame fields, 42-7
 send actions, 42-19
 used with ISDN D channel, 41-3

LAPD Frame Level Setup screen, 42-2
Label
 C keyword, equivalent to a spreadsheet State,
 56-2
 C type specifier, 59-4
Labels, in Easy View script file, 19-14, 19-17
Last, column on Tabular Statistics screen, 20-6,
 30-10, 30-11
Layer, field on Display Setup menu, 6-18,
 6-20, 30-19
Layer 2, user program to force packets up to
 Layer 3 and down to Layer 1, 37-24
Layer Setup, 8-3-8-6
 how to save, 8-5
 Personality packages, 8-3
 reside on user and hard disks, 8-3
 Protocol Configuration screen, 8-4
 protocols, select and load, 8-3
Layer Setup screen, overview, 2-13
Layers
 identified on Program Trace, 6-20
 in C, 56-1
 Protocol Spreadsheet, programming block,
 27-8
 comments in, 27-15
 passing data between, 2-21
 program model, 23-3-23-8

LCN
 adjunct to monitor/receive-packet condition,
 X.25 Layer 3, 37-18
 allocation sequence, 37-5, 37-31
 assigned dynamically on per-call basis, 37-4
 column on X.25 Packet Level Setup screen,
 37-4, 37-5
 predefined for a particular call address
 ("path"), 37-4, 37-6
 trace column, X.25 Layer 3, 37-12

LED's
 front panel, 1-4, 1-5, 2-18
 during playback, 12-4
 Freeze, 12-4, 49-4, 51-6, 52-9, 53-11
 INTERVIEW status, 1-5
 interface status, 1-4
 not affected by FEB suppression of EIA
 leads, 12-7
 Remote, 12-4, 51-6, 52-9, 53-11
 RS-232 overlay, 12-4
 RS-449 overlay, 48-2, 48-4
 U/A, 1-5, 1-11, 12-4, 47-4, 48-4
 V.35 overlay, 47-2, 47-4
 X.21 overlay, 49-4
 green-red characteristics not affected by logic
 (polarity), 5-12
 Test Interface Module, 1-11

- Left Arrow key, 29-4
- /lib directory, filing system, 14-23, 27-11, 59-9
- Line clock select
 - G.703, Interface Control selection, 53-21
 - T1, Interface Control selection, 52-22
- Line data, data capture, 2-18
- Line impedance, G.703, Interface Control selection, 53-19
- Line number, of cursor position in frozen Program Trace, 6-21
- Line Setup, 5-3-5-4
 - current line setup parameters stored in unit_setup C variable, 69-1
 - significance in BERT testing, 11-15
- Line Setup screen
 - menu selections, 5-2
 - Async, 5-13
 - Bisync, 5-13
 - ISDN, 5-13
 - SNA, 5-13
 - SS#7, 5-13
 - X.25, 5-13
 - overview, 2-11
- Line utilization, programming example, 20-11
- Linefeed, not valid in C string, 59-20
- Linkable-object files, 14-7
 - accessed via Object block-identifier, 27-11
 - accessed via #pragma object, 59-8
 - advantage over object files, 14-22
 - C code
 - contents of LOBJ files, 14-7
 - must be compatible with menu selections, 14-23
 - combined with spreadsheet program, 59-9
 - compiled spreadsheet
 - accessed via OBJECT block-identifier only, 14-23
 - contents of LOBJ files, 14-7, 14-23
 - must be a valid program, 14-23
 - contents of, 14-22, 27-10
 - counters or flags in, 27-12
 - efficiently use memory and spreadsheet, 27-12, 59-10
 - in /lib directory, 14-24
 - indirectly referencing routines, 59-10
 - #pragma hook directives in, 59-11
 - scope of routine definitions contained in, 59-8
 - search rules for, 27-11, 59-8
 - transparent to unit configuration, 14-23
- Linkable-program files, 14-7
 - C code, in LPGM files, 14-7
 - changing setups, 4-9
- List header, beginning of linked list in IL buffer, 58-7
- List node. *See* IL buffer
- List-header node. *See* IL buffer
- Lists, on Protocol Spreadsheet, 32-1
- Load, File Maintenance, menu selections, 14-14
- Load key, 3-6, 14-14
- Load program
 - layer-independent action, 30-19
 - load_program, C routine, 72-12
- Logical DTE/DCE
 - contrasted to physical DTE/DCE, 36-4
 - determines command and response addresses, 36-4, 36-16
 - determines order (ascending/descending) of LCN selection, 37-4
- Long, C data type, 59-13
 - long routine returns a long, 61-3
- Loop down
 - T1 BERT, run-time function key, 11-33
 - T1 command, 52-9
- Loop up
 - T1 BERT, run-time function key, 11-32
 - T1 command, 52-9
- Loop-back C/R bit, adjunct to send-frame action, LAPD, 42-22
- Loop-back P/F bit
 - adjunct to resend-frame action
 - LAPD, 42-27
 - X.25 Layer 2, 36-30
 - adjunct to send-frame action
 - LAPD, 42-23
 - SDLC, 38-24
 - X.25 Layer 2, 36-25
- Low, subfield on Trigger Setup menu, 25-7
- Low Outgoing Channel #, field on X.25 Packet Level Setup screen, 37-3
- LRC Parity, field on BCC Setup menu, 10-11
- LU 6.2, SNA selection, 39-3

M

- M, trace column, X.25 Layer 3, 37-14
- M bit
 - adjunct to monitor/receive-packet condition, 37-18
 - adjunct to send-data-packet action, 37-36
 - position diagrammed, 37-14

- MAKE, T1 test access point, 52-9
- Main
 - C function, placed at highest level of source code, 52-16
 - program main created by C translator, 55-1
 - hook text from #pragma hook directives added to, 59-12
 - using multiple hooks, 59-12
- Maintain, field on Interface Control menu, 12-18
- X.21, 49-9
- Maintain bit
 - freeing via the `_free_il_msg_buff` routine, 58-5
 - setting via the `_set_maint_buff_bit` routine, 58-5
 - used to lock an IL buffer against reallocation, 58-5
- Make Directory, File Maintenance
 - menu selection, 14-18
 - `mkdir`, C routine, 68-33
- Mark key, 29-5
 - cursor timing, 6-16
 - in Freeze mode displays, 3-14
 - on File Maintenance screen, 3-7, 14-13
 - used as program tab in spreadsheet, 3-10
- Maximum, column on Tabular Statistics screen, 20-6, 30-10
- Maximum data rates
 - data analysis, 1-13
 - data recording, 1-13
- Memory, capacity, 1-12
- Menu date, in Easy View script file, 19-15
- Menu information, in Easy View script file, 19-15
- Menu level, Easy View, 4-5
- Menu selections, Easy View, 4-5
- Menu title
 - Easy View, 4-5
 - changing the title, 19-15
 - in Easy View script file, 19-15
- Menu-item information, in Easy View script file, 19-15
- Menus
 - overview, 2-9-2-14
 - See also* Separate listing, each menu name
 - configuring menus, 2-10
 - Program Menu, 2-9
 - Printer setup, 15-3-15-5
 - Record Setup, 7-5-7-11
- Message, indicator on RS-485 Test Interface Module, 50-6
- Message Buffer, field on BERT Setup menu, 11-10
- Message fields, diagrammed for Q.931, 43-7
- Message Signal Units (MSU's), Layer 3, 46-6
- Message type, Q.931, 43-5
- MIL, field on Line Setup menu, 5-12
- MIL-188, 5-12
- MISC, trace column, X.25 Layer 3, 37-14
- Microfloppy disks
 - compatibility, 1-5
 - storage capacity, 1-12
 - write protection, 1-5
- Minimum, column on Tabular Statistics screen, 20-6, 30-10
- Miscellaneous Utilities
 - overview, 2-14
 - with color mapping options, 17-3-17-6
 - See also* Graphical statistics menu, color graphics
- Miscellaneous Utilities screen
 - black and white enhancements, 17-6
 - color display, selectable options, 17-4-17-5
 - background color, 17-5
 - blink, 17-5
 - character, 17-5
 - controlling color displays from, 17-3-17-6
 - menu selections, 17-2
- Mnemonics, glossary, B-1-B-10
- MOD 128, 36-5, 37-4, 38-4, 42-4
- MOD 8, 36-5, 37-4, 38-4, 42-4
- Mode
 - default handshake for remote port, 70-21
 - field on Line Setup menu, 5-3, 7-4, 11-5, 11-6, 11-22, 12-3, 12-10, 31-10, 36-15, 37-24, 42-14, 52-7, 53-8
 - test mode field on Line Setup menu, 1-11
- Mode of Operation
 - field on Frame Level Setup screen, 36-12, 37-16, 42-10
 - field on LAPD Frame Level Setup screen, 42-3, 42-4
 - field on SDLC Frame Level Setup screen, 38-3, 38-4
 - field on SNA/SDLC Frame Level Setup screen, 39-3
 - field on X.25 Frame Level Setup screen, 36-3, 36-5
 - field on X.25 Packet Level Setup screen, 37-3, 37-4

Modem connector, external, 1-9

Modem eliminator, patching example, 12-7

Monitor mode
 installing connectors for, 12-3, 52-7, 53-8
 ISDN, 51-8-51-9
 not affected by position of breakout switches, 12-6
 setting up, 5-3

Monitor path, upward path of IL buffer in monitor (or emulate) mode, 58-3

More to resend, emulate-mode condition
 LAPD, 42-18
 translated into C, 80-8
 SDLC, 38-19
 translated into C, 76-8
 X.25 Layer 2, 36-19
 translated into C, 74-8
 X.25 Layer 3, 37-28
 translated into C, 75-11

Move, editor command, 29-6

MPM board
 block diagram, 2
 connections for, J4-2
 hardware architecture, J3-3, J3-12-J3-13
 S1 switch settings. *See* Field Service
 view as a component, J2-2

MPM errors, 2-17

MSG-TYPE, trace column, Q.931, 43-5

MUX board, hardware architecture, J3-3, J3-5

Multi-drop
 SDLC
 enabled on Frame Level Setup screen, 38-3, 38-5
 resend frame, 38-29
 reset Nr, 38-30
 reset Ns, 38-30
 SNA, enabled on Frame Level Setup screen, 39-3

Multidrop handshaking, 12-12, 12-15, 12-16

Mux board, firmware replacement. *See* Field service

mstrmenu.txt, format, 19-11

N

N, name, field on Graphical Statistics menu, 21-6

N_DATA, macro, 32-5

N_DATA IND, sent up automatically by Give Data action at Layer 3, 37-39, 37-44

Naming, of variables in C, 60-2

National bits, G.703, field on Interface Control menu, 53-25

National Format, field on SS#7 Packet Level Setup screen, 46-3

Negative exponent, meaning in BERT formulas, 11-14

Network Indicator, SS#7 Layer 3, 46-9

Network Management (NETM) Headers, SS#7 Layer 3, 46-18
 NETM condition, translates into two C variables, 83-1

Newline, nonliteral used inside C string, 59-20
 writes fresh blank line into trace buffer, 64-33
 writes hex 0D 0A (ASCII CR-LF) to printer output, 67-10

Next Page key, 29-4
 in spreadsheet, 3-9
 on statistics screens, 3-9
 on trace display, 36-6, 37-8, 38-6, 39-4, 43-4, 45-4, 46-4

Next state, Protocol Spreadsheet, programming block, 27-9
 comments in, 27-15
 in C, 56-4

No BCC, appended to transmit string, 10-6
 interpreted as bad BCC, 10-6

No display, display mode, 6-28

No more to resend, emulate-mode condition
 LAPD, 42-18
 translated into C, 80-8
 SDLC, 38-19
 translated into C, 76-8
 X.25 Layer 2, 36-19
 translated into C, 74-8
 X.25 Layer 3, 37-28
 translated into C, 75-11

Nonevent variables, 62-5
 in C
 checked when event is signalled, 60-5
 true in expressions with nonzero value, 56-12

Nonliteral characters
 inside C strings, 59-21
 inside set_print_header strings, 67-8

Nonzero conditional expression, always true in C, 56-12, 61-2

Not Equal key, 3-6
 in Receive string condition, 24-7
 used in Suppress field to indicate "display only", 6-11

NRZI, field on Line Setup menu, 5-12

Nr

acknowledging last Ns, adjunct to send-frame action

LAPD, 42-23

SDLC, 38-25

X.25 Layer 2, 36-26

calculated automatically, adjunct to send-frame action

LAPD, 42-23

SDLC, 38-25

X.25 Layer 2, 36-26

repeating last Nr, adjunct to send-frame action

LAPD, 42-23

SDLC, 38-25

X.25 Layer 2, 36-26

reset, emulate-mode action

LAPD, 42-28

SDLC, for a specific controller address, 38-30

X.25 Layer 2, 36-31

trace column

LAPD, 42-8

SDLC, 38-9

staggered to indicate two separate numbering sequences, 36-9, 38-9

X.25 Layer 2, 36-9

tracked for specified addresses in SDLC multii-drop, 38-5

value, adjunct to send-frame action

LAPD, 42-23

SDLC, 38-25

X.25 Layer 2, 36-26

Nr error, emulate-mode condition

LAPD, 42-16

SDLC, 38-18

X.25 Layer 2, 36-18

Ns

calculated automatically, adjunct to send-I-frame action

LAPD, 42-24

SDLC, 38-26

X.25 Layer 2, 36-27

reset, emulate-mode action

LAPD, 42-28

SDLC, for a specific controller address, 38-30

X.25 Layer 2, 36-31

same as last-received Nr, adjunct to send-I-frame action

LAPD, 42-24

SDLC, 38-26

X.25 Layer 2, 36-27

skip to correct Ns plus one, adjunct to send-I-frame action

LAPD, 42-24

SDLC, 38-26

X.25 Layer 2, 36-27

trace column

LAPD, 42-8

SDLC, 38-9

staggered to indicate two separate numbering sequences, 36-9, 38-9

X.25 Layer 2, 36-9

tracked for specified addresses in SDLC multii-drop, 38-5

value, adjunct to send-I-frame action

LAPD, 42-24

SDLC, 38-26

X.25 Layer 2, 36-26

Ns error, emulate-mode condition

LAPD, 42-16

SDLC, 38-17

X.25 Layer 2, 36-17

NT

ISDN network termination, 51-7

state on ISDN line, 51-13

Null

added by compiler to terminate string, 59-19, 60-12

not valid in C string, 59-20

octal or hex version legal inside C string, 59-21

terminates execution of display and print routines, 59-21

termination overridden by %H conversion specifier, 64-10

Number of Faults, BERT counter, 11-21

O

Object, Protocol Spreadsheet, programming block, 27-8

C regions in relation to, 56-1, 52-16, 56-17

comments in, 27-15

format of, 27-11

items that may precede

C regions, 27-8

comments, 27-8

IL BUFS identifier, 27-8

must be used to access compiled spreadsheet, 14-23

placement of, 27-11

used to access linkable-object files, 27-11, 59-12

used to access #pragma hook routines, 59-12

- Object code
 - contents of linkable-object files
 - compiled C code, 14-7
 - compiled spreadsheet, 14-7
 - accessed via OBJECT block-identifier only, 14-23
 - must be a valid program, 14-23
 - contents of object files, 14-6
 - in linkable-program files, compiled C code, 14-7
 - loaded in automatically via Load Program action, 30-19
 - rerunning object version of program, 2-15
- Object files, 14-6, 14-12, 14-15
 - compared to linkable-object files, 14-7, 14-22
 - not as versatile as source-code files, 14-17
 - use disk-space intensively, 14-17
- Octal
 - C constant, 60-7
 - conversion for display, 60-8, 64-20
 - conversion specifier, 64-11
- Offset, in Freeze mode data displays, 6-27
- On Signal, layer-independent condition, 30-8
- On/off (power) switch, back panel, 1-8
- One, transmitting steady one, set_tcr_b, C routine, 62-15
- 1 OF, field on Trigger Setup menu, 24-8
- One-of character list
 - effect of not-equal character, 24-8
 - monitor/receive condition, Layer 1, 31-3
- OOF events, T1 statistics display, 52-30
- OPT-951-01-1, J6-1-J6-6
- OPT-951-22-1, optional codes JIS7/8, H-1
- OPT-951-98-1, rack mount, G-1-G-4
- Operating environment, 1-14
- Operating positions, 1-14
- Operator messages
 - interactive messages, A1-1-A1-16
 - Easy View, A2-1-A2-2
 - issued by C translator, A3-1-A3-6
 - issued by compiler, A4-1-A4-16
- Operator precedence, C language, 59-17
- Operators, relational, in counter conditions, 30-5
- Order of transmission
 - in relation to binary display, 6-15
 - in relation to code charts, 5-11
 - in relation to hex display, 6-14
 - in relation to pattern sync in BERT, 11-11
- Originating Point Code (OPC), SS#7 Layer 3, 46-9
- Origination/destination link, message-type condition, Q.931, 43-11
- OSI
 - Layer Setup, 8-3
 - Open Systems Interconnection, layered programming, 23-3-23-8
 - See also Layers
 - primitives, 23-8
- OSI primitives. See Primitives
- Other frame
 - monitor/receive condition
 - LAPD, 42-11
 - SDLC, 38-12
 - X.25 Layer 2, 36-12
 - send action
 - LAPD, 42-21
 - SDLC, 38-23
 - X.25 Layer 2, 36-24
- Other packet
 - monitor/receive condition, X.25 Layer 3, 37-17
 - send action, X.25 Layer 3, 37-33
- Out of sync, status message in BERT, 11-21
- Output jacks
 - on RS-232 TIM, 12-8
 - on RS-449 TIM, 48-6
 - on V.35 TIM, 47-6
 - on X.21 TIM, 49-6
- Outsync
 - called "resync" in BERT, 11-8
 - Layer 1 action, 31-11
 - compared to Capture Off action, 31-11
 - outsync_action, C routine, 62-10
 - parameters not selectable in DDCMP, 40-1
 - subfield on Line Setup menu, 5-7, 5-8
- Outsync Char, field on Line Setup menu, 3-6
- Overlay, Test Interface Module, 1-5
- Overrun, of print buffer, 67-1
 - minimize by suspending playback, 67-2
- Overstrike mode, 3-8

P

- P/F, trace column
 - LAPD, 42-8
 - SDLC, 38-10
 - SNA-SDLC, 39-6
 - X.25 Layer 2, 36-10

- P/F bit
 - adjunct to monitor/receive-frame condition
 - LAPD, 42-13
 - SDLC, 38-14
 - X.25 Layer 2, 36-14
 - adjunct to resend-frame action
 - LAPD, 42-27
 - SDLC, 38-30
 - X.25 Layer 2, 36-30
 - adjunct to send-frame action
 - LAPD, 42-23
 - SDLC, 38-24
 - X.25 Layer 2, 36-25
- PATH, field on X.25 Packet Level Setup screen, 37-5
- Packages Loaded
 - column on Layer Setup menu, 36-3, 37-3, 42-3, 46-3
 - column on Layer Setup screen, 8-4
- Packet fields, diagrammed for X.25, 37-10
- Packet sent, emulate-mode condition
 - should be used along with More/No More to Resend, 37-29
 - X.25 Layer 3, 37-27
 - packet_sent, C variable, 75-8
- Parity
 - a consideration when entering BCC parameters, 10-11
 - adjustment automatic in Sync Chars field, 5-7
 - always the last bit transmitted, 5-11
 - automatic calculation of in receive sync pattern, 5-7
 - default value for remote port, 70-21
 - field on Line Setup menu, 5-6, 5-7, 11-16, 24-6, 31-4
 - field on Printer Setup menu, 15-4
 - in BERT testing, 11-15
 - in setup, 5-6
- Parity errors
 - monitor/receive condition, Layer 1, 31-4
 - special display of, 5-6
- Patching, modem-eliminator example, 12-7
- Path
 - adjunct to receive-packet condition, X.25 Layer 3, 37-25
 - adjunct to send-packet action, X.25 Layer 3, 37-32, 37-33, 37-34
 - used in all packet types except Restart, 37-34
 - correspondence at different layers, 33-5, 37-34
 - more "programmable" than LCN, 37-25, 37-34
 - part of definition of data primitive, 33-5
 - rcvd_device_path, C variable, 75-9
 - tied to a set of Call Request parameters on X.25 Packet Level Setup screen, 37-5, 37-25, 37-34, 75-9
- Pattern, field on BERT Setup menu, 11-7
- Pattern Sync Status
 - field on BERT results screen, 11-20
 - line on BERT results screen, 11-21
- Pattern sync, in half-duplex pseudorandom BERT, 11-11
 - two default sets, 11-13
- PCM board
 - block diagram, 2
 - connections for, J4-2
 - hardware architecture, J3-3, J3-8-J3-11
 - view as a component, J2-2
- PDU. *See* Primitive data unit; Primitives
- Perc(entage), of Program Trace buffer storing previous data, 6-21
- Percentage, in Freeze mode data displays, 6-27
- Percentages, computed through the sampling action, 20-11
- Personality packages. *See* Protocol packages; Protocol packages and Layers
- PH_ACTIVATE REQ, sent down automatically at Layer 2 if Layer 1 inactive, 36-34, 38-33, 42-31
- PH_DATA, primitives between Layers 1 and 2, 33-9
- PH_DATA REQ, sent down automatically by Send or Resend action at Layer 2, 36-34, 38-33, 42-31
- PH_TD_DATA IND
 - implemented by a set of monitor-path variables, 58-3
 - implemented by a set of receive-path variables, 58-3
 - signalled by DDCMP package, 40-2
- Physical DTE/DCE
 - basis of Source column on trace display, 36-7, 37-12, 38-5, 39-4, 42-6, 43-5
 - contrasted to logical DTE/DCE, 36-4
- Physical dimensions, size and weight, 1-3
- Playback
 - control leads, 2-18, 9-5
 - disk data, 2-18
 - EIA leads, storage, 1-12
 - manual control of, 3-12
 - source of data selected on Line Setup screen, 5-4

- time ticks, 2-18, 9-6
 - timer values not affected when time ticks enabled, 30-10
 - transfer of data prior to, 7-4
 - start_rcrd_play, C routine, 68-3, 72-16
 - suspend_rcrd_play, C routine, 68-3, 72-17
- Pointer, in C
- always 32 bits no matter what the data type, 60-11
 - creating a pointer, 60-11
 - incrementing pointers of various data types, 60-12
 - m_packet_info_ptr, pointer to first data byte in X.25 packet, 75-8
 - m_ptr_to_call_ref, pointer to Q.931 call-reference field, 81-4
 - m_ptr_to_info_element, pointer to Q.931 info-element field, 81-4
 - making a pointer to the data in a received frame, 74-8, 76-8, 80-8
 - making a pointer to the data in an IL buffer, 60-10, 66-42
 - pointing with subscripts, 60-12, 60-13
 - rcvd_pkt_info_ptr, pointer to first data byte in X.25 packet, 75-8
 - rh_ptr, pointer to first byte of SNA request/response header, 77-4
 - ru_ptr, pointer to first byte of SNA request/response unit, 77-4
 - string, 59-19
 - structure pointer, 60-16
 - th_ptr, pointer to first byte of SNA transmission header, 77-4
- Pointer-list buffer, 66-4
See also IL buffer
- Polarity
- field on Line Setup menu, 5-11
 - normal versus inverted, 5-12
- Pound sign (#), precedes preprocessor directives, 59-5
- Power connector, 1-7
- Power switch, back panel, 1-8
- Power up, 1-14, 2-1
- entry into Easy View, 4-3
 - self tests, 2-1
- PROMs, exchanging. *See* Field Service
- PROTSEL, Protocol Select, Layer Setup function key used to select protocol-configuration screen for a given layer, 36-3, 37-3, 46-3
- Pr
- acknowledging last Ps, adjunct to send-packet action, X.25 Layer 3, 37-36
 - calculated automatically, adjunct to send-packet action, X.25 Layer 3, 37-36
 - repeating last Pr, adjunct to send-packet action, X.25 Layer 3, 37-36
 - reset, emulate-mode action, X.25 Layer 3, 37-41
 - trace column
 - staggered to indicate two separate numbering sequences, 37-13
 - X.25 Layer 3, 37-12
 - value, adjunct to send-packet action, X.25 Layer 3, 37-35
- Pr error, emulate-mode condition, X.25 Layer 3, 37-27
- pr_error, C variable, 75-8
- #pragma, C directive, placed inside of task definition, 52-16
- #pragma hook, C preprocessor directive, 59-11
- defining the hook text, 59-12
 - format of, 59-11
 - hook text added to top-level main function, 59-12
 - in linkable-object files, 59-11
 - system-generated during Compile spreadsheet, 59-11
 - using multiple hooks, 59-12
- #pragma il_buffer_size, C preprocessor directive, used to set the size of IL buffers, 66-4
- #pragma il_buffers, C preprocessor directive, used to set the number of IL buffers, 66-3
- #pragma layer, C directive, used to declare a layer, 56-1
- #pragma nowarn, C directive, used to suppress compiler warnings, A4-1
- #pragma object, C preprocessor directive, 59-8
- format of, 59-8
 - placement of, 59-8
- #pragma tracebuf, C directive, used to configure size of trace-buffer arrays, 6-19, 6-25, 64-29
- Preamble, field on BERT Setup menu, 3-6
- Preamble characters, in half-duplex BERT, 11-7, 11-9
- Precision
- length of conversions in display and print routines, 64-10
 - size of data types, 59-13
- Preprocessor directives. *See* C language preprocessor directives; Separate listing, each directive name

- Prev Page key, 29-4
 - in spreadsheet, 3-9
 - on statistics screens, 3-9
 - on trace display, 36-6, 37-8, 38-6, 39-4, 43-4, 45-4, 46-4
 - used to restore previous menu, 3-9
- Primary (host) in SDLC, 38-4
- Primary Rate ISDN, 52-6
 - G.703, 53-7
- Primitive data unit
 - See also* Primitives
 - and IL buffers, 33-3
 - being passed down the layers, illustrated, 66-2
 - being passed up the layers, 58-2
 - illustrated, 66-5
 - structure of, 66-6
 - data length, 66-6
 - data-start offset, 66-6
 - IL buffer number, 66-6
- Primitives
 - accessing information in, 66-6-66-12
 - as conditions and actions, 33-3
 - automatic, 34-1
 - at Layer 1, 33-3
 - below the top layer, 34-1
 - monitor primitives, 34-1
 - varies with protocol package, 34-1
 - currently not accessible at Layer 1, 33-3
 - indications versus requests, 33-10
 - Layer 1 not automatic, 33-3
 - Layers 1 through 7, listed, 30-11-30-13
 - layered programming, 33-3
 - OSI, 23-8
 - routines
 - Layer 1, 66-45
 - Layer 2, 66-47-66-51
 - Layer 3, 66-51
 - Layer 4, 66-55-66-59
 - Layer 5, 66-59-66-63
 - Layer 6, 66-63
 - Layer 7, 66-67-66-68
 - layer-independent, 66-32-66-45
 - sending primitives up and down the layers, 66-45
 - on spreadsheet
 - indication of direction, 33-4
 - indication/confirm, 33-5
 - path, 33-5
 - request/response, 33-5
 - type, 33-4
 - pointing to data inside PDUs, 66-3
 - prefixes, 33-4
 - several automatic at given layer
 - LAPD, 42-31
 - SDLC, 38-34
 - X.25 Layer 2, 36-34
 - X.25 Layer 3, 37-44
 - shared by layers, 33-3
 - used for passing data macros downward, 32-5
- Print
 - File Maintenance, menu selection, 14-20
 - layer-independent action, 30-16
- Print accumulator, layer-independent action, 30-16
- Print buffer
 - overflow, 67-1
 - minimize by suspending playback, 67-2
 - queues unprinted text from print actions, 67-1
- Print counter, layer-independent action, 30-16
 - statistical log produced by, 20-9
- Print key
 - used to print data, 3-14
 - used to print programming screens or spreadsheet, 3-6, 15-8
- Print prompt, layer-independent action, 30-18
- Print server, transfers output from print buffer to printer port, 67-1
- Print timer, layer-independent action, 30-16
 - statistical log produced by, 20-9
- Printer, 15-3-15-5
 - C print routines, 67-1-67-10
 - nonliteral characters inside set_print_header strings, 67-8
 - C print structures, 67-1
 - loading printer setup, 15-8
 - print server, transfers output from print buffer to printer port, 67-1
 - Printer Setup screen, 15-3-15-5
 - loading configured menu, 15-8
 - menu selections, 15-2, 15-3-15-5
 - characters per line, 15-5
 - form feed, 15-5
 - format character buffer, 15-5
 - handshake mode, 15-6
 - lines per page, 15-5
 - new line, 15-4
 - number of bits, 15-4
 - number of pads, 15-5
 - parity, 15-4
 - print to file instead of printer, 15-6-15-8
 - printer type, 15-5
 - speed, 15-4
 - saving configured menu, 15-7

- printing data, 15-10-15-15
 - from display window, 15-16-15-17
 - line data, 15-11-15-15
 - program trace, 15-14-15-15
 - protocol traces, 15-13-15-15
 - statistics, 15-15
 - user traces, 15-17
 - printing disk files, 15-17-15-18
 - printing static displays, 15-8
 - Layer Setup screen, 15-10
 - Protocol Spreadsheet, 15-8
 - program menus, 15-8
 - setup menus, 15-8
 - Trigger Setup screens, 15-8
 - RS-232 printer connector, 15-3
 - saving printer setup, 15-7
 - special characters, data, display of, 15-10
 - special characters, menus, display of, 15-7
 - spreadsheet control of, 15-17
 - unprinted text queued in print buffer, 67-1
- Printer connector, 1-9, 15-3, 67-1, I-3
- Program files, saving and loading, 22-6
- Program key, 2-4, 3-4
 - unit unexpectedly enters Run mode, 2-20
- Program trace, 6-19
 - as customized protocol analysis, 30-19
 - as debugging tool, 30-19
 - buffer containing 4096 characters, 64-28
 - buffer may be scrolled through in Freeze mode, 6-19, 64-28
 - buffer size may be increased, 6-19, 64-28
 - C routines, 64-32
 - generated by trace actions on the Protocol Spreadsheet, 30-18
 - one of eight trace buffers, 64-28
 - #pragma tracebuf, 6-19, 64-29
 - printing, 15-14
 - run-mode softkey available if Trace action invoked or if state trace requested, 6-19
 - sample trace, 6-19, 6-21
 - selecting state names from via Display Setup, 6-20, 30-19
 - specific to Layer/Test selected on Display Setup, 6-20, 30-19
 - structures, declared in trace_buf.h #include file, 64-28
 - trace_buf, C structure, 64-28
 - trace_buffer_header, C structure, 64-28
- Programming
 - concepts of
 - branching (changing states), 23-3, 27-9
 - OSI layers, 23-3-23-8
 - simultaneous tests, 23-3-23-4
 - states, 23-3
 - three-tiered design, 22-1-22-6
 - program structure, Protocol Spreadsheet, 27-6-27-7
- Prompt
 - blanking the entire prompt line, 61-4
 - display_prompt, C routine, 64-3, 64-21
 - field on Trigger Setup menu, 25-3
 - layer-independent action, 30-12
 - most recent prompt retained in Display Window, 64-3
 - printing, 30-18
 - prompt line never accessed by trace routines, 64-4
 - using backslash and double-quote characters inside of, 30-12
- Protocol header
 - applied to user data by Send action; 33-6
 - not applied if Data Req primitive used instead of Send, 33-7
- Protocol hex, user program to convert X.25 headers to hexadecimal, 36-35
- Protocol packages, 8-3
 - general description, 22-3-22-4, 23-7-23-8
 - user disk, 8-3
- Protocol Spreadsheet
 - comments, 27-15
 - constants, 23-8, 28-3-28-7
 - creating and editing, 22-4-22-5
 - See also* Protocol Spreadsheet editor editor. *See* Protocol Spreadsheet editor files
 - reading and writing, 29-6-29-10
 - saving and loading, 22-6
 - function key hierarchy (editor), 29-2
 - function key hierarchy (programming), 27-2
 - function keys, 27-3-27-5
 - fundamentals, 27-3-27-7
 - general description of capabilities, 22-1, 22-3-22-4
 - increasing the size of, 2-13
 - Layer 1 conditions and actions enabled automatically, 31-1
 - Mark key, used as program tab, 3-10
 - overview, 2-12
 - printing, 15-8
 - program format, 27-10
 - program structure, 27-6-27-7
 - special ASCII characters
 - backslash (\), 3-6
 - double quote ("), 3-6
 - space (), 3-6
 - spreadsheet editor, WRITE command, 14-7
 - syntax errors, 2-17
 - unexplained strike-through's, 2-20

- use of cursor keys, 3-9
- use of softkeys and the Done key, 3-10
- variables shared with Trigger Setup menus, 22-5

- Protocol Spreadsheet editor, 29-3-29-10
 - insert mode, 3-7
 - Mark key, used as program tab, 3-7
 - WRITE command, 14-7

- Protocol Trace
 - buffer
 - logical beginning offset, 64-47
 - logical end offset, 64-47
 - monitor position within, 64-45
 - physical beginning of, 64-45
 - physical end of, 64-45
 - size of, 64-45
 - softkey labels under programmer's control, 6-18, 64-49

- Protocol trace
 - See also* Trace display
 - display entering Run mode enabled on Display Setup, 6-18
 - enabled on Layer Setup screen, 6-17
 - printing, 15-13
 - softkey labels under programmer's control, 64-49

- Protocols
 - compatibility with line setup, 8-4
 - how to select and load, 8-3

- Ps
 - calculated automatically, adjunct to send-data-packet action, X.25 Layer 3, 37-35
 - reset, emulate-mode action, X.25 Layer 3, 37-41
 - same as last-received Pr, adjunct to send-data-packet action, X.25 Layer 3, 37-35
 - skip to correct Ps plus one, adjunct to send-data-packet action, X.25 Layer 3, 37-35
 - trace column
 - staggered to indicate two separate numbering sequences, 37-13
 - X.25 Layer 3, 37-12
 - value, adjunct to send-data-packet action, X.25 Layer 3, 37-34

- Ps error, emulate-mode condition, X.25 Layer 3, 37-27
- ps_error, C variable, 75-8

Q

- Q, trace column, X.25 Layer 3, 37-13

- Q bit
 - adjunct to monitor/receive-packet condition, 37-18
 - adjunct to send-packet action, 37-36
 - position diagrammed, 37-13

- Q.931
 - diagram of message fields, 43-7
 - message types, adjunct to DTE and DCE receive conditions, 43-9
 - used with ISDN D channel, 41-3

- Quotation mark, entry of inside prompt message; 30-12

R

- RAM
 - data storage, 1-12
 - RAM-to-disk transfer
 - bit-oriented data, 7-4
 - character buffer, 7-4

- Rack mount assembly, G-1-G-4

- RC-8245. *See* RS-485

- Rcv Blk Chk
 - enabled automatically for BOP, 31-4
 - field on Line Setup menu, 10-3, 24-5, 31-4, 31-9
 - field on Line Setup screen, 25-5
 - must be enabled for BCC conditions to come true, 31-4
 - subfield on Line Setup menu, 5-9

- REJ
 - monitor/receive condition
 - LAPD, 42-10
 - SDLC, 38-12
 - X.25 Layer 2, 36-12
 - address needed for Receive REJ, 36-16
 - X.25 Layer 3, 37-16
 - send action
 - LAPD, 42-20
 - SDLC, 38-23
 - X.25 Layer 2, 36-23
 - address required for Send REJ, 36-23
 - X.25 Layer 3, 37-31

- REMOTE RS-232 connector, 1-9
 - See also* Remote port

- Read, editor command, 29-6
 - formatted, 29-6
 - unformatted, 29-7

- Receive
 - emulate-mode condition
 - LAPD, 42-14
 - Layer 1, 31-3
 - SDLC, 38-16
 - X.25 Layer 2, 36-15
 - X.25 Layer 3, 37-24
 - does not see the data line directly, 37-24
 - may specify path as added condition, 37-24
 - via REMOTE RS-232 port, 70-1
- Receive path, upward path of IL buffer in emulate mode, 58-3
- Receiver, Conditions, Trigger Setup menus, 24-5
- Receiver gain, G.703, Interface Control selection, 53-19
- Record
 - layer-independent action, 30-20
 - start_rcrd_play, C routine, 15-6, 68-3, 72-16
 - suspend_rcrd_play, C routine, 68-3, 72-17
- Record Ch16, G.703 Interface Control screen, 53-5
- Record Framing Bits, T1 Interface Control selection, 52-5, 52-26
- Record key, 3-12, 7-11
- Record Setup
 - defaults, 7-4
 - menu selections, 7-2, 7-5-7-10
 - overview of screen, 2-11
 - the screen buffer, 7-4
- Record Speed
 - field on Record Setup menu, 7-7
 - G.703 channel data capture, 53-5
 - T1 channel data capture, 52-4
- Recording data, 7-3-7-11
 - format of recorded data, 7-3
 - bit-image data, 7-3
 - character-oriented, 7-3
 - manual control of, 3-12
 - maximum rate, 1-13
 - medium used, 7-3
 - record speed
 - high-speed, 7-9
 - normal, 7-7
 - screen buffer
 - manual control of, 7-11
 - trigger control of, 7-10
 - spreadsheet control of, 30-20
 - trigger control of, 7-10
 - with EIA lead transitions, 1-12
- Redirect run-mode output
 - Line and Record setups override, 15-6
 - terminated by recording to disk, 15-6
 - to disk file instead of printer, 15-6
- Relative pathnames, files and directories, 14-6
- Relay baton. *See* Maintain bit
- Remote connector, I-2
- Remote LED, 12-4, 51-6, 52-9, 53-11
 - front panel, 1-5
- Remote port
 - default configuration, 70-21
 - transmit and receive data, 70-1
- Remote RS-232 connector, Remote port controlled by C program, 70-1-70-27
- Rename, File Maintenance
 - menu selection, 14-21
 - rename, C routine, 68-31
- Repair, replacement, return, assistance, E-1-E-3, H-1-H-4
- Replace, editor command, 29-9
- Request primitives, 33-5
 - versus "indications", 33-10
- Resend frame
 - effect on Frame Sent condition, 36-18, 38-18, 42-16
 - first in window, 36-30, 38-28, 42-27
 - action resets resend pointer, 36-30, 38-29, 42-27
 - in relation to window, 36-5, 37-4, 38-5, 42-5
 - LAPD action, 42-26
 - resend_frame, C routine, 80-10
 - next in window, 36-30, 38-28, 42-27
 - default resend, 36-30, 38-28, 42-27
 - SDLC action, 38-28
 - resend_frame_multi, C routine, 76-1
 - to a specific controller address, 38-29
 - used with More To Resend and No More To Resend conditions, 36-19, 38-19, 42-18
 - X.25 Layer 2 action, 36-29
 - resend_frame, C routine, 74-10
- Resend packet
 - effect on Packet Sent condition, 37-27
 - first in window, 37-39
 - action resets resend pointer, 37-40
 - next in window, 37-39
 - default resend, 37-39
 - programming example, 37-46
 - used with More To Resend and No More To Resend conditions, 37-28
 - X.25 Layer 3 action, 37-39
 - resend_packet, C routine, 75-14

- Resend pointer, reset automatically by
 - acknowledgement, 36-30, 38-29, 42-27
- Resend window, programming example, 37-46
- Reset
 - G.703 BERT, run-time function key, 11-45
 - T1 BERT, run-time function key, 11-32
- Reset Nr, emulate-mode action
 - LAPD, 42-28
 - reset_nr, C routine, 80-11
 - SDLC, for a specific controller address, 38-30
 - reset_nr_multi, C routine, 76-13
 - X.25 Layer 2, 36-31
 - reset_nr, C routine, 74-11
- Reset Ns, emulate-mode action
 - LAPD, 42-28
 - reset_ns, C routine, 80-12
 - SDLC, for a specific controller address, 38-30
 - reset_ns_multi, C routine, 76-15
 - X.25 Layer 2, 36-31
 - reset_ns, C routine, 74-11
- Reset Pr and Ps, emulate-mode action, X.25
 - Layer 3, 37-41
 - reset_pr_ps, C routine, 75-15
- Resolution, display, 1-3
- Response addressing
 - adjunct to receive condition, X.25 Layer 2, 36-16
 - adjunct to send-frame action, X.25 Layer 2, 36-24
- Response primitives, 33-5
- Restart
 - G.703 BERT, run-time function key, 11-45
 - T1 BERT, run-time function key, 11-32
- Restart (or start) timeout, layer-independent
 - action, 30-11
- Restart (or start) timer
 - in C, 65-11
 - layer-independent action, 30-11
- Resync, 11-9
 - field on BERT Setup menu, 11-8, 11-21
 - in full-duplex BERT, 11-8
 - may be inappropriate on noisy circuit, 11-9
 - triggered by a fault, 11-21
 - not available in half-duplex BERT, 11-9
 - outsync mode in BERT, 11-9
- Retransmitted I-frames, sample program to
 - enhance all, 36-33
- Return, C statement, 61-2
 - breaks out of while loop, 61-6
- Return key, 3-6, 32-1
- Rev, subfield on Trigger Setup menu, 25-7
- Reverse EBCD
 - hex-to-display conversion table, D2-3
 - keyboard-to-reverse-EBCD conversion table, D1-7
- RGB monitor, 1-5
- RGB video connector, 1-9, 17-3
- RI, available for triggering, 31-5
- Right Arrow key, 29-4
- RJ45, ISDN connectors, 51-6
- RNR
 - monitor/receive condition
 - LAPD, 42-10
 - SDLC, 38-12
 - X.25 Layer 2, 36-12
 - address needed for Receive RNR, 36-16
 - X.25 Layer 3, 37-16
 - send action
 - LAPD, 42-20
 - SDLC, 38-23
 - X.25 Layer 2, 36-23
 - address required for Send RNR, 36-23
 - X.25 Layer 3, 37-31
- ROLL, function key, used to roll through
 - packet-level "causes", 37-20, 37-36
- Robbed bits, T1 Interface Control selection, 52-24
- Robbed-bit signaling, T1 transmissions, 52-23
- Roll Back key, 3-9, 29-4, 36-5, 37-8, 38-6, 39-4, 43-4, 45-4, 46-4
- Roll Fwd key, 3-9, 29-4, 36-5, 37-8, 38-6, 39-4, 43-4, 45-4, 46-4
- Root directory
 - Easy View, 4-4
 - filing system, 14-4
- Routines, in C, 61-1-61-6
 - always followed by parentheses, 61-2
 - nonzero return makes conditional statement true, 61-6
 - not usually necessary to declare, 61-1
 - user-defined, 61-4-61-6
- RR
 - monitor/receive condition
 - LAPD, 42-10
 - SDLC, 38-12
 - X.25 Layer 2, 36-12
 - address needed for Receive RR, 36-16
 - X.25 Layer 3, 37-16
 - send action
 - LAPD, 42-20
 - SDLC, 38-23

- X.25 Layer 2, 36-23
 - address required for Send RR, 36-23
- X.25 Layer 3, 37-31
- RS-170 video connector, 1-10, 17-3
- RS-232
 - connector, REMOTE, 1-9
 - Test Interface Module, I-7
- RS-232/V.24, test connector, 1-10
- RS-449
 - circuits, monitoring by trigger, 48-8
 - data-plus-leads display, 48-7
 - lead status, in C, 63-2
 - Test Interface Module, 48-2, I-15
 - DIP switches
 - balanced circuits, 48-5
 - unbalanced circuits, 48-5
- RS-485
 - data display
 - A bus as TD data, 50-6
 - B bus as RD data, 50-6
 - dual tri-state bus interface, 50-3
 - enable/disable buses
 - DTR controls B bus, 50-7
 - RTS controls A bus, 50-7
 - via C ctl_eia routine, 50-8
 - via EIA spreadsheet (or trigger) action, 50-7
 - via Interface Control Screen, 50-7
 - Line Setup configuration, 50-6
 - minimum length of message, 50-6
 - only valid emulate mode is EMDTE, 50-3
 - Test Interface Module, 50-2, I-13
 - activates drivers to allow transmission, 50-6
 - connectors, 50-3
 - controls output of protocol flags, 50-6
 - DIP switches
 - balanced data circuits, 50-4
 - connector-termination, 50-4
 - LEDs
 - A BUS EN, 50-5
 - B BUS EN, 50-5
 - EMULATE, 50-5
 - MESSAGE, 50-6
 - suppresses non-protocol flags, 50-6
 - test points, 50-4
 - transmit message, via SEND spreadsheet action, 50-7
- RTS
 - available for triggering, 31-5
 - enables/disables A bus (RS-485), 50-7

- field on Interface Control menu, 12-10, 12-12, 12-14, 12-15
- field on RS-232 Interface Control menu, 11-4, 11-6
- RTS on/off, Layer 1 Emulate DTE action, 31-10
- RTS-off delay, 12-14
- RTS-on delay, 12-12
- Rub Out key, 3-7, 29-4
- Run mode, unit fails to enter, 2-20

S

- S, scale, field on Graphical Statistics menu, 21-5, 21-6
- SABM
 - monitor/receive condition, X.25 Layer 2, 36-12
 - sample program to enhance all occurrences on trace display, 42-30
 - send action, X.25 Layer 2, 36-23
- SABME, monitor/receive condition, X.25 Layer 2, 36-12
- SAPI
 - adjunct to monitor/receive-frame condition, LAPD, 42-12
 - adjunct to send-frame action, LAPD, 42-22
 - trace column, LAPD, 42-6
- Sample action
 - on counter, 20-6
 - clears current value, 20-7
 - on timer, 20-6
 - translated into C, 65-4
 - used to compute percentages, 20-11
- Sample counter value
 - in C, 65-4
 - layer-independent action, 30-10
- Sample test, force data-packet transmit, 37-45
- Sample timer
 - in C, 65-12
 - layer-independent action, 30-11
- Save, File Maintenance, menu selection, 14-15
- Save key, 3-6, 14-15
- Screen buffer, storage capacity, 1-12
- Screen display of data
 - sixteen data lines in center of, 6-5
 - three divisions of, 6-5
 - three lines of softkey functions at bottom of, 6-5
 - two status lines at top of, 6-5

- Script file, format, 19-11
 - labels, 19-14, 19-17
 - menu information, 19-15
 - menu date, 19-15
 - menu-item information, 19-15
 - commands, 19-17
 - help-file pathname, 19-16
 - item date, 19-15
 - item description, 19-16
 - item name, 19-16
 - system information, 19-12
 - commands, 19-14
 - system title, 19-13
 - system title date, 19-14
 - sample, 19-18
- SDLC
 - diagram of frame fields, 38-8
 - multi-drop operation
 - enabled on Frame Level Setup screen, 38-3, 38-5
 - resend frame, 38-29
 - reset Nr, 38-30
 - reset Ns, 38-30
- SDLC Frame Level Setup screen, 38-2
- SDU. *See* Service data unit
- SELECT, function key, used to select a rolling packet-level "cause", 37-20, 37-36
- SETUP, sample program to enhance all occurrences on trace display, 43-13
- Secondary (drop) in SDLC, 38-4
 - identified in ADDR column of trace display, 38-7
- Segment, in 80286 processor, number used to identify IL buffer, 58-5, 66-6
- Selectable, CRC mode, 10-13
 - versus Bisync mode, 10-13
- Selections, column on Layer Setup screen, 8-4
- Selectric
 - default BCC parameters, 10-9
 - hex-to-display conversion table, D2-3
 - keyboard-to-Selectric conversion table, D1-8
- Self tests, 2-1
 - See also* Field Service
- Send frame, Layer 2 action
 - effect on Frame Sent condition, 36-18, 38-18, 42-16
 - LAPD, 42-20
 - send_frame, C routine, 80-12
 - SDLC, 38-22
 - send_frame, C routine, 76-16
 - SNA, 39-3
 - send_frame, C routine, 77-5
 - X.25, 36-22
 - default parameters, 36-22, 36-23
 - send_frame, C routine, 74-12
- Send packet, Layer 3 action
 - does not send packet directly out on line, 37-24, 37-30
 - effect on Packet Sent condition, 37-27
 - X.25, 37-29
 - send_packet, C routine, 75-16
- Send string
 - Layer 1 action, 31-7, 36-27, 37-38, 38-26, 42-24, 50-7
 - ll_il_tansmit, C routine, 62-13
 - ll_tansmit, C routine, 62-12
- Service data unit
 - component in IL buffer structure, 66-4
 - in transmit routine, 58-4
 - offset, 58-1
 - shrinks as IL buffer moves up the layers, 58-1
 - size in PDU, 66-6
- Service Indicators (SIO's), SS#7 Layer 3, 46-17
- Set (and start) timeout, layer-independent action, 30-12
- Set counter value, layer-independent action, 30-10
- Set Date, field on Date/Time Setup menu, 16-3
- Set flag bits, layer-independent action, 30-14
- Set idle character, Layer 1 action, 31-12
- Set Time, field on Date/Time Setup menu, 16-3
- Setup files, saving and loading, 22-5-22-6
- Setup menus
 - BCC Setup, overview, 2-11
 - BERT Setup, overview, 2-12
 - Display Setup screen, overview, 2-11
 - FEB Setup, overview, 2-11
 - Line Setup, overview, 2-11
 - overview, 2-11
 - See also* Separate entry under name of each menu
 - Record Setup, 7-5-7-10
 - overview, 2-11
- Severely errored seconds
 - G.703 BERT statistics, 11-44
 - T1 BERT statistics, 11-31
- Shipping, how to pack, F-1-F-4
- Short, C data type, 59-13
 - short routine returns a short, 61-3
- SIO
 - monitor/receive condition, LAPD, 42-10
 - send action, LAPD, 42-21

- SI1
 - monitor/receive condition, LAPD, 42-10
 - send action, LAPD, 42-21
- Sig Channel Polarity, T1 Interface Control selection, 52-6
- Sign extension, occurs during conversion of signed data types in C, 59-14
- Signal
 - layer-independent action, advantage over flag or counter, 30-14
 - layer-independent condition, 30-8
 - used in layer-to-layer communication, 58-7
- Signal Channel Idle Char, T1 Interface Control selection, 52-6
- Signal Channel Number, T1 Interface Control selection, 52-6
- Signal channel idle char
 - G.703 Interface Control screen, 53-26
 - T1 Interface Control screen, 52-27
- Signal channel number
 - G.703 Interface Control screen, 53-25
 - T1 Interface Control screen, 52-27
- Signal channel polarity, T1 Interface Control screen, 52-27
- Signaling bits, T1 Interface Control selection, 52-24
- Signalling bits, G.703 transmissions
 - with CAS signalling with channel 16, 53-32
 - with CCS/CAS signalling with CRC-4, 53-34
- Signalling Channel Control Part (SCCP), SS#7 Layer 3, 46-19
- Signalling Link Selection (SLS), SS#7 Layer 3, 46-6, 46-10
- Signalling type, G.703, field on Interface Control menu, 53-23
- Signed, C data type, 59-14
- Single-channel testing, ISDN, 51-5
- Size, trace column
 - LAPD, 42-8
 - SDLC, 38-10
 - SNA-SDLC, 39-6
 - X.25 Layer 2, 36-10
 - X.25 Layer 3, 37-14
- Sizeof, C operator, 59-20, 74-13, 75-17, 76-17
- SNA
 - fields in protocol trace, 39-7
 - LU 6.2, 39-3
 - multi-drop operation, enabled on Frame Level Setup screen, 39-3
 - sample Line Setup, 5-13
- SNA/SDLC Frame Level Setup screen, 39-2
- SNRM, send action, SDLC, 38-22
- Softkey labels
 - user-defined
 - for Protocol Traces, 64-49
 - for user traces, 64-32
 - in Display Window, 6-24, 64-8
 - in Protocol Traces, 6-18
 - in user traces, 6-26
 - user-defined via C routine, in Display Window, set_dw_fkey_label, 64-23
- Source, field on Line Setup menu, 5-4, 7-4
- Speaker, ISDN, ISDN Interface Setup selection, 51-10
- Special-recieve word, data display, 62-16
- Speed
 - different speeds for TD and RD, 5-11
 - field on Line Setup menu, 5-10
 - optimizing high-speed performance, 2-23
 - selecting monitor and transmit speeds, 5-10
 - selecting record speed, 7-9
- SRC, source, trace column
 - LAPD, 42-6
 - Q.931, 43-5
 - SDLC, 38-7
 - SS#7 Layer 2, 45-5
 - X.25 Layer 2, 36-7
 - X.25 Layer 3, 37-12
- SREJ
 - monitor/receive condition
 - SDLC, 38-12
 - X.25 Layer 2, 36-12
 - address needed for Receive SREJ, 36-16
 - send action
 - SDLC, 38-23
 - X.25 Layer 2, 36-23
 - address required for Send SREJ, 36-23
- SS#7
 - Layer 1, 44-3-44-6
 - compression of data, 44-4
 - Run-time display, 44-3
 - setup for testing, 44-3
 - Layer 2, 45-3-45-12
 - frame structure and values, 45-11
 - Run-time display, 45-3
 - setup for testing, 45-3
 - testing in emulate mode, 45-11
 - testing in monitor mode, 45-6

- Layer 3, 46-3-46-22
 - ANSI format, 46-4
 - CCITT format, 46-4, 46-9
 - Circuit Identifier Code (CIC), 46-6, 46-10
 - Destination Point Code (DPC), 46-10
 - Integrated Services Digital Network (ISDN), 46-22
 - Message Signal Units (MSU's), 46-6
 - incomplete, 46-7
 - structure and values, 46-12-46-22
 - Network Indicator, 46-9
 - Network Management (NETM) Headers, 46-18
 - Originating Point Code (OPC), 46-9
 - Service Indicators (SIO's), 46-17
 - Signalling Channel Control Part (SCCP), 46-19
 - Signalling Link Selection (SLS), 46-6, 46-10
 - setting up, 46-3
 - Telephone User Part (TUP), 46-20-46-21
 - testing in Monitor mode, 46-7-46-22
 - US standard format, 46-9
 - sample Line Setup, 5-13
- START/INCL, field on BCC Setup menu, 10-10
- START/N/INCL, field on BCC Setup menu, 10-11, 10-14
- STX, field on BCC Setup menu, 10-11
- Start At Block, subfield on Disk Maintenance menu, 13-9
- Start timeout, layer-independent action, 30-11
- Start timer, layer-independent action, 30-11
- Start up screen, 2-2
- Start-stop, data setup, 5-10
- Start-stop bit, voltage not affected by inverted polarity, 5-12
- Start/Incl, field on BCC Setup menu, 10-11
- Start/N/Incl, field on BCC Setup menu, 10-12
- States
 - in C, 56-2
 - introduction to concept, 23-3
 - Protocol Spreadsheet, programming block, 27-8
 - comments in, 27-15
 - traced along with layers and tests on Program Trace, 6-20
- Static electricity
 - anit-static packing, J1-3
 - elimination, J1-3
- Static Leads, field on Interface Control menu, 12-17
- Statistics
 - graphics display
 - accessing via softkey, 21-3
 - printing, 15-15
 - identification of counters and timers, 20-4
 - postponed until after run, 20-6
 - tabular display
 - 75 values displayed at one time, 20-3
 - accessing via softkey, 21-3
 - can scroll through 100 counters, timers, and accumulators, 20-5
 - printing, 15-15
 - tabular menu
 - cursor movement, 20-4
 - two cursors, 20-4
- Statistics menus, overview, 2-13
- Statistics screen
 - G.703 BERT, 11-43
 - T1 BERT, 11-30
- Statistics Type, field on Display Setup menu, 21-3
- Stats, statistical softkey, linked to Statistics Type field in Display Setup menu, 21-3
- Status, four kinds of indicators for leads, 12-8
- Status lines
 - division of Run-mode screen, 6-5
 - record/playback field, 5-5, 7-9
 - in BERT, 11-18
- Status variables. *See* Nonevent variables
- Stop At, field on Record Setup menu, 7-10
- Stop Bits
 - field on Line Setup menu, 24-6, 31-4
 - subfield on Line Setup menu, 5-10
- Stop timeout, layer-independent action, 30-11
- Stream, copy of disk file used by disk I/O routines, 68-1
- Strike-through's, Protocol Spreadsheet, 2-20
- String
 - adjunct to send-frame action
 - LAPD, 42-24
 - SDLC, 38-26
 - X.25 Layer 2, 36-27
 - adjunct to send-packet action, X.25 Layer 3, 37-33, 37-38
 - relation of string entry in Call Request to DATA field on Packet Level Setup screen, 37-33
 - conversion specifier, 64-11
 - Layer 1 send action, 36-27, 37-38, 38-26, 42-24

- location of IL buffer, 33-6
- monitor/receive condition
 - always in quotation marks on Protocol Spreadsheet, 31-3
 - Layer 1, 31-3, 31-4
- monitored or received, size limit, 31-3
- referenced in IL buffer, 33-6
- send action
 - always in quotation marks on Protocol Spreadsheet, 31-8
 - no practical size limit, 31-7
 - valid characters, 31-7
- to be passed down with data primitive, 33-6
- used to initialize an array in C, 59-19, 60-13
- user-defined routine that matches string against line data, 61-6
- Strings on Protocol Spreadsheet, 32-1
- Strip, field on BCC Setup menu, 10-12
- Structure, in C, 60-15
- Suppress, field on Display Setup menu, 6-10, 6-13
- Suppress not equal, logical equivalent of "display only", 6-11
- Suppress selected trace rows
 - LAPD action, 42-29, 42-30
 - l2_suppress, C variable, 80-8
 - Q.931 action, 43-12, 43-13
 - l3_suppress, C variable, 81-4
 - SDLC action, 38-31, 38-32
 - l2_suppress, C variable, 76-9
 - SNA action, 39-3
 - l2_suppress, C variable, 77-4
 - SS#7 Layer 2 action, 45-10, 45-11
 - l2_suppress, C variable, 82-4
 - SS#7 Layer 3 action, 46-10, 46-11
 - l3_suppress, C variable, 83-7
 - X.25 Layer 2 action, 36-32, 36-33
 - l2_suppress, C variable, 74-8
 - X.25 Layer 3 action, 37-42, 37-43
 - l3_suppress, C variable, 75-9
- Sync Char
 - field on Line Setup menu, 3-6, 11-9
 - subfield on Line Setup menu, 5-7
- Sync characters
 - in half-duplex BERT, 11-7
 - must be included in transmit string, 32-3
- Sync length, Interface Control screen, 52-25
- Sync loss time
 - G.703, statistics display, 53-29
 - T1 statistics display, 52-30

- Sync losses
 - G.703, statistics display, 53-29
 - T1 statistics display, 52-29
- Sync Pattern
 - field on BERT Setup menu, 3-6, 11-9
 - not applicable in pseudorandom full-duplex test, 11-11
 - used for pattern sync in half-duplex pseudorandom test, 11-11
 - versus Sync Chars on Line Setup menu, 11-9
 - in fox or user-defined test, 11-9
- Sync symbol, special symbol on data display, 5-7
- Synchronization
 - accidental synching, 5-9
 - continuous search for sync (autosync), 5-8
 - default patterns for standard codes, 5-7
 - entering a one-character pattern, 5-7
 - in-sync status message in BERT, 11-21
 - searched for following Outsync action, 31-11
 - when receivers do not search for sync, 5-9
- Synchronization point, in half-duplex pseudorandom BERT, 11-11
- Syntax errors, Protocol Spreadsheet, 2-17
 - /sys/ezview_setup, 2-2
 - /sys/fifty_hertz, file name, 1-8
 - /sys/print_setup, loaded during boot-up, 2-2, 15-7
- System disk, boot-up, 2-3, 8-3
- System information, in Easy View script file, 19-12
- System title
 - Easy View, 4-5
 - changing the title, 19-13
 - in Easy View script file, 19-13
- System title date, in Easy View script file, 19-14

T

- T, type, field on Graphical Statistics menu, 21-5
- T1, 52-1-52-17
 - aggregate data capture, 52-5
 - BERT, 11-23-11-34
 - automatic error injection rate, 11-29
 - bit errors, 11-31
 - block size, 11-29
 - blocks in error, 11-31
 - blocks received, 11-31
 - blocks sent, 11-31

- channel mode, 11-27
- degraded minutes, 11-31
- error-free seconds, 11-31
- failed seconds, 11-31
- framed mode, 11-28
- number of faults, 11-31
- run-time function keys, 11-32
- Setup screen, 11-27
- Statistics screen, 11-30
- setting up, 11-24
- severely errored seconds, 11-31
- test length, 11-29
- test seconds, 11-31
- unframed mode, 11-28
- Bipolar violations, 52-26
- bit-robbing
 - with D4 framing, 52-34
 - with ESF framing, 52-34
- CRC check during sync, ESF framing,
 - Interface Control selection, 52-25
- channel data capture, 52-4
- clear-channel signaling
 - with D4 framing, 52-34
 - with ESF framing, 52-34
- data displays, 52-6
- drop-and-insert, 11-26, 52-5
- emulation modes, 52-5, 52-7
- FAS, 52-34
- FEB Setup screen, 11-25
- FPS (framing pattern sequence), in ESF
 - transmissions, 52-34
- field on Interface Control menu, 12-15
- field on LAPD Frame Level Setup screen,
 - 42-3
- field on X.25 Frame Level Setup screen, 36-3
- frame structures, D4 and ESF, 52-32
- framing bits
 - D4, 52-33, 52-34
 - ESF, 52-35
 - recording of, 52-26
- framing characteristics, 52-4
- Interface Control screen, 52-2, 52-19
 - B8ZS Coding, 52-26
 - cable length, 52-21
 - cable type, 52-20
 - channel number, 52-24
 - check CRC during sync, 52-25
 - data path, 52-24
 - Framing mode, 52-23
 - Fs Bits, 52-24
 - frame data link, 52-24
 - framing (Ft) bits, 52-24
 - idle select, 52-22
 - line clock select, 52-22
 - record framing bits, 52-26
 - robbed bits, 52-24
 - sig channel polarity, 52-27
 - signal channel idle char, 52-27
 - signal channel number, 52-27
 - sync length, 52-25
 - Transmit mode, 52-21
 - yellow alarm, 52-24, 52-25
- in-band signaling
 - with D4 framing, 52-34
 - with ESF framing, 52-34
- Line Clock selection, 52-12
- line conditions, statistics display, 52-31
- monitor mode, 52-5
- Primary Rate ISDN, 52-6
- physical connectors, 52-6
- record setup, 7-9
- Sync procedure, D4 framing, Interface
 - Control selection, 52-25
- setting up menus for testing, 52-18
- signaling, robbed-bit (in-band), 52-23
- statistics display, 52-27
 - BPV's received, 52-29
 - BPV-free seconds, 52-29
 - CRC-6 errors, 52-30
 - carrier losses, 52-31
 - ESF errors, 52-30
 - error-free seconds, 52-30
 - Frames received, 52-29
 - FT errors, 52-30
 - FT/FS errors, 52-30
 - OOE events, 52-30
 - sync loss time, 52-30
 - sync losses, 52-29
 - T1 line conditions, 52-31
 - test seconds, 52-29
- superframing, 52-23
- Test Interface Module, 52-2, 52-6, I-17
 - signal direction, 52-10
- Transmit mode, 11-26
- test access points, 52-9
- testing and layer protocols, 52-19
- testing configurations, 52-11
- transmission speeds, 52-3
- T1 BERT, testing modes, 11-27
- T1 expired, emulate-mode condition
 - LAPD, 42-4, 42-16
 - X.25 Layer 2, 36-4, 36-18
- T1 line conditions, T1 statistics display, 52-31
- T1 statistics display, as alternate run-time
 - display, 52-32
- T1 timeout
 - conditions under which timer expires, 36-4,
 - 42-4
 - maximum and minimum values, 36-4, 42-4

- T1STATS, T1 BERT, run-time function key, 11-34
- T2, field on Interface Control menu, 12-14
- T3, field on Interface Control menu, 12-14
- T5, field on Interface Control menu, 12-16
- T6, field on Interface Control menu, 12-16
- Task
 - C keyword, 59-3
 - equivalent to spreadsheet Test, 56-1
 - placed at highest level of source code, 52-16
 - in linkable-object files, local to the file, 59-11
 - intercommunication between tasks via signal routine, 58-7
 - use routine in hook text to export tasks from LOBJ files, 59-11
- TE
 - ISDN terminal equipment, 51-7
 - state on ISDN line, 51-11
- TEI
 - adjunct to monitor/receive-frame condition, LAPD, 42-12
 - adjunct to send-frame action, LAPD, 42-22
 - trace column, LAPD, 42-6
- Telephone User Part (TUP), SS#7 Layer 3, 46-20-46-21
- Temperature, operating, 1-14
- Termination, G.703, Interface Control selection, 53-19
- Test
 - field on Display Setup menu, 6-20, 30-19
 - in C, 56-1
- Test connectors
 - software control, 1-11
 - Test Interface Module, back panel, 1-10-1-16
 - TO DCE, 1-11
 - TO DTE, 1-11
- Test Interface Module
 - G.703, 53-8
 - signal direction, 53-10
 - ISDN, 51-2, 51-6
 - installation, 1-14, 12-3
 - LED overlay, 1-5
 - installation, 1-15, 12-3
 - LED's, back panel, 1-11
 - RS-232
 - AUX outputs, 12-8
 - breakout panel, 12-5
 - effect of opened switch on screen and LED display, 12-5
 - output jacks, 12-8
 - test points, 12-8
 - user-assigned input, 12-7
 - RS-449, 48-2
 - AUX outputs, 48-7
 - output jacks, 48-6
 - software control, 1-11
 - T1, 52-6
 - signal direction, 52-10
 - test connectors, 1-10-1-16
 - V.35, 47-2
 - AUX outputs, 47-7
 - output jacks, 47-6
 - X.21, 49-2
 - output jacks, 49-6
- Test Length, field on BERT Setup menu, 11-14, 11-29, 11-42
- Test points, on RS-485 TIM, 50-4
- Test Seconds, BERT counter, 11-20
- Test seconds
 - G.703, statistics display, 53-28
 - G.703 BERT statistics, 11-44
 - T1 BERT statistics, 11-31
 - T1 statistics display, 52-29
- Tests
 - identified on Program Trace, 6-20
 - Protocol Spreadsheet, programming block, 27-8
 - comments in, 27-15
 - simultaneous, program design, 23-3-23-4
- TIM, hardware architecture, J3-14
 - See Test Interface Module
- Tick Rate, field on Front-End Buffer Setup menu, 9-7, 21-7
- Tick rate, 9-6
 - should agree with time "Unit" on Statistics screen, 9-6
- Time, trace column
 - LAPD, 42-8
 - Q.931, 43-6
 - SDLC, 38-10
 - SNA-SDLC, 39-6
 - SS#7 Layer 2, 45-6
 - SS#7 Layer 3, 46-6
 - values may be wall time, ticks, or recorded ticks, 36-10, 37-14, 38-10, 39-6, 42-8, 43-6, 45-6, 46-6
 - X.25 Layer 2, 36-10
 - X.25 Layer 3, 37-14
- Time of day, layer-independent condition, 30-7
- Time Ticks, field on Front-End Buffer Setup screen, 9-6, 36-10, 37-14, 42-8, 43-6, 45-6, 46-6

- Time ticks
 - effect on capacity of character buffer, 6-27
 - enabled/disabled on FEB Setup screen, 9-3
 - encodable in bit-image or character data, 9-3
 - gives most accurate timer readings, 30-10
 - playback, 2-18
 - of bit-image data, 2-18, 9-6
 - of character data, 2-18, 9-6
 - storage of, 1-12
 - stored in variable called `l1_tick_count`, 65-8
 - versus wall-clock timing measurements, 9-3, 9-6, 65-11
- Time-of-day clock. *See* Date/Time Setup
- Time/Date Setup, overview, 2-14
- Timeout
 - condition, Trigger Setup menus, 24-10
 - field on Trigger Setup menu, 25-8
 - layer-independent action, 30-11
 - layer-independent condition, 30-4
 - maximum value, 30-12
 - program to increase maximum value, 30-12
 - restart (or start), 30-11
 - shared between spreadsheet and Trigger Setup menus, 30-11
- Timeout expired, SDLC condition, 38-4
- Timer
 - accumulated, 30-15
 - action
 - Protocol Spreadsheet, 20-3
 - Trigger Setup menus, 20-3
 - identification postponed until after run, 20-6
 - identified by name on statistics screen, 20-4
 - layer-independent action, 30-10
 - printing line of tabular statistics for, 30-16
- Timers, no values displayed, 2-21
- TO DCE, test connector, 1-11
- TO DTE, test connector, 1-11
- To Disk Number, subfield on Disk Maintenance menu, 13-10
- Trace
 - as component of custom protocol analysis, 6-21
 - as debugging tool, 6-20
 - compared to prompt, 6-20
 - layer-independent action, 30-18
 - layer-independent spreadsheet action, 6-20
 - versus prompt, 30-18
- Trace buffer, correlation with character data, 6-27
- Trace display
 - LAPD, 42-5
 - Q.931, 43-3
 - SDLC, 38-5
 - SNA-SDLC, 39-4
 - X.25 Layer 2, 36-5, 45-3
 - X.25 Layer 3, 37-8, 46-4
- Transitional condition, 30-2, 30-6, 31-1
 - C translation uses event variable, 57-3
- Transitional/status condition, 30-2, 31-1, 31-5
 - C translation uses event or status variable, 57-3
- Transmit
 - sample transmit program
 - BOP echo, 58-10
 - sync or async echo, 58-9
 - via REMOTE RS-232 port, 70-1
- Transmit complete, Layer 1 condition, 31-6
- Transmit mode
 - G.703, Interface Control selection, 53-20
 - T1, Interface Control selection, 52-21
- Transmit string
 - complete version entered only at Layer 1, 32-3
 - does not appear on display, 2-21
- Transmit tag, in header of IL buffer, 58-7
- Trigger, condition-action grouping on Protocol Spreadsheet, 30-1
- Trigger conditions, EIA, fails to come true, 2-20
- Trigger freeze. *See* Capture data to screen (on/off)
- Trigger Setup, variables shared with Protocol Spreadsheet, 22-5
- Trigger Setup menus, 24-3
 - Actions, 25-3-25-12
 - basic description of capabilities, 22-2
 - Conditions
 - Buffer Full, 24-11
 - combined with other Conditions, 24-4
 - Counter, 24-11
 - combined with other Conditions, 24-4
 - combining static and instantaneous, 24-4
 - EIA, 24-9
 - combined with other Conditions, 24-4
 - Flags, 24-10
 - combined with other Conditions, 24-4
 - Keyboard, 24-12
 - Receiver, 24-5
 - Timeout, 24-10
 - Xmit Complete, 24-10
 - menu selections
 - (Actions), 2
 - (Conditions), 2

- overview, 2-12
- transmit string, does not appear on screen, 2-21
- Trigger Summary screen, 26-3
- Triggers
 - active, 24-4
 - control of color display, 17-5-17-6
 - in C, 56-8
- Trouble-shooting
 - data plus leads, failure of leads to transition, 2-21
 - data-plus-leads display, failure of leads to transition, 2-21
 - layers, passing data between, 2-21
 - overheating, 1-9, 2-22
 - Program key, unit unexpectedly enters Run mode, 2-20
 - Protocol Spreadsheet, unexplained strike-through's, 2-20
 - power-up, warning message, 2-23
 - Run mode, unit fails to enter, 2-20
 - running application programs, 2-23
 - timers, no values displayed, 2-21
 - transmit string, does not appear on screen, 2-21
 - trigger conditions, EIA, fails to come true, 2-20
- Twisted pair, patch cords, 47-5, 48-5, 49-5
- Two's complement, 59-14
- TYPE, trace column
 - LAPD, 42-8
 - SDLC, 38-7
 - X.25 Layer 2, 36-7
 - X.25 Layer 3, 37-12
- Type
 - field on BCC Setup menu, 10-11
 - field on Disk Maintenance menu, 7-4
 - field on Display Setup menu, 6-7
 - primitives, 33-4
 - subfield on Disk Maintenance menu, 13-8
- Type conversion, automatic in some circumstances in C, 59-14
- trig_flag, name of flag mask on Trigger Setup menus, 24-11, 25-6, 30-7
- trig_timeout_1, name of timeout on Trigger Setup menus, 25-9
- trig_timeout_2, name of timeout on Trigger Setup menus, 25-9

U

- %u, C conversion specifier, converts char to short, 59-14
- U, unit, field on Graphical Statistics menu, 21-7
- U/A
 - LED, 1-11
 - RS-232 input jack, 12-7
 - RS-449 input jacks, 48-5
 - A and B, 48-5
 - A used for unbalanced patching, 48-5
 - V.35 input jacks, 47-5
 - A and B, 47-5
 - A used for unbalanced patching, 47-6
 - X.21 input jacks, 49-5
 - A and B, 49-5
 - monitored for on/off status, 35-7
- UA, send action
 - SDLC, 38-22
 - X.25 Layer 2, 36-23
- Undelete, editor command, 29-9
- Unframed mode
 - G.703 BERT, 11-40
 - T1 BERT, 11-28
- Unit, column on Tabular Statistics screen, 20-6
- Unit of time
 - selection for printout of timer line, 30-17
 - selection on a statistics screen, 9-7
- Unknown frame, receive condition
 - LAPD, 42-15
 - SDLC, 38-16
 - X.25 Layer 2, 36-17
- Unknown packet, receive condition, X.25 Layer 3, 37-26
- Unresolved reference, error message, 2-20
- Unsigned, C data type, 59-14
- Up Arrow key, 29-4
- User disk, personality packages reside on, 8-3
- User trace
 - #pragma tracebuf, 6-25, 64-29
 - buffer may be scrolled through in Freeze mode, 64-28
 - buffer size may be increased, 6-25, 64-28
 - C routines, 64-32
 - display mode, 6-25-6-27
 - messages written only via C routines, 64-28
 - newline nonliteral (\n) provides leading blank line, 64-33
 - seven buffers containing 4096 characters each, 64-28
 - seven of eight trace buffers are user-trace buffers, 64-28

- softkey labels under programmer's control, 6-26, 64-32
- structures, declared in trace_buf.h #include file, 64-28
- trace_buf, C structure, 64-28
- trace_buffer_header, C structure, 64-28

User-assigned BERT pattern, 11-7

/usr directory, filing system, 14-6

/usr/default

- affect on Start Up screen, 2-2
- boot-up menu configuration, 2-6
- default program, 2-6

/usr/user_intrf

- affect on Start Up screen, 2-2
- creating a user interface, 2-4

Utilities menus, overview, 2-14

See also Separate entry under name of each menu

V

V, value, field on Graphical Statistics menu, 21-6

V.35

- circuits, monitoring by trigger, 47-7
- Test Interface Module, 47-2, I-9
 - DIP switches
 - balanced circuits, 47-5
 - unbalanced circuits, 47-5

Video connectors

- CRT/RGB, 1-9
- RS-170 composite video, 1-10

View, File Maintenance, menu selection, 14-20

Void, C data type, return statement invalid with this type, 61-3

Voltage selection, back panel, 1-7

Voltages

RS-232

- detected by receivers, 12-9
- generated by drivers, 12-9
- generated by special output jacks, 12-8
- indicated by UA-input LEDs, 12-7

RS-449

- generated by special output jacks, 48-6
- indicated by UA-input LEDs, 48-5

V.35

- generated by special output jacks, 47-6
- indicated by UA-input LEDs, 47-6
- test connector, 1-10

X.21

- generated by special output jacks, 49-6
- indicated by UA-input LEDs, 49-5

W

Wait for End Of Frame

- condition dependent on Rcv Blk Chk: ON, 10-5
- subfield on Trigger Setup menu, 10-5

Wait for End of Frame, subfield on Trigger Setup menu, 24-9

Wait for EOF (end of frame)

- adjunct to String or One-of condition, Layer 1, 31-5
- Layer 1 condition, 31-3

Waitfor, C statement, 56-2, 56-4, 56-5, 56-6, 56-7, 56-9, 56-13, 57-1, 59-3

placed inside of state loop, 52-16

Wall clock

- accurate to one millisecond, 9-6
- controls timers when time ticks are disabled, 30-10
- drives the timers displayed on the stats results screen, 65-11
- enabled when time ticks are disabled, 9-6
- timings available via the get_wall_time_286_ticks routine, 65-11

Warning message, during power-up, 2-23

Warranties, E-3

WECO 310, T1 connectors, 52-7, 52-8

While, C statement, nonzero expressions always true inside of while statement, 61-2

Winchester hard disk

- installing new system software, 2-7
- storage capacity, 1-12

Window

- cleared by Reset Ns action, 36-31, 38-30, 42-28

- defined, 36-29, 37-39, 38-28, 42-26
- empty, emulate-mode condition, 37-28, 38-18, 42-17

- LAPD, translated into C, 80-8

- SDLC, translated into C, 76-8

- X.25 Layer 2, 36-18

- translated into C, 74-8

- X.25 Layer 3, translated into C, 75-13

full

- effect on Send action, 36-23, 37-31, 38-22, 42-20
- emulate-mode condition, 37-28, 38-18, 42-17

- LAPD, translated into C, 80-8

- SDLC, translated into C, 76-8

- X.25 Layer 2, 36-18
 - translated into C, 74-8
- X.25 Layer 3, translated into C, 75-12
- not empty, emulate-mode condition, 37-28, 38-18, 42-17
 - LAPD, translated into C, 80-8
 - SDLC, translated into C, 76-8
- X.25 Layer 2, 36-18
 - translated into C, 74-8
- X.25 Layer 3, translated into C, 75-13
- not full, emulate-mode condition, 37-28, 38-18, 42-17
 - LAPD, translated into C, 80-8
 - SDLC, translated into C, 76-8
- X.25 Layer 2, 36-18
 - translated into C, 74-8
- X.25 Layer 3, translated into C, 75-12
- Window Size
 - field on LAPD Frame Level Setup screen, 42-3
 - field on SDLC Frame Level Setup screen, 38-3
 - field on SNA/SDLC Frame Level Setup screen, 39-3
 - field on X.25 Frame Level Setup screen, 36-3
 - field on X.25 Packet Level Setup screen, 37-3
- Window size, 36-5, 37-4, 38-5, 42-5
- Write, editor command, 14-7, 29-6
 - formatted, 29-6
 - unformatted, 29-7
- Write Enable, File Maintenance, menu selection, 14-21
- Write Protect, File Maintenance, menu selection, 14-21
- Write protection, microfloppies, 1-5
- while, C statement, 61-6

X

- %x, C conversion specifier, converts char to short, 59-14
- X.200, CCITT recommendation, 23-5
- X.21
 - call-setup phase, 35-4
 - changing idle character during transmission, 35-8
 - clamping/unclamping data leads, 35-9
 - set_tcr_b, C routine, 73-9
 - invoking, 35-10
 - enter_call_phase, C routine, 73-10

- plus, bell and sync idle, 35-9
 - x21_idle_action, C routine, 73-6
- selectable as initial phase, 49-9
- send action, 35-8
 - code and format, 35-8
 - x21_transmit_call, C routine, 73-7
 - x21_transmit_call_idle, C routine, 73-8
- data-plus-leads display, 49-6
- data-transfer phase, 35-5
 - default initial phase, 49-9
 - invoking, 35-11
 - enter_data_phase, C routine, 73-11
 - selectable as initial phase, 49-9
 - send action, 35-7
- Interface Control Menu screen, 49-8
- Layer 1 package, 35-3
- leads
 - controlling C and I, 35-10
 - monitoring C and I for true or valid status, 35-6
 - monitoring T and R for valid status, 35-5
 - sending from Layer 2, 35-5, 35-11
- Test Interface Module, 49-2, I-11
 - DIP switches, 49-5
- X.21 bis, lead conversions, 35-4
- X.25
 - diagram of frame fields, 36-8
 - diagram of packet fields, 37-10
 - sample Line Setup, 5-13
 - user program to convert protocol headers to hexadecimal, 36-35
 - user program to force data packets containing fox messages out onto the line from Layer 3, 37-45
 - user program to make Layer 2 "automatic" for higher layer, 36-36
- X.25 Frame Level Setup screen, 36-2
- X.25 Packet Level Setup screen, 37-2, 37-32
- Xmit Complete
 - condition, Trigger Setup menus, 24-10
 - fevar_xmit_cmplt, C event, 62-5
 - Layer 1 condition, 31-6
- Xmit Delay, field on Interface Control menu, 12-12, 12-16
- Xmit distant MF alarm, G.703, Interface Control selection, 53-22
- Xmit Idle Char
 - field on Line Setup menu, 3-6
 - subfield on Line Setup menu, 5-9
- Xmit remote alarm, G.703, field on Interface Control menu, 53-22
- Xmit signalling all 1's, G.703, Interface Control selection, 53-22

XS-3

default BCC parameters, 10-9
default sync pattern, 5-7
hex-to-display conversion table, D2-3
keyboard-to-XS-3 conversion table, D1-5
SY characters inappropriate for, 5-7

Y

Yellow alarm, T1 transmissions, 52-24

Z

Zero, transmitting steady zero, set_tcr_b, C
routine, 62-15

Index B

C Structures, Variables, and Routines

A

Accumulator, structures, `accumulator_struct`, 65-14

Alarm, routines, `sound_alarm`, 72-16

Aux port I/O

- events, `aux_change`, 71-4
- routines
 - `set_aux_ctl_leads`, 71-6
 - `set_aux_direction`, 71-5
 - `set_aux_reg`, 71-10
 - `write_aux`, 71-7
- variables
 - `curr_aux_value`, 71-4
 - `prev_aux_value`, 71-4

`accumulator_struct`, accumulator structure, 65-13

- defined, 65-14

`add_array_to_buff`, data-display routine, defined, 62-19

`add_event_to_buff`, data-display routine, defined, 62-18

`_append_il_buff_list_cnt`, OSI layer-independent routine, 58-7

- defined, 66-44

`aux_change`, aux port I/O event, 71-3, 71-10

- defined, 71-4

B

`bcc_error`

- LAPD event, defined, 80-3
- SDLC event, defined, 76-3
- X.25 Layer 2 event, defined, 74-3

C

Counter

- events, `counter_name_change`, 65-3
- structures, `counter_struct`, 65-2

`clearerr`, disk I/O routine, 68-2, 68-4

- defined, 68-10

`convert_tick_count`, timer routine, 65-11, 65-12, 65-18

- defined, 65-18

`counter_name_change`, counter event, 57-2, 57-3, 65-1

- defined, 65-3

`counter_struct`, counter structure, 60-15, 65-1, 65-6, 65-16

- defined, 65-2

`crnt_date_of_day`, real-time clock variable, defined, 72-4

`crnt_display_screen`, status variable, 64-1, 69-1, 72-18

- defined, 64-2

`crnt_time_of_day`, real-time clock variable, 55-1, 57-1, 60-3

- defined, 72-4

`crnt_tm`, real-time clock structure, defined, 72-2

`ctl_capture_rd`, data-display routine, 60-12, 62-9

- defined, 62-9

`ctl_capture_td`, data-display routine, 60-12

- defined, 62-8

`ctl_eia`

- EIA routine, 63-4
- defined, 63-3
- RS-485 application, 50-8
- X.21 routine, 73-5
- defined, 73-4

`ctl_enhance_rd`, data-display routine, defined, 62-8

`ctl_enhance_td`, data-display routine, defined, 62-7

`curr_aux_value`, aux port I/O variable, 71-8, 71-10

- defined, 71-4

`current_col`, Display Window variable, 64-4

- defined, 64-5

`current_eia_leads`

- EIA variable, 60-8, 63-1, 63-2, 63-3
- defined, 63-2

X.21 variable, 73-2
defined, 73-3

current_line, Display Window variable, 64-4
defined, 64-5

D

Data display

routines

add_array_to_buff, 62-19
add_event_to_buff, 62-18
ctl_capture_rd, 62-9
ctl_capture_td, 62-8
ctl_enhance_rd, 62-8
ctl_enhance_td, 62-7

variables

rd_modifier, 62-5
td_modifier, 62-4

DDCMP, events

fevar_bd_bcc_rd, 78-2
fevar_bd_bcc_td, 78-2
fevar_bd_bcc2_rd, 78-2
fevar_bd_bcc2_td, 78-2
fevar_gd_bcc_rd, 78-2
fevar_gd_bcc_td, 78-2
fevar_gd_bcc2_rd, 78-2
fevar_gd_bcc2_td, 78-2

Disk I/O, routines

_get_file_type, 68-36
_set_file_type, 68-34
clearerr, 68-10
fclose, 68-5
feof, 68-7
ferror, 68-8
fflush, 68-6
fgetc, 68-20
fgets, 68-18
fopen, 68-4
fprintf, 68-28
fputc, 68-26
fputs, 68-25
fread, 68-16
fseek, 68-11
fwrite, 68-23
lock, 68-14
mkdir, 68-33
remove, 68-32
rename, 68-31
rewind, 68-13
ungetc, 68-21
unlock, 68-16

Display Window

routines

display_prompt, 64-21
displayc, 64-9
displayf, 64-9
displays, 64-20
highlight_dw_fkey_label, 64-25
pos_cursor, 64-21
restore_cursor, 64-22
set_dw_fkey_label, 64-23
show_dw_fkey_labels, 64-24
sprintf, 64-13
unhighlight_dw_fkey_label, 64-27
structures, display_window_index_buffer, 64-8
variables
current_col, 64-5
current_line, 64-5
display_window_buffer, 64-7
window_color, 64-5
window_modifier, 64-7

d_dce_frame, ISDN event, defined, 79-2

d_dte_frame, ISDN event, defined, 79-2

d_rcv_frame, ISDN event, defined, 79-2

dce_abort

LAPD event, defined, 80-3
SDLC event, defined, 76-3
SS#7 Layer 2 event, defined, 82-2
X.25 Layer 2 event, defined, 74-3

dce_bad_bcc

LAPD event, defined, 80-3
SDLC event, defined, 76-3
SS#7 Layer 2 event, defined, 82-2
X.25 Layer 2 event, defined, 74-3

dce_flags, SS#7 Layer 1 variable, defined, 82-5

dce_frame, 57-2

LAPD event, defined, 80-3
SDLC event, defined, 76-3
SS#7 Layer 2 event, defined, 82-2
X.25 Layer 2 event, defined, 74-3

dce_frames_suppressed, SS#7 Layer 1 variable,
defined, 82-5

dce_good_bcc

LAPD event, defined, 80-3
SDLC event, defined, 76-3
SS#7 Layer 2 event, defined, 82-2
X.25 Layer 2 event, defined, 74-3

dce_packet

Q.931 event, defined, 81-2
SS#7 Layer 3 event, defined, 83-2
X.25 Layer 3 event, defined, 75-3

disable_dce, transmit routine, defined, 62-11

disable_dte, transmit routine, defined, 62-11

display_binary, user-defined routine, 61-5

display_prompt, Display Window routine, 70-16
 defined, 64-21
 display_screen_changed, status event, 64-1,
 69-1
 defined, 64-2
 display_window_buffer, Display Window
 variable, 64-4, 64-43
 defined, 64-7
 display_window_index_buffer, Display Window
 structure, 64-7, 64-43
 defined, 64-8
 displayc, Display Window routine, 64-1
 defined, 64-9
 displayf, Display Window routine, 59-14,
 59-19, 64-1, 64-3, 64-8, 64-13, 64-39,
 64-41, 68-7, 68-19, 70-6, 70-11
 defined, 64-9
 displays, Display Window routine, 59-19,
 59-22, 60-10, 61-1, 61-3, 64-1, 68-12,
 68-24
 defined, 64-20
 dte_abort
 LAPD event, defined, 80-3
 SDLC event, defined, 76-3
 SS#7 Layer 2 event, defined, 82-2
 X.25 Layer 2 event, defined, 74-3
 dte_bad_bcc
 LAPD event, defined, 80-3
 SDLC event, defined, 76-3
 SS#7 Layer 2 event, defined, 82-2
 X.25 Layer 2 event, defined, 74-3
 dte_flags, SS#7 Layer 1 variable, defined, 82-5
 dte_frame
 LAPD event, defined, 80-3
 SDLC event, defined, 76-3
 SS#7 Layer 2 event, 82-3
 defined, 82-2
 X.25 Layer 2 event, defined, 74-3
 dte_frames_suppressed, SS#7 Layer 1 variable,
 defined, 82-5
 dte_good_bcc
 LAPD event, defined, 80-3
 SDLC event, defined, 76-3
 SS#7 Layer 2 event, defined, 82-2
 X.25 Layer 2 event, defined, 74-3
 dte_packet, 57-2
 Q.931 event, defined, 81-2
 SS#7 Layer 3 event, 83-1
 defined, 83-2
 X.25 Layer 3 event, defined, 75-3

_dup_il_buff_list, OSI layer-independent
 routine, 66-44, 66-45
 defined, 66-35
 _dup_il_buff_list_start, OSI layer-independent
 routine, 66-40, 66-43, 66-44
 defined, 66-34

E

EIA
 events, fevar_eia_changed, 63-2
 routines, ctl_eia, 63-3
 RS-485 application, 50-8
 variables
 current_eia_leads, 63-2
 previous_eia_leads, 63-2
 enter_call_phase, X.21 routine, 73-10
 defined, 73-10
 enter_data_phase, X.21 routine, 73-11
 defined, 73-11

F

Flag
 events, flag_name_change, 72-4
 structures, flag_struct, 72-2
 fclose, disk I/O routine, 68-1, 68-3, 68-6,
 68-7, 68-10, 68-11, 68-13, 68-14, 70-16
 defined, 68-5
 feof, disk I/O routine, 68-4, 68-8
 defined, 68-7
 ferror, disk I/O routine, 68-4, 68-9
 defined, 68-8
 fevar_abort_rd, line event, 62-6
 defined, 62-3
 fevar_abort_td, line event, 62-6
 defined, 62-3
 fevar_bd_bcc_rd
 DDCMP event, defined, 78-2
 line event, 62-2, 62-6
 defined, 62-3
 fevar_bd_bcc_td
 DDCMP event, defined, 78-2
 line event, 62-2
 defined, 62-3
 fevar_bd_bcc2_rd, DDCMP event, 62-6
 defined, 78-2
 fevar_bd_bcc2_td, DDCMP event, defined,
 78-2

fevar_eia_changed
 EIA event, 56-15, 57-2, 63-1, 63-3
 defined, 63-2
 X.21 event, 73-2
 defined, 73-3
 fevar_frm_error_rd, line event, defined, 62-3
 fevar_frm_error_td, line event, defined, 62-3
 fevar_gd_bcc_rd
 DDCMP event, defined, 78-2
 line event, 57-2, 62-6
 defined, 62-3
 fevar_gd_bcc_td
 DDCMP event, defined, 78-2
 line event, defined, 62-3
 fevar_gd_bcc2_rd, DDCMP event, 62-6
 defined, 78-2
 fevar_gd_bcc2_td, DDCMP event, defined,
 78-2
 fevar_parity_rd, line event, defined, 62-3
 fevar_parity_td, line event, defined, 62-3
 fevar_rcv_buffer_full, line event, 62-2
 defined, 62-4
 fevar_rcvd_char_rd, line event, 58-1, 62-5
 defined, 62-3
 fevar_rcvd_char_td, line event, 57-2, 58-1,
 62-5
 defined, 62-3
 fevar_time_of_day, real-time clock event, 55-1,
 57-1, 57-2, 60-1, 60-3
 defined, 72-4
 fevar_xmit_cmplt, transmit event, 62-5
 defined, 62-4
 fflush, disk I/O routine, 68-1, 68-2, 68-3,
 68-7
 defined, 68-6
 fgetc, disk I/O routine, 68-1, 68-2
 defined, 68-20
 fgets, disk I/O routine, 68-1, 68-2, 68-19
 defined, 68-18
 flag_name_change, flag event, 57-2, 57-3
 defined, 72-4
 flag_struct, flag structure, defined, 72-2
 fopen, disk I/O routine, 68-2, 68-3, 68-5,
 68-13, 70-16
 defined, 68-4
 fprintf, disk I/O routine, 68-2, 68-7, 68-31
 defined, 68-28

fputc, disk I/O routine, 68-2, 68-11, 68-27
 defined, 68-26
 fputs, disk I/O routine, 68-2
 defined, 68-25
 frame_sent
 LAPD event, defined, 80-4
 SDLC event, defined, 76-4
 X.25 Layer 2 event, defined, 74-4
 fread, disk I/O routine, 68-1, 68-2, 68-9,
 68-17, 68-36, 70-16
 defined, 68-16
 _free_il_msg_buff, OSI layer-independent
 routine, 58-5, 66-39, 66-40
 defined, 66-38
 fseek, disk I/O routine, 68-2, 68-4, 68-12,
 68-14
 defined, 68-11
 fwrite, disk I/O routine, 68-1, 68-2, 68-15,
 68-24, 68-36
 defined, 68-23

G

_get_file_type, disk I/O routine, 68-37
 defined, 68-36
 _get_il_msg_buff, OSI layer-independent
 routine, 58-5, 58-8, 62-14, 66-37, 66-38,
 66-42, 66-46, 74-13, 75-17, 76-17, 79-5,
 80-13
 defined, 66-32
 get_68k_phys_addr, stats-display routine, 61-1,
 65-5, 65-7, 65-16
 defined, 65-14
 get_wall_time_286_ticks, timer routine, 65-11,
 65-12, 65-17
 defined, 65-17
 get_wall_time_ticks, timer routine, 65-17
 defined, 65-16

H

highlight_dw_fkey_label, Display Window
 routine, 64-26
 defined, 64-25

I

Interrupt
 events, signal_name, 72-4
 routines, signal, 72-15

ISDN

- events
 - d_dce_frame, 79-2
 - d_dte_frame, 79-2
 - d_rcv_frame, 79-2
- routines
 - send_d_frame, 79-3
 - send_d_frame_il, 79-4
 - set_isdn_speaker_chan, 79-5
- structures, xmit_list, 79-1
- idle_action, transmit routine, defined, 62-14
- il_buffer, OSI structure, 58-7, 60-16, 66-7, 66-8
 - defined, 66-10
- il_list_header, OSI structure, 66-5
 - defined, 66-11
- il_list_node, OSI structure, 66-5
 - defined, 66-12
- index, string routine, 59-22, 72-12
 - defined, 72-11
- _insert_il_buff_list_cnt
 - OSI layer-independent routine, 58-5, 58-7, 58-8, 62-14, 66-37, 66-40, 66-42, 66-43, 66-47, 74-13, 75-17, 76-17, 79-5, 80-13
 - defined, 66-40
 - OSI routine, 66-13
- invalid_frame
 - LAPD event, defined, 80-3
 - SDLC event, defined, 76-3
 - X.25 Layer 2 event, defined, 74-3
- invalid_packet, X.25 Layer 3 event, defined, 75-3

K

Keyboard

- events
 - keyboard_new_any_key, 72-5
 - keyboard_new_key, 72-4
- routines, send_key, 72-18
- structures, keyboard, 72-2
- variable, keyboard_any_key, 72-5
- keyboard, keyboard structure, defined, 72-2
- keyboard_any_key, keyboard variable, 56-9, 56-13, 62-16, 72-18
 - defined, 72-5
- keyboard_new_any_key, keyboard event, 56-9, 56-13, 56-14, 56-15, 60-2
 - defined, 72-5

- keyboard_new_key, keyboard event, 56-14, 56-15, 57-2, 72-2
 - defined, 72-4

L

LAPD

- events
 - bcc_error, 80-3
 - dce_abort, 80-3
 - dce_bad_bcc, 80-3
 - dce_frame, 80-3
 - dce_good_bcc, 80-3
 - dte_abort, 80-3
 - dte_bad_bcc, 80-3
 - dte_frame, 80-3
 - dte_good_bcc, 80-3
 - frame_sent, 80-4
 - invalid_frame, 80-3
 - l2_T1, 80-3
 - nr_error, 80-3
 - ns_error, 80-3
 - rcvd_frame, 80-3
- routines
 - l2_give_data, 80-9
 - resend_frame, 80-10
 - reset_nr, 80-11
 - reset_ns, 80-12
 - send_frame, 80-12
- structures, send_frame_structure, 80-2
- variables
 - l2_current_window_edge, 80-5
 - l2_enhance, 80-6
 - l2_lower_window_edge, 80-5
 - l2_resend_edge, 80-5
 - l2_suppress, 80-6
 - l2_upper_window_edge, 80-5
 - m_frame_addr_cr, 80-4
 - m_frame_addr_sapi, 80-4
 - m_frame_addr_tei, 80-4
 - m_frame_bcc_type, 80-4
 - m_frame_cntrl_byte_1, 80-4
 - m_frame_nr, 80-4
 - m_frame_ns, 80-4
 - m_frame_pf, 80-4
 - m_frame_type, 80-4
 - rcvd_frame_addr_cr, 80-4
 - rcvd_frame_addr_sapi, 80-4
 - rcvd_frame_addr_tei, 80-4
 - rcvd_frame_bcc_type, 80-5
 - rcvd_frame_buff_seg, 80-5
 - rcvd_frame_cntrl_byte_1, 80-5
 - rcvd_frame_nr, 80-5
 - rcvd_frame_ns, 80-5
 - rcvd_frame_pf, 80-5
 - rcvd_frame_sdu_offset, 80-5

rcvd_frame_sdu_size, 80-5
 rcvd_frame_type, 80-4

Line
events
 fevar_abort_rd, 62-3
 fevar_abort_td, 62-3
 fevar_bd_bcc_rd, 62-3
 fevar_bd_bcc_td, 62-3
 fevar_frm_error_rd, 62-3
 fevar_frm_error_td, 62-3
 fevar_gd_bcc_rd, 62-3
 fevar_gd_bcc_td, 62-3
 fevar_parity_rd, 62-3
 fevar_parity_td, 62-3
 fevar_rcv_buffer_full, 62-4
 fevar_rcvd_char_rd, 62-3
 fevar_rcvd_char_td, 62-3
 routines, outsync_action, 62-10
 variables
 rcv_buffer_full, 62-4
 rcvd_char_rd, 62-4
 rcvd_char_td, 62-4

i1_il_transmit, transmit routine, 58-1, 58-4,
 58-9, 66-40
 defined, 62-13

i1_tick_count, timer variable, 65-8, 65-9,
 65-11, 65-18, 66-11, 66-17, 66-20,
 66-23, 66-26, 66-29, 66-31
 defined, 65-10

i1_transmit, transmit routine, 62-1
 defined, 62-12

i1_trbuf, trace buffer structure, defined, 64-31

i2_current_window_edge
 LAPD variable, defined, 80-5
 SDLC variable, 76-8
 defined, 76-5
 X.25 Layer 2 variable, 74-8, 80-8
 defined, 74-5

i2_enhance
 LAPD variable, 80-8
 defined, 80-6
 SDLC variable, 76-9
 defined, 76-6
 SNA variable, 77-4
 SS#7 Layer 2 variable, 82-4
 defined, 82-3
 X.25 Layer 2 variable, 74-8
 defined, 74-5

i2_give_data
 LAPD routine, defined, 80-9
 SDLC routine, defined, 76-10
 X.25 Layer 2 routine, defined, 74-9

i2_lower_window_edge
 LAPD variable, 80-8
 defined, 80-5
 SDLC variable, 76-8
 defined, 76-5
 X.25 Layer 2 variable, 74-8
 defined, 74-5

i2_resend_edge
 LAPD variable, 80-8
 defined, 80-5
 SDLC variable, 76-8
 defined, 76-5
 X.25 Layer 2 variable, 74-8
 defined, 74-5

i2_suppress
 LAPD variable, 80-8
 defined, 80-6
 SDLC variable, 76-9
 defined, 76-6
 SNA variable, 77-4
 SS#7 Layer 2 variable, 82-4
 defined, 82-3
 X.25 Layer 2 variable, 74-8
 defined, 74-5

i2_T1
 LAPD event, defined, 80-3
 SDLC event, defined, 76-3
 X.25 Layer 2 event, defined, 74-3

i2_tick_count, OSI Layer 2 variable, defined,
 66-17

i2_trbuf, trace buffer structure, defined, 64-31

i2_upper_window_edge
 LAPD variable, 80-8
 defined, 80-5
 SDLC variable, 76-8
 defined, 76-5
 X.25 Layer 2 variable, 74-8
 defined, 74-5

i2pp_trbuff, Protocol Trace variable, defined,
 64-46

i2pp_trbuff_ctl, Protocol Trace structure,
 defined, 64-48

i2pp_trbuff_end, Protocol Trace variable,
 defined, 64-46

i3_clear_path, X.25 Layer 3 routine, defined,
 75-11

i3_enhance
 Q.931 variable, 81-4
 defined, 81-3
 SS#7 Layer 3 variable, 83-7
 defined, 83-6
 X.25 Layer 3 variable, 75-9
 defined, 75-7

l3_give_data, X.25 Layer 3 routine, defined, 75-10
l3_more_to_resend, X.25 Layer 3 routine, defined, 75-11
l3_suppress
 Q.931 variable, 81-4
 defined, 81-3
 SS#7 Layer 3 variable, defined, 83-6
 X.25 Layer 3 variable, 75-9, 83-7
 defined, 75-7
l3_tick_count, OSI Layer 3 variable, defined, 66-20
l3_trbuf, trace buffer structure, defined, 64-31
l3_window_empty, X.25 Layer 3 routine, defined, 75-13
l3_window_full, X.25 Layer 3 routine, 61-2
 defined, 75-12
l3pp_trbuf, Protocol Trace variable, defined, 64-46
l3pp_trbuf_ctl, Protocol Trace structure, defined, 64-49
l3pp_trbuf_end, Protocol Trace variable, defined, 64-46
l4_tick_count, OSI Layer 4 variable, defined, 66-23
l4_trbuf, trace buffer structure, defined, 64-31
l5_tick_count, OSI Layer 5 variable, defined, 66-26
l5_trbuf, trace buffer structure, defined, 64-32
l6_tick_count, OSI Layer 6 variable, defined, 66-29
l6_trbuf, trace buffer structure, defined, 64-32
l7_tick_count, OSI Layer 7 variable, defined, 66-31
l7_trbuf, trace buffer structure, defined, 64-32
lo_dl_il_buff, OSI Layer 3 variable, 58-3, 66-51
 defined, 66-19
lo_dl_pdu_seg, OSI Layer 3 variable, defined, 66-18
lo_dl_prmtv, OSI Layer 3 event, 58-3
 defined, 66-18
lo_dl_prmtv_code, OSI Layer 3 variable, 66-48
 defined, 66-18
lo_dl_prmtv_path, OSI Layer 3 variable, 66-48, 66-52
 defined, 66-19
lo_dl_sdu, OSI Layer 3 variable, 58-3, 66-52
 defined, 66-19
lo_n_il_buff, OSI Layer 4 variable, 66-55, 66-57
 defined, 66-22
lo_n_pdu_seg, OSI Layer 4 variable, defined, 66-21
lo_n_prmtv, OSI Layer 4 event, defined, 66-21
lo_n_prmtv_code, OSI Layer 4 variable, 66-52
 defined, 66-21
lo_n_prmtv_path, OSI Layer 4 variable, 66-56
 defined, 66-22
lo_n_sdu, OSI Layer 4 variable, 66-56
 defined, 66-22
lo_p_il_buff, OSI Layer 7 variable, defined, 66-31
lo_p_pdu_seg, OSI Layer 7 variable, defined, 66-30
lo_p_prmtv, OSI Layer 7 event, defined, 66-30
lo_p_prmtv_code, OSI Layer 7 variable, 66-64
 defined, 66-30
lo_p_prmtv_path, OSI Layer 7 variable, defined, 66-30
lo_p_sdu, OSI Layer 7 variable, defined, 66-31
lo_ph_il_buff, OSI Layer 2 variable, 58-3, 66-47
 defined, 66-16
lo_ph_pdu_seg, OSI Layer 2 variable, defined, 66-15
lo_ph_prmtv, OSI Layer 2 event, 58-3
 defined, 66-15
lo_ph_prmtv_code, OSI Layer 2 variable, 66-46
 defined, 66-15
lo_ph_prmtv_path, OSI Layer 2 variable, defined, 66-16
lo_ph_sdu, OSI Layer 2 variable, 58-3, 66-47, 66-48
 defined, 66-16
lo_s_il_buff, OSI Layer 6 variable, 66-63
 defined, 66-28
lo_s_pdu_seg, OSI Layer 6 variable, defined, 66-27
lo_s_prmtv, OSI Layer 6 event, defined, 66-27
lo_s_prmtv_code, OSI Layer 6 variable, defined, 66-27
lo_s_prmtv_path, OSI Layer 6 variable, 66-64
 defined, 66-28
lo_s_sdu, OSI Layer 6 variable, 66-64
 defined, 66-28

lo_t_il_buff, OSI Layer 5 variable, 66-59
 defined, 66-25
 lo_t_pdu_seg, OSI Layer 5 variable, defined,
 66-24
 lo_t_prmtv, OSI Layer 5 event, defined, 66-24
 lo_t_prmtv_code, OSI Layer 5 variable, 66-56,
 66-60
 defined, 66-24
 lo_t_prmtv_path, OSI Layer 5 variable, 66-60
 defined, 66-25
 lo_t_sdu, OSI Layer 5 variable, 66-60
 defined, 66-25
 load_program, program-chaining routine, 72-13
 defined, 72-12
 lock
 disk I/O routine, 68-4, 68-15
 defined, 68-14
 processing routine, 72-14
 defined, 72-13
 lpp_trbuff_ctl, Protocol Trace structure, defined,
 64-48

M

m_bib, SS#7 Layer 2 variable, defined, 82-2
 m_call_ref_flag, Q.931 variable, defined, 81-2
 m_call_ref_len, Q.931 variable, defined, 81-3
 m_cic, SS#7 Layer 3 variable, defined, 83-6
 m_code_type, SS#7 Layer 3 variable, defined,
 83-2
 m_fib, SS#7 Layer 2 variable, defined, 82-2
 m_frame_addr
 SDLC variable, defined, 76-4
 X.25 Layer 2 variable, defined, 74-4
 m_frame_addr_cr, LAPD variable, defined,
 80-4
 m_frame_addr_sapi, LAPD variable, defined,
 80-4
 m_frame_addr_tei, LAPD variable, defined,
 80-4
 m_frame_bcc_type
 LAPD variable, defined, 80-4
 SDLC variable, defined, 76-4
 SS#7 Layer 2 variable, defined, 82-3
 X.25 Layer 2 variable, defined, 74-4

m_frame_cntrl_byte_1
 LAPD variable, defined, 80-4
 SDLC variable, defined, 76-4
 X.25 Layer 2 variable, defined, 74-4
 m_frame_nr, LAPD variable, defined, 80-4
 m_frame_ns, LAPD variable, defined, 80-4
 m_frame_pf
 LAPD variable, defined, 80-4
 SDLC variable, defined, 76-4
 X.25 Layer 2 variable, defined, 74-4
 m_frame_type
 LAPD variable, defined, 80-4
 SDLC variable, defined, 76-4
 SNA variable, 77-1
 X.25 Layer 2 variable, defined, 74-4
 m_info_element_len, Q.931 variable, defined,
 81-3
 m_label_dpc, SS#7 Layer 3 variable, defined,
 83-6
 m_label_opc, SS#7 Layer 3 variable, defined,
 83-6
 m_label_sls, SS#7 Layer 3 variable, defined,
 83-6
 m_li, SS#7 Layer 2 variable, defined, 82-3
 m_lo_dl_il_buff, OSI Layer 3 variable, 58-3,
 66-6, 66-8, 66-9, 66-10, 66-11, 66-12,
 66-53
 defined, 66-19
 m_lo_dl_pdu_seg, OSI Layer 3 variable, 66-9
 defined, 66-18
 m_lo_dl_prmtv, OSI Layer 3 event, 58-3, 66-8
 defined, 66-18
 m_lo_dl_prmtv_code, OSI Layer 3 variable,
 66-9, 66-49
 defined, 66-19
 m_lo_dl_prmtv_path, OSI Layer 3 variable,
 66-9
 defined, 66-19
 m_lo_dl_sdu_offset, OSI Layer 3 variable, 58-3,
 66-9, 66-11, 66-53
 defined, 66-19
 m_lo_dl_sdu_size, OSI Layer 3 variable, 58-3,
 66-9, 66-53
 defined, 66-19
 m_lo_n_il_buff, OSI Layer 4 variable, 66-57
 defined, 66-22
 m_lo_n_pdu_seg, OSI Layer 4 variable, defined,
 66-21
 m_lo_n_prmtv, OSI Layer 4 event, defined,
 66-21

m_lo_n_prmtv_code, OSI Layer 4 variable,
 66-53
 defined, 66-22

m_lo_n_prmtv_path, OSI Layer 4 variable,
 defined, 66-22

m_lo_n_sdu_offset, OSI Layer 4 variable, 66-57
 defined, 66-22

m_lo_n_sdu_size, OSI Layer 4 variable, 66-57
 defined, 66-22

m_lo_p_il_buff, OSI Layer 7 variable, defined,
 66-31

m_lo_p_pdu_seg, OSI Layer 7 variable, defined,
 66-30

m_lo_p_prmtv, OSI Layer 7 event, defined,
 66-30

m_lo_p_prmtv_code, OSI Layer 7 variable,
 66-65
 defined, 66-30

m_lo_p_prmtv_path, OSI Layer 7 variable,
 defined, 66-31

m_lo_p_sdu_offset, OSI Layer 7 variable,
 defined, 66-31

m_lo_p_sdu_size, OSI Layer 7 variable, defined,
 66-31

m_lo_ph_il_buff
 OSI Layer 2 variable, 58-1, 58-2, 58-3,
 66-49
 defined, 66-16
 OSI layer 2 variable, 60-10, 60-12, 60-17

m_lo_ph_pdu_seg, OSI Layer 2 variable,
 defined, 66-15

m_lo_ph_prmtv
 OSI Layer 2 event, 58-1, 58-3
 defined, 66-15
 OSI layer 2 event, 60-10
 signalled by DDCMP package, 40-2

m_lo_ph_prmtv_code, OSI Layer 2 variable,
 defined, 66-15

m_lo_ph_prmtv_path, OSI Layer 2 variable,
 defined, 66-16

m_lo_ph_sdu_offset, OSI Layer 2 variable,
 58-1, 66-49
 defined, 66-16

m_lo_ph_sdu_size, OSI Layer 2 variable, 58-3,
 66-49
 defined, 66-16

m_lo_s_il_buff, OSI Layer 6 variable, 66-65
 defined, 66-28

m_lo_s_pdu_seg, OSI Layer 6 variable, defined,
 66-27

m_lo_s_prmtv, OSI Layer 6 event, defined,
 66-27

m_lo_s_prmtv_code, OSI Layer 6 variable,
 66-61
 defined, 66-27

m_lo_s_prmtv_path, OSI Layer 6 variable,
 defined, 66-28

m_lo_s_sdu_offset, OSI Layer 6 variable, 66-65
 defined, 66-28

m_lo_s_sdu_size, OSI Layer 6 variable, 66-65
 defined, 66-28

m_lo_t_il_buff, OSI Layer 5 variable, 66-61
 defined, 66-25

m_lo_t_pdu_seg, OSI Layer 5 variable, defined,
 66-24

m_lo_t_prmtv, OSI Layer 5 event, defined,
 66-24

m_lo_t_prmtv_code, OSI Layer 5 variable,
 66-57
 defined, 66-24

m_lo_t_prmtv_path, OSI Layer 5 variable,
 defined, 66-25

m_lo_t_sdu_offset, OSI Layer 5 variable, 66-61
 defined, 66-25

m_lo_t_sdu_size, OSI Layer 5 variable, 66-61
 defined, 66-25

m_message_type, Q.931 variable, defined, 81-3

m_message_type_defined, Q.931 variable,
 defined, 81-2

m_packet_bcc_type, Q.931 variable, defined,
 81-2

m_packet_buff_seg, X.25 Layer 3 variable, 75-8
 defined, 75-5

m_packet_cause, X.25 Layer 3 variable,
 defined, 75-4

m_packet_d, X.25 Layer 3 variable, defined,
 75-3

m_packet_daf, SNA variable, defined, 77-2

m_packet_def, SNA variable, defined, 77-2

m_packet_diag_code, X.25 Layer 3 variable,
 defined, 75-4

m_packet_dsaf, SNA variable, defined, 77-2

m_packet_fi, SNA variable, defined, 77-3

m_packet_fid_type, SNA variable, 77-1
 defined, 77-2

m_packet_info_length, X.25 Layer 3 variable,
 75-9
 defined, 75-5

m_packet_info_offset, X.25 Layer 3 variable, defined, 75-5
m_packet_info_ptr
 X.25 Layer 2 variable, 61-6
 X.25 Layer 3 variable, 61-1, 64-35, 64-36, 75-8
 defined, 75-6
m_packet_info_seg, X.25 Layer 3 variable, defined, 75-5
m_packet_lcn, X.25 Layer 3 variable, 64-35, 64-36
 defined, 75-3
m_packet_lcn_grp, X.25 Layer 3 variable, defined, 75-3
m_packet_length
 SNA variable, defined, 77-2
 X.25 Layer 3 variable, 75-8
 defined, 75-5
m_packet_lsid, SNA variable, defined, 77-2
m_packet_m, X.25 Layer 3 variable, defined, 75-3
m_packet_oaf, SNA variable, defined, 77-2
m_packet_oef, SNA variable, defined, 77-2
m_packet_osaf, SNA variable, defined, 77-2
m_packet_pr, X.25 Layer 3 variable, defined, 75-3
m_packet_ps, X.25 Layer 3 variable, defined, 75-3
m_packet_ptr, X.25 Layer 3 variable, 60-14
 defined, 75-6
m_packet_q, X.25 Layer 3 variable, defined, 75-3
m_packet_rri, SNA variable, defined, 77-3
m_packet_rti, SNA variable, defined, 77-3
m_packet_ru_category, SNA variable, defined, 77-3
m_packet_sdi, SNA variable, 77-4
 defined, 77-3
m_packet_sdu_offset, X.25 Layer 3 variable, 75-8
 defined, 75-5
m_packet_type, X.25 Layer 3 variable, defined, 75-4
m_packet_type_byte, X.25 Layer 3 variable, defined, 75-4
m_prot_disc, Q.931 variable, defined, 81-2

m_ptr_to_call_ref, Q.931 variable, 81-4
 defined, 81-3
m_ptr_to_info_element, Q.931 variable, 81-4
 defined, 81-3
m_sio_ni, SS#7 Layer 3 variable, defined, 83-2
m_sio_priority, SS#7 Layer 3 variable, defined, 83-2
m_sio_si, SS#7 Layer 3 variable, 83-1
 defined, 83-2
m_so0, SS#7 Layer 2 variable, 82-4
 defined, 82-3
m_unit_type, SS#7 Layer 2 variable, 82-3
 defined, 82-2
mkdir, disk I/O routine, defined, 68-33
mpm_info, status structure, defined, 69-5

N

nr_error
 LAPD event, defined, 80-3
 SDLC event, defined, 76-3
 X.25 Layer 2 event, defined, 74-3
ns_error
 LAPD event, defined, 80-3
 SDLC event, defined, 76-3
 X.25 Layer 2 event, defined, 74-3

O

OSI
 events
 lo_dl_prmtv, 66-18
 lo_n_prmtv, 66-21
 lo_p_prmtv, 66-30
 lo_ph_prmtv, 66-15
 lo_s_prmtv, 66-27
 lo_t_prmtv, 66-24
 m_lo_dl_prmtv, 66-18
 m_lo_n_prmtv, 66-21
 m_lo_p_prmtv, 66-30
 m_lo_ph_prmtv, 66-15
 m_lo_s_prmtv, 66-27
 m_lo_t_prmtv, 66-24
 up_dl_prmtv, 66-15
 up_n_prmtv, 66-18
 up_p_prmtv, 66-27
 up_s_prmtv, 66-24
 up_t_prmtv, 66-21

routines, 66-31
 _append_il_buff_list_cnt, 66-44
 _dup_il_buff_list, 66-35
 _dup_il_buff_list_start, 66-34
 _free_il_msg_buff, 66-38
 _get_il_msg_buff, 66-32
 _insert_il_buff_list_cnt, 66-40
 _open_space_in_il_buff, 66-36
 _set_maint_buff_bit, 66-38
 _start_il_buff_list, 66-33
 send_dl_prmtv_above, 66-47
 send_dl_prmtv_below, 66-54
 send_m_dl_prmtv_above, 66-49
 send_m_n_prmtv_above, 66-53
 send_m_p_prmtv_above, 66-65
 send_m_s_prmtv_above, 66-61
 send_m_t_prmtv_above, 66-57
 send_n_prmtv_above, 66-51
 send_n_prmtv_below, 66-58
 send_p_prmtv_above, 66-63
 send_p_prmtv_below, 66-67
 send_ph_prmtv_below, 66-50
 send_ph_to_above, 66-45
 send_s_prmtv_above, 66-59
 send_s_prmtv_below, 66-66
 send_t_prmtv_above, 66-55
 send_t_prmtv_below, 66-62
 structures
 il_buffer, 66-10
 il_list_header, 66-11
 il_list_node, 66-12
 pdu, 66-9
 variables, 66-13-66-31
 l2_tick_count, 66-17
 l3_tick_count, 66-20
 l4_tick_count, 66-23
 l5_tick_count, 66-26
 l6_tick_count, 66-29
 l7_tick_count, 66-31
 lo_dl_il_buff, 66-19
 lo_dl_pdu_seg, 66-18
 lo_dl_prmtv_code, 66-18
 lo_dl_prmtv_path, 66-19
 lo_dl_sdu, 66-19
 lo_n_il_buff, 66-22
 lo_n_pdu_seg, 66-21
 lo_n_prmtv_code, 66-21
 lo_n_prmtv_path, 66-22
 lo_n_sdu, 66-22
 lo_p_il_buff, 66-31
 lo_p_pdu_seg, 66-30
 lo_p_prmtv_code, 66-30
 lo_p_prmtv_path, 66-30
 lo_p_sdu, 66-31
 lo_ph_il_buff, 66-16

 lo_ph_pdu_seg, 66-15
 lo_ph_prmtv_code, 66-15
 lo_ph_prmtv_path, 66-16
 lo_ph_sdu, 66-16
 lo_s_il_buff, 66-28
 lo_s_pdu_seg, 66-27
 lo_s_prmtv_code, 66-27
 lo_s_prmtv_path, 66-28
 lo_s_sdu, 66-28
 lo_t_il_buff, 66-25
 lo_t_pdu_seg, 66-24
 lo_t_prmtv_code, 66-24
 lo_t_prmtv_path, 66-25
 lo_t_sdu, 66-25
 m_lo_dl_il_buff, 66-19
 m_lo_dl_pdu_seg, 66-18
 m_lo_dl_prmtv_code, 66-19
 m_lo_dl_prmtv_path, 66-19
 m_lo_dl_sdu_offset, 66-19
 m_lo_dl_sdu_size, 66-19
 m_lo_n_il_buff, 66-22
 m_lo_n_pdu_seg, 66-21
 m_lo_n_prmtv_code, 66-22
 m_lo_n_prmtv_path, 66-22
 m_lo_n_sdu_offset, 66-22
 m_lo_n_sdu_size, 66-22
 m_lo_p_il_buff, 66-31
 m_lo_p_pdu_seg, 66-30
 m_lo_p_prmtv_code, 66-30
 m_lo_p_prmtv_path, 66-31
 m_lo_p_sdu_offset, 66-31
 m_lo_p_sdu_size, 66-31
 m_lo_ph_il_buff, 66-16
 m_lo_ph_pdu_seg, 66-15
 m_lo_ph_prmtv_code, 66-15
 m_lo_ph_prmtv_path, 66-16
 m_lo_ph_sdu_offset, 66-16
 m_lo_ph_sdu_size, 66-16
 m_lo_s_il_buff, 66-28
 m_lo_s_pdu_seg, 66-27
 m_lo_s_prmtv_code, 66-27
 m_lo_s_prmtv_path, 66-28
 m_lo_s_sdu_offset, 66-28
 m_lo_s_sdu_size, 66-28
 m_lo_t_il_buff, 66-25
 m_lo_t_pdu_seg, 66-24
 m_lo_t_prmtv_code, 66-24
 m_lo_t_prmtv_path, 66-25
 m_lo_t_sdu_offset, 66-25
 m_lo_t_sdu_size, 66-25
 ph_prmtv_type, 66-14
 up_dl_il_buff, 66-17
 up_dl_pdu_seg, 66-16
 up_dl_prmtv_code, 66-17
 up_dl_prmtv_path, 66-17
 up_dl_sdu, 66-17

- up_n_il_buff, 66-20
- up_n_pdu_seg, 66-20
- up_n_prmtv_code, 66-20
- up_n_prmtv_path, 66-20
- up_n_sdu, 66-20
- up_p_il_buff, 66-29
- up_p_pdu_seg, 66-28
- up_p_prmtv_code, 66-29
- up_p_prmtv_path, 66-29
- up_p_sdu, 66-29
- up_s_il_buff, 66-26
- up_s_pdu_seg, 66-25
- up_s_prmtv_code, 66-26
- up_s_prmtv_path, 66-26
- up_s_sdu, 66-26
- up_t_il_buff, 66-23
- up_t_pdu_seg, 66-23
- up_t_prmtv_code, 66-23
- up_t_prmtv_path, 66-23
- up_t_sdu, 66-23
- _open_space_in_il_buff, OSI layer-independent routine, 58-9, 66-37, 66-40, 66-43, 66-45, 66-46
- defined, 66-36
- outsync_action, line routine, defined, 62-10

P

- Playback
 - routines
 - start_rcrd_play, 68-3
 - suspend_rcrd_play, 68-3
- #pragma hook, C preprocessor directive, 59-11
- #pragma il_buffer_size, C preprocessor directive, used to set the size of IL buffers, 66-4
- #pragma il_buffers, C preprocessor directive, used to set the number of IL buffers, 66-3
- #pragma layer, C directive, used to declare a layer, 56-1
- #pragma nowarn, C directive, used to suppress compiler warnings, A4-1
- #pragma object, C preprocessor directive, 59-8
 - format of, 59-8
 - placement of, 59-8
- #pragma tracebuf, C directive, used to configure size of trace-buffer arrays, 64-29
- Primitives
 - OSI routines
 - Layer 1, 66-45
 - Layer 2, 66-47-66-51
 - Layer 3, 66-51

- Layer 4, 66-55-66-59
- Layer 5, 66-59-66-63
- Layer 6, 66-63
- Layer 7, 66-67-66-68
- layer-independent, 66-32-66-45
- See also IL buffer

- Print
 - routines
 - printc, 67-4
 - printf, 67-4
 - prints, 67-10
 - reset_print_page, 67-9
 - set_print_header, 67-8
 - sprintf, 67-7
 - structures
 - _print_buffer, 67-2
 - used to check status of print buffer, 67-1
 - print_buffer, 67-2
- Processing, routines
 - lock, 72-13
 - surrender_cpu, 72-19
 - unlock, 72-15
- Program chaining, routines, load_program, 72-12
- Protocol Trace
 - routines, set_ltrace_fkey_label, 64-49
 - structures
 - l2pp_trbuff_ctl, 64-48
 - l3pp_trbuff_ctl, 64-49
 - lpp_trbuff_ctl, 64-48
 - variables
 - l2pp_trbuff, 64-46
 - l2pp_trbuff_end, 64-46
 - l3pp_trbuff, 64-46
 - l3pp_trbuff_end, 64-46
- packet_sent, X.25 Layer 3 event, defined, 75-3
- pdu, OSI structure, 58-4, 66-48, 66-52, 66-56, 66-60
- defined, 66-9
- ph_prmtv_type, OSI Layer 1 variable, 66-50
- defined, 66-14
- pos_cursor, Display Window routine, 61-1, 61-3, 64-1, 64-3, 64-8, 64-9, 64-22, 64-33, 68-22
- defined, 64-21
- pr_error, X.25 Layer 3 event, defined, 75-3
- prev_aux_value, aux port I/O variable, 71-10
- defined, 71-4
- prev_date_of_day, real-time clock variable, defined, 72-4
- prev_display_screen, status variable, 64-1, 69-1
- defined, 64-3
- prev_time_of_day, real-time clock variable, defined, 72-4

prev_tm, real-time clock structure, defined, 72-2

previous_eia_leads
 EIA variable, 63-1, 63-3
 defined, 63-2
 X.21 variable, 73-2
 defined, 73-3

_print_buffer, print structure, 67-1
 defined, 67-2
 used to check status of print buffer, 67-1

print_buffer, print structure, 67-1
 defined, 67-2

putc, print routine, 67-1, 67-4
 defined, 67-4

printf, print routine, 67-1, 67-6
 defined, 67-4

prints, print routine, 59-22, 67-1
 defined, 67-10

prog_trbuf, trace buffer structure, defined, 64-31

ps_error, X.25 Layer 3 event, defined, 75-3

Q

Q.931

events
 dce_packet, 81-2
 dte_packet, 81-2

variables
 l3_enhance, 81-3
 l3_suppress, 81-3
 m_call_ref_flag, 81-2
 m_call_ref_len, 81-3
 m_info_element_len, 81-3
 m_message_type, 81-3
 m_message_type_defined, 81-2
 m_packet_bcc_type, 81-2
 m_prot_disc, 81-2
 m_ptr_to_call_ref, 81-3
 m_ptr_to_info_element, 81-3

R

Real-time clock

events, fevar_time_of_day, 72-4

structures
 crnt_tm, 72-2
 prev_tm, 72-2
 tm, 72-2

variables
 crnt_date_of_day, 72-4
 crnt_time_of_day, 72-4
 prev_date_of_day, 72-4
 prev_time_of_day, 72-4

Record

routines
 start_rcrd_play, 68-3, 72-16
 suspend_rcrd_play, 68-3, 72-17

Remote port I/O

events
 rmt_break, 70-3
 rmt_input_almost_empty, 70-3
 rmt_input_almost_full, 70-3
 rmt_input_empty, 70-3
 rmt_input_not_empty, 70-3
 rmt_input_overflow, 70-3
 rmt_output_empty, 70-3

routines

rmt_flushi, 70-8
 rmt_flusho, 70-16
 rmt_get_baud_rate, 70-25
 rmt_get_bits, 70-26
 rmt_get_mode, 70-27
 rmt_get_parity, 70-26
 rmt_getc, 70-4
 rmt_getl, 70-5
 rmt_gets, 70-6
 rmt_lock, 70-9
 rmt_putb, 70-14
 rmt_putc, 70-11
 rmt_puts, 70-13
 rmt_resumeo, 70-19
 rmt_send_break, 70-19
 rmt_set_baud_rate, 70-21
 rmt_set_bits, 70-22
 rmt_set_mode, 70-24
 rmt_set_parity, 70-23
 rmt_suspendo, 70-18
 rmt_unlock, 70-10

rcv_buffer_full, line variable, 62-2
 defined, 62-4

rcvd_char_rd, line variable, 58-1, 62-5, 62-6, 62-19
 defined, 62-4

rcvd_char_td, line variable, 58-1, 62-5, 62-6, 62-18, 62-20
 defined, 62-4

rcvd_device_path, X.25 Layer 3 variable, 75-9
 defined, 75-7

rcvd_frame

LAPD event, defined, 80-3
 SDLC event, defined, 76-3
 X.25 Layer 2 event, defined, 74-3

rcvd_frame_addr
 SDLC variable, defined, 76-4
 X.25 Layer 2 variable, defined, 74-4

rcvd_frame_addr_cr, LAPD variable, defined, 80-4

rcvd_frame_addr_sapi, LAPD variable, defined, 80-4

rcvd_frame_addr_tei, LAPD variable, defined, 80-4

rcvd_frame_bcc_type
 LAPD variable, defined, 80-5
 SDLC variable, defined, 76-5
 X.25 Layer 2 variable, defined, 74-4

rcvd_frame_buff_seg
 LAPD variable, 80-8
 defined, 80-5
 SDLC variable, 76-8
 defined, 76-5
 X.25 Layer 2 variable, 74-8
 defined, 74-5

rcvd_frame_cntrl_byte_1
 LAPD variable, defined, 80-5
 SDLC variable, defined, 76-4
 X.25 Layer 2 variable, defined, 74-4

rcvd_frame_nr
 LAPD variable, defined, 80-5
 SDLC variable, defined, 76-5
 X.25 Layer 2 variable, defined, 74-4

rcvd_frame_ns
 LAPD variable, defined, 80-5
 SDLC variable, defined, 76-5
 X.25 Layer 2 variable, defined, 74-5

rcvd_frame_pf
 LAPD variable, defined, 80-5
 SDLC variable, defined, 76-4
 X.25 Layer 2 variable, defined, 74-4

rcvd_frame_sdu_offset
 LAPD variable, 80-8
 defined, 80-5
 SDLC variable, 76-8
 defined, 76-5
 X.25 Layer 2 variable, 74-8
 defined, 74-5

rcvd_frame_sdu_size
 LAPD variable, 80-8
 defined, 80-5
 SDLC variable, 76-8
 defined, 76-5
 X.25 Layer 2 variable, 74-8
 defined, 74-5

rcvd_frame_type
 LAPD variable, defined, 80-4
 SDLC variable, defined, 76-4
 X.25 Layer 2 variable, defined, 74-4

rcvd_packet, X.25 Layer 3 event, defined, 75-3

rcvd_packet_ptr, X.25 Layer 3 variable, defined, 75-6

rcvd_packet_type, X.25 Layer 3 variable, defined, 75-5

rcvd_pkt_buff_seg, X.25 Layer 3 variable, 75-8
 defined, 75-6

rcvd_pkt_cause, X.25 Layer 3 variable, defined, 75-4

rcvd_pkt_d, X.25 Layer 3 variable, defined, 75-4

rcvd_pkt_diagn, X.25 Layer 3 variable, defined, 75-4

rcvd_pkt_info_length, X.25 Layer 3 variable, 75-9
 defined, 75-6

rcvd_pkt_info_offset, X.25 Layer 3 variable, defined, 75-6

rcvd_pkt_info_ptr, X.25 Layer 3 variable, 75-8
 defined, 75-6

rcvd_pkt_info_seg, X.25 Layer 3 variable, defined, 75-6

rcvd_pkt_lcn, X.25 Layer 3 variable, defined, 75-4

rcvd_pkt_length, X.25 Layer 3 variable, 75-8
 defined, 75-6

rcvd_pkt_m, X.25 Layer 3 variable, defined, 75-4

rcvd_pkt_pr, X.25 Layer 3 variable, defined, 75-4

rcvd_pkt_ps, X.25 Layer 3 variable, defined, 75-4

rcvd_pkt_q, X.25 Layer 3 variable, defined, 75-4

rcvd_pkt_sdu_offset, X.25 Layer 3 variable, 75-8
 defined, 75-6

rcvd_pkt_type_byte, X.25 Layer 3 variable, defined, 75-5

rd_modifier, data-display variable, 62-6, 62-7, 62-19
 defined, 62-5

remove, disk I/O routine, 68-3, 68-33
 defined, 68-32

rename, disk I/O routine, 68-3, 68-32
 defined, 68-31

resend_frame
 LAPD routine, defined, 80-10
 SDLC routine, defined, 76-10
 X.25 Layer 2 routine, defined, 74-10

resend_frame_multi, SDLC routine, defined,
 76-11

resend_packet, X.25 Layer 3 routine, defined,
 75-14

reset_nr
 LAPD routine, defined, 80-11
 SDLC routine, defined, 76-12
 X.25 Layer 2 routine, defined, 74-11

reset_nr_multi, SDLC routine, defined, 76-13

reset_ns
 LAPD routine, defined, 80-12
 SDLC routine, defined, 76-14
 X.25 Layer 2 routine, defined, 74-11

reset_ns_multi, SDLC routine, defined, 76-15

reset_pr_ps, X.25 Layer 3 routine, defined,
 75-15

reset_print_page, print routine, 67-9
 defined, 67-9

restore_cursor, Display Window routine, 64-1,
 64-8, 64-22
 defined, 64-22

rewind, disk I/O routine, 68-2, 68-4
 defined, 68-13

rh_ptr, SNA variable, defined, 77-3

rindex, string routine, 59-22
 defined, 72-12

rmt_break, remote port I/O event, defined,
 70-3

rmt_flushi, remote port I/O routine, 70-9
 defined, 70-8

rmt_flusho, remote port I/O routine, 70-17
 defined, 70-16

rmt_get_baud_rate, remote port I/O routine,
 70-25
 defined, 70-25

rmt_get_bits, remote port I/O routine, 70-26
 defined, 70-26

rmt_get_mode, remote port I/O routine, 70-27
 defined, 70-27

rmt_get_parity, remote port I/O routine, 70-26
 defined, 70-26

rmt_getc, remote port I/O routine, 70-5, 70-9,
 70-19
 defined, 70-4

rmt_getl, remote port I/O routine, 70-6
 defined, 70-5

rmt_gets, remote port I/O routine, defined,
 70-6

rmt_input_almost_empty, remote port I/O event,
 70-2
 defined, 70-3

rmt_input_almost_full, remote port I/O event,
 70-2
 defined, 70-3

rmt_input_empty, remote port I/O event, 70-2
 defined, 70-3

rmt_input_not_empty, remote port I/O event,
 70-2
 defined, 70-3

rmt_input_overflow, remote port I/O event,
 70-2
 defined, 70-3

rmt_lock, remote port I/O routine, 70-10
 defined, 70-9

rmt_output_empty, remote port I/O event,
 defined, 70-3

rmt_putb, remote port I/O routine, 70-16
 defined, 70-14

rmt_putc, remote port I/O routine, 70-13,
 70-17
 defined, 70-11

rmt_puts, remote port I/O routine, 70-14
 defined, 70-13

rmt_resumeo, remote port I/O routine, 70-19
 defined, 70-19

rmt_send_break, remote port I/O routine,
 70-20
 defined, 70-19

rmt_set_baud_rate, remote port I/O routine,
 70-22
 defined, 70-21

rmt_set_bits, remote port I/O routine, 70-23
 defined, 70-22

rmt_set_mode, remote port I/O routine, 70-25
 defined, 70-24

rmt_set_parity, remote port I/O routine, 70-24
 defined, 70-23

rmt_suspendo, remote port I/O routine, 70-18
 defined, 70-18

rmt_unlock, remote port I/O routine, 70-11
defined, 70-10

ru_ptr, SNA variable, defined, 77-3

S

SDLC

events

bcc_error, 76-3
dce_abort, 76-3
dce_bad_bcc, 76-3
dce_frame, 76-3
dce_good_bcc, 76-3
dte_abort, 76-3
dte_bad_bcc, 76-3
dte_frame, 76-3
dte_good_bcc, 76-3
frame_sent, 76-4
invalid_frame, 76-3
l2_T1, 76-3
nr_error, 76-3
ns_error, 76-3
rcvd_frame, 76-3

routines

l2_give_data, 76-10
resend_frame, 76-10
resend_frame_multi, 76-11
reset_nr, 76-12
reset_nr_multi, 76-13
reset_ns, 76-14
reset_ns_multi, 76-15
send_frame, 76-15

structures, send_frame_structure, 76-2

variables

l2_current_window_edge, 76-5
l2_enhance, 76-6
l2_lower_window_edge, 76-5
l2_resend_edge, 76-5
l2_suppress, 76-6
l2_upper_window_edge, 76-5
m_frame_addr, 76-4
m_frame_bcc_type, 76-4
m_frame_cntrl_byte_1, 76-4
m_frame_pf, 76-4
m_frame_type, 76-4
rcvd_frame_addr, 76-4
rcvd_frame_bcc_type, 76-5
rcvd_frame_buff_seg, 76-5
rcvd_frame_cntrl_byte_1, 76-4
rcvd_frame_nr, 76-5
rcvd_frame_ns, 76-5
rcvd_frame_pf, 76-4
rcvd_frame_sdu_offset, 76-5
rcvd_frame_sdu_size, 76-5
rcvd_frame_type, 76-4

SNA

events. *See* SDLC, events
routines. *See* SDLC, routines
structures. *See* SDLC, structures
variables

See also SDLC, variables

m_packet_daf, 77-2
m_packet_def, 77-2
m_packet_dsaf, 77-2
m_packet_fi, 77-3
m_packet_fid_type, 77-2
m_packet_length, 77-2
m_packet_lsid, 77-2
m_packet_oaf, 77-2
m_packet_oef, 77-2
m_packet_osaf, 77-2
m_packet_rri, 77-3
m_packet_rti, 77-3
m_packet_ru_category, 77-3
m_packet_sdi, 77-3
rh_ptr, 77-3
ru_ptr, 77-3
th_ptr, 77-3

SS#7 Layer 1, variables

dce_flags, 82-5
dce_frames_suppressed, 82-5
dte_flags, 82-5
dte_frames_suppressed, 82-5

SS#7 Layer 2

events

dce_abort, 82-2
dce_bad_bcc, 82-2
dce_frame, 82-2
dce_good_bcc, 82-2
dte_abort, 82-2
dte_bad_bcc, 82-2
dte_frame, 82-2
dte_good_bcc, 82-2

variables

l2_enhance, 82-3
l2_suppress, 82-3
m_bib, 82-2
m_fib, 82-2
m_frame_bcc_type, 82-3
m_li, 82-3
m_so0, 82-3
m_unit_type, 82-2

SS#7 Layer 3

events

dce_packet, 83-2
dte_packet, 83-2

variables

l3_enhance, 83-6
l3_suppress, 83-6
m_cic, 83-6

- m_code_type, 83-2
- m_label_dpc, 83-6
- m_label_opc, 83-6
- m_label_sls, 83-6
- m_sio_ni, 83-2
- m_sio_priority, 83-2
- m_sio_si, 83-2

Stats display

- routines
 - get_68k_phys_addr, 65-14
 - send_stat_message, 65-15
- structures, stat_msg, 65-5

Status

- events, display_screen_changed, 64-2
- structures
 - mprm_info, 69-5
 - unit_config, 69-3
 - unit_setup, 69-2
- variables
 - crnt_display_screen, 64-2
 - prev_display_screen, 64-3

String

- routines
 - index, 72-11
 - rindex, 72-12

send_d_frame

- ISDN routine, defined, 79-3
- transmit routine, 79-1

send_d_frame_il, ISDN routine, defined, 79-4

send_dl_prmtv_above, OSI Layer 2 routine, 58-4 defined, 66-47

send_dl_prmtv_below, OSI Layer 3 routine, 58-8, 66-43 defined, 66-54

send_frame

- LAPD routine, defined, 80-12
- SDLC routine, defined, 76-15
- SNA routine, 77-5
- X.25 Layer 2 routine, defined, 74-12

send_frame_structure

- LAPD structure, 80-13 defined, 80-2
- SDLC structure, 76-16 defined, 76-2
- SNA Layer 2 structure, 77-1
- X.25 Layer 2 structure, 74-13 defined, 74-2

send_key, keyboard routine, 3-12, 6-23, 64-4 defined, 72-18

send_m_dl_prmtv_above, OSI Layer 2 routine, defined, 66-49

send_m_n_prmtv_above, OSI Layer 3 routine, defined, 66-53

send_m_p_prmtv_above, OSI Layer 6 routine, defined, 66-65

send_m_s_prmtv_above, OSI Layer 5 routine, defined, 66-61

send_m_t_prmtv_above, OSI Layer 4 routine, defined, 66-57

send_n_prmtv_above, OSI Layer 3 routine, defined, 66-51

send_n_prmtv_below, OSI Layer 4 routine, 58-7, 58-8, 66-42, 66-59 defined, 66-58

send_p_prmtv_above, OSI Layer 6 routine, defined, 66-63

send_p_prmtv_below, OSI Layer 7 routine, defined, 66-67

send_packet, X.25 Layer 3 routine, defined, 75-16

send_packet_structure, X.25 Layer 3 structure, 75-17 defined, 75-2

send_ph_prmtv_below, OSI Layer 2 routine, 58-8, 58-9, 66-40, 66-44, 66-45 defined, 66-50

send_ph_to_above, OSI Layer 1 routine, 66-47 defined, 66-45

send_s_prmtv_above, OSI Layer 5 routine, defined, 66-59

send_s_prmtv_below, OSI Layer 6 routine, defined, 66-66

send_stat_message, stats-display routine, 65-15, 65-16 defined, 65-15

send_t_prmtv_above, OSI Layer 4 routine, defined, 66-55

send_t_prmtv_below, OSI Layer 5 routine, 66-42 defined, 66-62

set_aux_ctl_leads, aux port I/O routine, 71-6, 71-8, 71-9 defined, 71-6

set_aux_direction, aux port I/O routine, 71-5, 71-8, 71-9 defined, 71-5

set_aux_reg, aux port I/O routine, 71-11 defined, 71-10

set_dw_fkey_label, Display Window routine, 64-24 defined, 64-23

- `_set_file_type`, disk I/O routine, 68-35
 - defined, 68-34
- `set_isdn_speaker_chan`, ISDN routine, 79-2
 - defined, 79-5
- `set_ltrace_fkey_label`, Protocol Trace routine, 64-50
 - defined, 64-49
- `_set_maint_buff_bit`, OSI layer-independent routine, 58-4, 58-5, 66-40, 66-42, 66-43, 66-44, 66-45, 66-47, 66-49, 66-51, 66-52, 66-53, 66-55, 66-57, 66-58, 66-60
 - defined, 66-38
- `set_print_header`, print routine, 67-1, 67-9
 - defined, 67-8
- `set_tcr_b`
 - transmit routine, defined, 62-15
 - X.21 routine, 73-10
 - defined, 73-9
- `set_utrace_fkey_label`, trace buffer routine, 64-39
 - defined, 64-38
- `show_dw_fkey_labels`, Display Window routine, 64-24
 - defined, 64-24
- `signal`, interrupt routine, 60-6
 - defined, 72-15
- `signal_name`, interrupt event, defined, 72-4
- `sound_alarm`, alarm routine, defined, 72-16
- `sprintf`
 - Display Window routine, defined, 64-13
 - print routine, 64-13, 67-1, 67-7
 - defined, 67-7
 - used to specify precision for `tracef`, 70-16
- `_start_il_buff_list`, OSI layer-independent routine, 58-5, 58-7, 58-8, 62-14, 66-37, 66-42, 66-46, 74-13, 75-17, 76-17, 79-5, 80-13
 - defined, 66-33
- `start_of_run_date`, timer variable, defined, 65-10
- `start_of_run_time`, timer variable, defined, 65-10
- `start_rcrd_play`
 - playback routine, 68-3
 - record routine, 15-6, 68-3
 - defined, 72-16
- `stat_msg`, stats-display structure, 65-15
 - defined, 65-5

- `stracef`, trace buffer routine, 64-13, 64-36
 - defined, 64-35
- `strcmp`, user-defined routine, 61-6
- `surrender_cpu`, processing routine, defined, 72-19
- `suspend_rcrd_play`
 - playback routine, 68-3
 - record routine, 68-3
 - defined, 72-17

T

- Timeout
 - events, `timeout_name_expired`, 72-4
 - routines
 - `timeout_restart_action`, 72-8
 - `timeout_stop_action`, 72-10
 - structures, `timeout`, 72-3

- Timer
 - routines
 - `convert_tick_count`, 65-18
 - `get_wall_time_286_ticks`, 65-17
 - `get_wall_time_ticks`, 65-16
 - structures, `timer_struct`, 65-9
 - variables
 - `l1_tick_count`, 65-10
 - `start_of_run_date`, 65-10
 - `start_of_run_time`, 65-10

- Trace buffer
 - routines
 - `set_utrace_fkey_label`, 64-38
 - `stracef`, 64-35
 - `tracec`, 64-33
 - `tracef`, 64-34
 - `traces`, 64-37
 - structures
 - `l1_trbuf`, 64-31
 - `l2_trbuf`, 64-31
 - `l3_trbuf`, 64-31
 - `l4_trbuf`, 64-31
 - `l5_trbuf`, 64-32
 - `l6_trbuf`, 64-32
 - `l7_trbuf`, 64-32
 - `prog_trbuf`, 64-31
 - `trace_buf`, 64-30
 - `trace_buffer_header`, 64-30

- Transmit
 - events, `fevar_xmit_cmplt`, 62-4
 - routines
 - `disable_dce`, 62-11
 - `disable_dte`, 62-11
 - `idle_action`, 62-14
 - `l1_il_transmit`, 58-4, 62-13

l1_transmit, 62-12
 set_tcr_b, 62-15
 structures, xmit_list, 62-1
 td_modifier, data-display variable, 62-6, 62-7,
 62-18
 defined, 62-4
 temporary_prompt, user-defined routine, 61-4
 th_ptr, SNA variable, defined, 77-3
 timeout, timeout structure, 61-5
 defined, 72-3
 timeout_name_expired, timeout event, defined,
 72-4
 timeout_restart_action, timeout routine, 61-4,
 72-9
 defined, 72-8
 timeout_stop_action, timeout routine, 72-11
 defined, 72-10
 timer_struct, timer structure, 65-8
 defined, 65-9
 tm, real-time clock structure, defined, 72-2
 trace_buf, trace buffer structure, 64-28, 64-35,
 64-36, 64-40
 defined, 64-30
 trace_buffer_header, trace buffer structure,
 64-28, 64-39
 defined, 64-30
 tracec, trace buffer routine, 64-1, 64-4, 64-34
 defined, 64-33
 tracef, trace buffer routine, 64-1, 64-4, 64-32,
 64-35, 64-39, 64-40, 64-42, 68-18
 defined, 64-34
 traces, trace buffer routine, 59-22, 64-1, 64-4
 defined, 64-37

U

ungetc, disk I/O routine, 68-1, 68-2, 68-4,
 68-22
 defined, 68-21
 unhighlight_dw_fkey_label, Display Window
 routine, 64-26
 defined, 64-27
 unit_config, status structure, 7-7, 69-1
 defined, 69-3
 unit_setup, status structure, 69-1
 defined, 69-2

unlock
 disk I/O routine, 68-4
 defined, 68-16
 processing routine, defined, 72-15
 up_dl_il_buff, OSI Layer 2 variable, 66-39,
 66-43, 66-45, 66-51
 defined, 66-17
 up_dl_pdu_seg, OSI Layer 2 variable, defined,
 66-16
 up_dl_prmtv, OSI Layer 2 event, defined,
 66-15
 up_dl_prmtv_code, OSI Layer 2 variable, 66-54
 defined, 66-17
 up_dl_prmtv_path, OSI Layer 2 variable, 66-50
 defined, 66-17
 up_dl_sdu, OSI Layer 2 variable, 66-43, 66-45,
 66-51
 defined, 66-17
 up_n_il_buff, OSI Layer 3 variable, 58-7, 66-6,
 66-9, 66-10, 66-11, 66-12, 66-43, 66-55
 defined, 66-20
 up_n_pdu_seg, OSI Layer 3 variable, 66-9
 defined, 66-20
 up_n_prmtv, OSI Layer 3 event, 58-7
 defined, 66-18
 up_n_prmtv_code, OSI Layer 3 variable, 66-9,
 66-58
 defined, 66-20
 up_n_prmtv_path, OSI Layer 3 variable, 66-9,
 66-54
 defined, 66-20
 up_n_sdu, OSI Layer 3 variable, 58-7, 66-9,
 66-11, 66-43, 66-55
 defined, 66-20
 up_p_il_buff, OSI Layer 6 variable, 66-66,
 66-67
 defined, 66-29
 up_p_pdu_seg, OSI Layer 6 variable, defined,
 66-28
 up_p_prmtv, OSI Layer 6 event, defined, 66-27
 up_p_prmtv_code, OSI Layer 6 variable, 66-68
 defined, 66-29
 up_p_prmtv_path, OSI Layer 6 variable, 66-66
 defined, 66-29
 up_p_sdu, OSI Layer 6 variable, 66-66, 66-67
 defined, 66-29
 up_s_il_buff, OSI Layer 5 variable, 66-62,
 66-63
 defined, 66-26

- up_s_pdu_seg, OSI Layer 5 variable, defined, 66-25
- up_s_prmtv, OSI Layer 5 event, defined, 66-24
- up_s_prmtv_code, OSI Layer 5 variable, 66-66 defined, 66-26
- up_s_prmtv_path, OSI Layer 5 variable, 66-62 defined, 66-26
- up_s_sdu, OSI Layer 5 variable, 66-62, 66-63 defined, 66-26
- up_t_il_buff, OSI Layer 4 variable, 66-42, 66-58 defined, 66-23
- up_t_pdu_seg, OSI Layer 4 variable, defined, 66-23
- up_t_prmtv, OSI Layer 4 event, defined, 66-21
- up_t_prmtv_code, OSI Layer 4 variable, 66-62 defined, 66-23
- up_t_prmtv_path, OSI Layer 4 variable, 66-58 defined, 66-23
- up_t_sdu, OSI Layer 4 variable, 66-42, 66-58 defined, 66-23

W

- window_color, Display Window variable, 64-4, 64-39, 64-41, 64-43 defined, 64-5
- window_modifier, Display Window variable, 64-4, 64-39, 64-43 defined, 64-7
- write_aux, aux port I/O routine, 71-8, 71-9 defined, 71-7

X

X.21

- events, fevar_eia_changed, 73-3
- routines
 - ctl_eia, 73-4
 - enter_call_phase, 73-10
 - enter_data_phase, 73-11
 - set_tcr_b, 73-9
 - x21_idle_action, 73-6
 - x21_transmit_call, 73-7
 - x21_transmit_call_idle, 73-8
- structures, xmit_list, 73-1
- variables
 - current_eia_leads, 73-3
 - previous_eia_leads, 73-3

X.25 Layer 2

- events
 - bcc_error, 74-3
 - dce_abort, 74-3
 - dce_bad_bcc, 74-3
 - dce_frame, 74-3
 - dce_good_bcc, 74-3
 - dte_abort, 74-3
 - dte_bad_bcc, 74-3
 - dte_frame, 74-3
 - dte_good_bcc, 74-3
 - frame_sent, 74-4
 - invalid_frame, 74-3
 - l2_T1, 74-3
 - nr_error, 74-3
 - ns_error, 74-3
 - rcvd_frame, 74-3
- routines
 - l2_give_data, 74-9
 - resend_frame, 74-10
 - reset_nr, 74-11
 - reset_ns, 74-11
 - send_frame, 74-12
- structures, send_frame_structure, 74-2
- variables
 - l2_current_window_edge, 74-5
 - l2_enhance, 74-5
 - l2_lower_window_edge, 74-5
 - l2_resend_edge, 74-5
 - l2_suppress, 74-5
 - l2_upper_window_edge, 74-5
 - m_frame_addr, 74-4
 - m_frame_bcc_type, 74-4
 - m_frame_cntrl_byte_1, 74-4
 - m_frame_pf, 74-4
 - m_frame_type, 74-4
 - rcvd_frame_addr, 74-4
 - rcvd_frame_bcc_type, 74-4
 - rcvd_frame_buff_seg, 74-5
 - rcvd_frame_cntrl_byte_1, 74-4
 - rcvd_frame_nr, 74-4
 - rcvd_frame_ns, 74-5
 - rcvd_frame_pf, 74-4
 - rcvd_frame_sdu_offset, 74-5
 - rcvd_frame_sdu_size, 74-5
 - rcvd_frame_type, 74-4

X.25 Layer 3

- events
 - dce_packet, 75-3
 - dte_packet, 75-3
 - invalid_packet, 75-3
 - packet_sent, 75-3
 - pr_error, 75-3
 - ps_error, 75-3
 - rcvd_packet, 75-3

routines
 l3_clear_path, 75-11
 l3_give_data, 75-10
 l3_more_to_resend, 75-11
 l3_window_empty, 75-13
 l3_window_full, 75-12
 resend_packet, 75-14
 reset_pr_ps, 75-15
 send_packet, 75-16
 structure, send_packet_structure, 75-2
 variables
 l3_enhance, 75-7
 l3_suppress, 75-7
 m_packet_buff_seg, 75-5
 m_packet_cause, 75-4
 m_packet_d, 75-3
 m_packet_diag_code, 75-4
 m_packet_info_length, 75-5
 m_packet_info_offset, 75-5
 m_packet_info_ptr, 75-6
 m_packet_info_seg, 75-5
 m_packet_lcn, 75-3
 m_packet_lcn_grp, 75-3
 m_packet_length, 75-5
 m_packet_m, 75-3
 m_packet_pr, 75-3
 m_packet_ps, 75-3
 m_packet_ptr, 75-6
 m_packet_q, 75-3
 m_packet_sdu_offset, 75-5
 m_packet_type, 75-4
 m_packet_type_byte, 75-4
 rcvd_device_path, 75-7
 rcvd_packet_ptr, 75-6
 rcvd_packet_type, 75-5
 rcvd_pkt_buff_seg, 75-6
 rcvd_pkt_cause, 75-4
 rcvd_pkt_d, 75-4
 rcvd_pkt_diagn, 75-4
 rcvd_pkt_info_length, 75-6
 rcvd_pkt_info_offset, 75-6
 rcvd_pkt_info_ptr, 75-6
 rcvd_pkt_info_seg, 75-6
 rcvd_pkt_lcn, 75-4
 rcvd_pkt_length, 75-6
 rcvd_pkt_m, 75-4
 rcvd_pkt_pr, 75-4
 rcvd_pkt_ps, 75-4
 rcvd_pkt_q, 75-4
 rcvd_pkt_sdu_offset, 75-6
 rcvd_pkt_type_byte, 75-5
 x21_idle_action, X.21 routine, defined, 73-6
 x21_transmit_call, X.21 routine, 73-1, 73-7
 defined, 73-7
 x21_transmit_call_idle, X.21 routine, 73-9
 defined, 73-8
 xmit_list
 ISDN structure, 79-3
 defined, 79-1
 transmit structure, 62-13
 defined, 62-1
 X.21 structure, 73-6, 73-7, 73-9
 defined, 73-1

(1)

(2)

(3)