

Supplies for your Versatec Electrostatic Printer/Plotter.



When you need supplies.

Call Versatec

Call Versatec when you need media for your Versatec output system. We have a separate division of people dedicated to providing your Versatec output system with supplies that were made especially for your Versatec equipment.

TO ORDER Versatec supplies, call:
800-538-6468, in California
800-672-3307 or in Canada
800-268-3335

Place this label on your telephone so we are no more than a call away!

Why the concern? We want you to be satisfied with your Versatec printer/plotter. And when you use Versatec hardware with Versatec media, we know you will be satisfied.

Only from Versatec

When you purchase Versatec supplies, you can be assured of receiving the following:

- high quality media for consistent output
- efficient order with toll-free numbers
- prompt shipment from regional warehouses
- broad range of toners and media, quality tested before release
- field and factory support knowledgeable in *both* hardware and supplies
- all services backed by industry leadership since 1969
- delays avoided due to third party involvement
- comprehensive support of supplies and hardware to maximize uptime, output quality and hardware life

Protecting your investment

Your Versatec output system has been carefully designed for excellent output and service. To help you maximize system performance, we offer a broad range of Versatec toners and media specifically tested to operate with your Versatec equipment. Versatec has been in the electrostatic plotting business since 1969—and it's attention to customer needs has made it a world leader.


Keeping all systems go

Media plays an important role in electrostatic writing. Unlike Xerographic or ink jet processes, the electrical charge is placed directly on the paper. While this greatly simplifies the process it does require a special electrographic media. This coated media consists of a conductive substrate coated with an insulating layer.

Electrographic media can have a major effect on the life and reliability of Versatec printer/plotters. Media that has not been carefully formulated and produced can result in accelerated wear of the writing head of the paper transport. All Versatec media are developed along with the printer/plotter—to protect your equipment investment and ensure maximum performance.

Units are factory tested and service is trained using only Versatec supplies. No other company can make that claim.

Another example is the important relationship between toner and the media. Versatec toners are manufactured and tested to ensure they do not plug toner fountains, but retain the properties necessary for immediate fixing. This leads to smudge-free final output with dark imaged areas and clean, unimaged areas for high contrast. Using Versatec toner ensures the performance of your hardware and resulting quality output.



Why Versatec supplies?

Versatec's own research and development group, staffed by specialists in electrochemistry and media technology continue to improve the consistency and quality of hard copy output. A comprehensive quality assurance program maintains strict conformance to detailed specifications. Each product is tested thoroughly before release to our customers ensuring maximum uptime.

Versatec is the only plotter manufacturer to own a paper converting plant. Located in Oklahoma City, the plant is the most advanced facility of its kind in the U.S. By owning the plant, Versatec is able to regulate media specifications and keep costs low. Versatec passes these savings on to you—the customer.

Use only genuine Versatec supplies to keep your plotter running like new.

Some vendors offer media *for use with* Versatec equipment. However, media from Versatec has been researched, tested, and selected, and is based on superior performance characteristics on Versatec equipment by the same people who develop Versatec equipment.

Only media meeting Versatec high performance standards are approved. These high standards enable our customers to realize savings by avoiding service calls, hardware damage or loss of data due to inferior media.

Your order is important

Our supplies sales specialists are on hand to answer your questions about supplies: performance, inventory and costs. In the U.S. they come in early to cover the different time zones to help you and expedite your order. Once your order has been received, it is input into our computer—ensuring your inventory record is accurate and up-to-date.

The order is transmitted electronically to the appropriate regional warehouse.

Warehouses located worldwide offer fast, efficient shipment of supplies, usually within 48 hours from receipt of order.

Whatever your need—our supplies sales specialists can help you order supplies that provide the best performance. Plus they can help you determine quantity levels that offer the most economical prices for your application. They can also set up automatic releases of supplies, which can help you maintain a smooth orderly flow of supplies without excessive inventories or critical shortages.

Distribution centers outside the U.S. speed supplies deliveries internationally.

When you need supplies, delivery or information, come to the leader. Call 800-538-6468. In California call: 800-672-3307 or in Canada call 800-268-3335.

But don't take our word for it. Ask our customers—located in more than 55 countries, with a larger installed customer base than all of our competitors combined. Only from Versatec. The world leader in *both* electrostatic equipment and supplies.

Quality media

With Versatec you can choose from a wide range of media and toner. Many types of paper and film are available to ensure your plotting needs are met. Choose from:

Clear polyester film


3 mil. matte-back polyester film

4 mil. matte-back polyester film

Translucent paper

Vellum paper

Opaque paper



Choose from a wide range of media.

Opaque Paper

	Order No.	Series/ Model	Width	Length (Feet)	Rolls/ Carton	Weight/ Carton
Opaque paper—Roll 3 mil., lowest cost, most widely used general purpose plotting media. A high quality bond-like sheet suitable for both check plotting and final drawings. Produced from a specially developed base paper and then coated using Versatec's dielectric formula. Available in 500' long rolls, 8½"-72" in width.	4008-R	800/900	8.5 in.	500	2	12.5 lbs
	4011-R	V-80, 1100, 1200 1600, 3000	11 in.	500	2	16 lbs
	¹ 4297-R	V-80	297 mm	500	2	7.2 kg
	4020-R	2000	20 in.	500	2	30 lbs
	4022-R	8122/8222/7000	22 in.	500	2	35 lbs
	4024-R	8124/8224/7000	24 in.	500	2	38 lbs
	4036-R1	8136/8236/7000	36 in.	500	1	30 lbs
	4042-R1	8142/8242	42 in.	500	1	33 lbs
	4044-R	8244/7000	44 in.	500	1	38 lbs
	4052-R	8252	52.5 in.	500	1	36 lbs
	² 4059-R	8259	59 in.	500	1	40 lbs
	² 4072-R	8172/8272	72 in.	1500	1	130 lbs

	Order No.	Series/ Model	Width	Length Fold-Fold	Weight/ Carton
Opaque paper—Fan-fold All fan-fold packs are opaque paper, 1,000 sheets per carton. All fan-fold packs, except 4011-UF, are sequentially page numbered 000 to 999. 4011-UF is unnumbered. Available in fan-fold widths of 11" x 8½", 8½" x 11", 11" x 11" and European A4 (297 mm x 210 mm) landscape.	4008-F	800/900	8.5 in.	11 in.	11 lbs
	4011-F	V-80, 1100, 1200, 1600, 3000	11 in.	8.5 in.	11 lbs
	4011-UF	V-80, 1100, 1200, 1600, 3000	11 in.	8.5 in.	11 lbs
	4111-F	V-80, 1100, 1200, 1600, 3000	11 in.	11 in.	13 lbs
	¹ 4297-F	V-80	297 mm	210 mm	5.2 kg

- Notes: 1. 4297-R and 4297-F subject to longer lead times.
2. 4059-R, and 4072-R subject to availability.

Opaque paper—Color plotters

	Order No.	Series/ Model	Width	Length (Feet)	Rolls/ Carton	Weight/ Carton
Opaque paper A high quality opaque sheet specially formulated and tested for Versatec's electrostatic color plotter. Provides more vivid, consistent colors and excellent contrast for monochrome plots.	4911-R	C2500	11 in.	500	2	16 lbs
	4911-RP	C2500	11 in.	450	2	16 lbs
	4912-R	C2500	297 mm	500	2	7.2 kg
	4924-R	CE-3000	24 in.	500	2	38 lbs
	4936-R	CE-3000	36 in.	500	1	30 lbs
	4942-R1	ECP-42	42 in.	500	1	33 lbs
	4944-R	CE-3000	44 in.	500	1	38 lbs
	CE4024-R	CE-3400	24 in.	500	1	30 lbs
	CE4036-R1	CE-3400	36 in.	500	1	33 lbs
	CE4044-R	CE-3400	44 in.	500	1	38 lbs

Translucent Paper

Translucent paper

Low-cost, 3 mil., translucent media for blue-line reproduction and overlays. Produced using a high quality sulphite base and coated using Versatec's dielectric formula. Suitable for limited diazo reproductions and general purpose plotting when long-term storage durability is not required. Available in 500' long rolls, 11" to 52" in width.

Order No.	Series/ Model	Width	Length (Feet)	Rolls/ Carton	Weight/ Carton
4011-T	V-80, 1100, 1200 1600, 3000	11 in.	500	2	16 lbs
4022-T	8122/8222/7000	22 in.	500	2	35 lbs
4024-T	8124/8224/7000	24 in.	500	2	38 lbs
4036-T1	8136/8236/7000	36 in.	500	1	30 lbs
4042-T1	8142/8242	42 in.	500	1	33 lbs
4044-T	8244/7000	44 in.	500	1	38 lbs
4052-T	8252	52.5 in.	500	1	36 lbs

Vellum Paper

Vellum

New high quality electrographic medium transparency vellum. Superior handling characteristics and image contrast. Resists cracking, ghosting and discoloration. Excellent for diazo reproductions and microfilming. Available in 500' long rolls, 11" to 44" in width.

Order No.	Series/ Model	Width	Length (Feet)	Rolls/ Carton	Weight/ Carton
4211-V	V-80, 1100, 1200, 1600, 3000	11 in.	500	2	15 lbs
4222-V	8122/8222	22 in.	500	2	29 lbs
4224-V	8124/8224	24 in.	500	2	33 lbs
4236-V	8136/8236	36 in.	500	1	25 lbs
4242-V	8142/8242	42 in.	500	1	28 lbs
4244-V	8244	44 in.	500	1	35 lbs



All orders are shipped promptly.

Film

Clear polyester film

Highly transparent, 4 mil., durable, dimensionally stable media for multiple overlays, final drawings, high speed reproductions and over-head projections. Both clear and matte/back films are produced using an exclusive coating formula developed by Versatec. Available in 200' long rolls, 11" to 44" in width.

Order No.	Series/Model	Width	Length (Feet)	Rolls/ Carton	Weight/ Carton
4711-C	V-80F	11 in.	200	2	13 lbs
4722-C	8222F/7000	22 in.	200	2	28 lbs
4724-C	8224F/7000/CE3000	24 in.	200	2	28 lbs
4736-C	8236F/7000/CE3000	36 in.	200	1	24 lbs
4742-C	8242F	42 in.	200	1	29 lbs
4744-C	8244F/7000/CE3000	44 in.	200	1	31 lbs

7 mil. clear polyester film

7736-C	7000 High Accuracy	36 in.	200	1	29 lbs
7736-C2	7000 High Accuracy	36 in.	200	1	29 lbs
7736-UC	7000 High Accuracy	36 in.	200	1	29 lbs

Matte-back polyester film

Durable, 4 mil., dimensionally stable electrographic media with non-fibrous matte drafting surface. Accepts ink, plastic and graphite leads for drawing, update or correction. Available in 200' long rolls, 11" to 44" in width.

Order No.	Series/Model	Width	Length (Feet)	Rolls/ Carton	Weight/ Carton
EMB4011-R	V-80F	11 in.	200	2	15 lbs
EMB4022-R	8222F/7000	22 in.	200	2	29 lbs
EMB4024-R	8224F/7000	24 in.	200	2	33 lbs
EMB4036-R	8236/7000	36 in.	200	1	25 lbs
EMB4042-R	8242F	42 in.	200	1	28 lbs
EMB4044-R	8244F/7000	44 in.	200	1	35 lbs

3 mil. matte-back polyester film

Same as above except 3 mil. thickness. Available in 200' long rolls for 24,"36,"42" and 44" width plotters.

EMB3024-R	8224/7224	24 in.	200	2	33 lbs
EMB3036-R	8236/7236	36 in.	200	1	25 lbs
EMB3042-R	8242	42 in.	200	1	28 lbs
EMB3044-R	8244/7244	44 in.	200	1	35 lbs

Toners

Type H toner

Produces sharp, high density images. Smudge-resistant hard copy on all Versatec paper and film media. Suitable for use in all Versatec electrostatic printers and plotters.

Order No.	Series/Model	Description	Bottle Size	Bottles/ Carton	Weight/ Carton
4105-2	8000 Series	Enhanced Adhesion Premix	2 gal.	1	16 lbs
4105-16-6	8000 Series	Enhanced Adhesion Concentrate	16 oz.	6	6 lbs
4107-3-2	7000 Series	Enhanced Adhesion Premix	1.3 gal.	2	24 lbs
4107-20-6	7000 Series	Enhanced Adhesion Concentrate	20 oz.	6	9 lbs
4405-2	All Except V-80	Type H Pre-Mix	2 gal.	1	16 lbs
4405-8-4	800, 900, 1100, 1200, 1600, 2000, 3000	Type H Concentrate	8 oz.	4	2 lbs
4405-16-6	8000 Series	Type H Concentrate	16 oz.	6	6 lbs
4403-1-4	All Except V-80	Clear Dispersant	1 gal.	4	32 lbs
4403-2	All Except V-80	Clear Dispersant	2 gal.	1	16 lbs
4405-1GR	V-80	Type H V-80 Pre-Mix	1 gal.	2	16 lbs
4405-8GR-4	V-80	Type H V-80 Concentrate	8 oz.	4	2 lbs
4403-1GR	V-80	Clear Dispersant (V-80)	1 gal.	2	16 lbs
4405-32	3000	Type H Pre-Mix	32 oz.	6	12 lbs
000-439001-001	800, 900, 1100, 1200, 1600, 2000	Plunger, 8 oz. concentrate			
4407-3	7000 Series	Type H Premix	1.3 gal.	2	24 lbs
4407-20-6	7000 Series	Type H Concentrate	20 oz.	6	9 lbs
4403-3	7000 Series	Clear Dispersant	1.3 gal.	2	24 lbs

Order No.	Series/Model	Description	Bottle Size	Bottles/ Carton	Weight/ Carton
P415	8500 Series	Process Black	32 oz.	6	12 lbs
P420	8500 Series	Process Black	32 oz.	6	12 lbs
P425	8500 Series	Process Black	8 oz.	4	2 lbs

Note: All Versatec units that previously called for Types B, C, D, M or S toner pre-mix and concentrate products should now use the Type H products. It is recommended that units be flushed with clear dispersant when changing to Type H toner products.

Color toners

Another Versatec first! New translucent color toners for Versatec 11, 24, 36, 42 and 44-inch color plotters are available. Yellow, magenta, cyan and process black toners produce a broad spectrum of color. Images produced from the color plotter are smudge-free.

Order No.	Series/Model	Description	Bottle Size	Bottles/ Carton	Weight/ Carton
4811-32	ECP-42 only	ECP-Process Black Pre-Mix	32 oz.	6	12 lbs
4812-32	ECP-42 only	ECP-Yellow Pre-mix	32 oz.	6	12 lbs
4813-32	ECP-42 only	ECP-Magenta Pre-Mix	32 oz.	6	12 lbs
4814-32	ECP-42 only	ECP-Cyan Pre-Mix	32 oz.	6	12 lbs
4811-16-6	ECP-42 only	ECP-Process Black Concentrate	16 oz.	6	6 lbs
4812-16-6	ECP-42 only	ECP-Yellow Concentrate	16 oz.	6	6 lbs
4813-16-6	ECP-42 only	ECP-Magenta Concentrate	16 oz.	6	6 lbs
4814-16-6	ECP-42 only	ECP-Cyan Concentrate	16 oz.	6	6 lbs
4861-1-1	CE3000	Process Black Pre-Mix	1.5 gal.	1	24 lbs
4862-1-1	CE3000	Yellow Pre-Mix	1.5 gal.	1	24 lbs
4863-1-1	CE3000	Magenta Pre-Mix	1.5 gal.	1	24 lbs
4864-1-1	CE3000	Cyan Pre-Mix	1.5 gal.	1	24 lbs
4861-16-6	CE-3000	CE Process Black Pre-Mix	16 oz.	6	6 lbs
4862-16-6	CE-3000	CE Yellow Pre-Mix	16 oz.	6	6 lbs
4863-16-6	CE-3000	CE Magenta Pre-Mix	16 oz.	6	6 lbs
4864-16-6	CE-3000	CE Cyan Pre-Mix	16 oz.	6	6 lbs
4841-16-3	C2500	Spectrum Process Black Pre-Mix Starter	16 oz.	6	6 lbs
4842-16-3	C2500	Spectrum Yellow Pre-Mix Starter	16 oz.	6	6 lbs
4843-16-3	C2500	Spectrum Magenta Pre-Mix Starter	16 oz.	6	6 lbs
4844-16-3	C2500	Spectrum Cyan Pre-Mix Starter	16 oz.	6	6 lbs
4851-16-6	C2500	Spectrum Process Black Pre-Mix	16 oz.	6	6 lbs
4852-16-6	C2500	Spectrum Yellow Pre-Mix	16 oz.	6	6 lbs
4853-16-6	C2500	Spectrum Magenta Pre-Mix	16 oz.	6	6 lbs
4854-16-6	C2500	Spectrum Cyan Pre-Mix	16 oz.	6	6 lbs

Special Order Items

	Order No.		
Zippy Cutter	4000-Z		
Cleaning Kit	4000-CK		
Empty Color Premix Refill Bottle	4000-CPB	Holds 1.5 gal.	CE-3000/ECP-42

How to reach us.



At Versatec, we're in the supplies business to provide our customers with "total support."

Remember, Versatec is your only source for genuine Versatec supplies. To place your order, call toll-free today.

Toll-Free
(800) 538-6468
In California
(800) 672-3307
In Canada
(800) 268-3335



Ordering Information

Terms and Conditions

U.S. shipments are F.O.B. Destination unless otherwise stated. Terms are net 30 days. Prices subject to change without notice. Minimum U.S. order \$100.00. Minimum Canada order C\$200.00, F.O.B. destination.

Service/Support

Only Versatec can provide full service field and factory support with training on and access to the technology of both supplies and hardware. Technical supplies representatives are available to diagnose and resolve supplies problems in the field.

Additional Supplies

Versatec also offers a complete range of supplies for Versatec Versacolor thermal transfer color plotters. Paper, film transparencies, ink donor rolls and media cassettes are all available for Versacolor.

Warranty

Versatec supplies are warranted to be compatible with Versatec equipment. Equipment will not be damaged nor its performance degraded from use of Versatec supplies. Only Versatec can offer a warranty that has factory and field support with training on both supplies and hardware.

Versatec supplies are warranted free from defects for one (1) year from date of delivery provided storage and handling instructions are followed.

This limited warranty is provided in lieu of all other warranties, either expressed or implied, with respect to any supplies purchased hereunder, including any implied warranty of merchantability or fitness for a particular purpose. Seller hereby disclaims, and buyer hereby expressly waives, all such other warranties, together with any liability of seller under any provision of this agreement for loss of use, revenue or profit. In no event shall Versatec be liable for indirect, incidental or consequential damages in any way arising out of or relating to this agreement.

Versatec Headquarters

2710 Walsh Avenue
Santa Clara, California 95051
Telephone: (408) 988-2800
Telex: 334421

Versatec Canada

251 Consumers Road, Suite 802
Willowdale, Ontario M2J 4T5
Telephone: 416-494-8204
Telex: 06-986616

Versatec SpA

Palazzo E4 Viale Milanofiori
Milanofiori 20090 Assago
Italy
Telephone 39-2-89200353

Versatec (SA)

Rue de College Saint Michel 9
1150 Brussels
Belgium
Telephone: 32-2-7719907
Telex: 61286 VSCBRU B

Versatec, Inc. (UK)

5 Oxford Road
Newbury, Berkshire RG13 1QD
England
Telephone: 44-635-517200
Telex: 847259 VTECUK G

Versatec France

Immeuble Le Baltique
4 Avenue De Le Baltique
ZA De Courtaboeuf
91940 Les Ulis CEDEX
France
Telephone: 33-1-6446-1414
Telex: 692235 VERSAT F

Versatec GmbH

Kolpingring 18A
D-8024 Oberhaching
West Germany
Telephone: 49-89-3000-12
Telex: 897407 VETEC D

Versatec (BV)

Strijkviertel 35
3454 PJ De Meern
Netherlands
Telephone: 31-3406-64504
Telex: 70880 VETEC NL

Fuji-Xerox Co. Ltd.

2-11, Nishi Shinjuku 3 Chome
Shinjuku-ku
Tokyo 160
Telephone: 81-3-342-7481
Telex: 781 24988
Cable: FUJIXEROX TOKYO

Technical Supplies Representative locations:

Boston: (617) 229-6740
Detroit: (313) 348-5100
Dallas: (214) 620-7620
Santa Clara: (408) 988-2800